## **HEARTBURN RELIEF- famotidine tablet, film coated Meijer Distribution Inc**

-----

Meijer Distribution, Inc. Heartburn Relief Drug Facts

## Active ingredient (in each tablet)

Famotidine 10 mg

## **Purpose**

Acid reducer

#### Uses

- · relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

## Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

#### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

## Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

## Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

## Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 15
   to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

#### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

## Inactive ingredients

carnauba wax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin

#### Questions or comments?

1-800-719-9260

## Package/Label Principal Display Panel

Compare to Pepcid® AC active ingredient

ORIGINAL STRENGTH

heartburn relief

Famotidine Tablets, 10 mg

Acid Reducer

SEE NEW WARNINGS

Just One Tablet! Prevents & Relieves Heartburn Due to Acid Indigestion 30 Tablets actual size

by Johnson & Johnson, owner of the registered \*This product is not manufactured or distributed

Questions or comments? 1-800-7 19-9260

Drug Facts (continued)



DIST

CBY MEJER DISTRIBUTION GRAND RAPIDS, MI 49544 www.meijer.com

롱

preg elati niz ed starch, tal c, titan ium dio xi de, triaceti n microcrystalline cell ulose, poly dextrose, p d yethylene gly col, in n oxide red, ir on oxid e y ello w, ma gnes iu m stearate, In act ive ingredients camauba wax, hypromellose,

anutaiom mon't baton q ■ (7.77-%3) プ 2S-°OS its anota∎ ■ Neep the carton. It con tains important in formation. ■read the direction sand warnings before use not farm of ni 19A1V

- ■children un der 12 yeans:aak a doctor
- don ot use m ore than 2 tablets in 2 4 hours eating food or drinking beverages in atcause hear toum
- of water at any time from 1 5 to 60 minutes before assige with viblest twellow tablet with a glass of water. Do not chew.
- to relieve symptoms, swallow 1 tablet with aglass ■squits and children 1 Zyearsan dover

#### Directions

away. (1-800-222-1222) get m edical help or contact a Poison Con trol Center ing ht Keepouto freach of children. In case of overdose,

If pregnant or bre ast-fe eding, ask a health professional

■you need to take this product for more than 14 days ■ your near cournings or worsens Stopuse and as ka doctorif

with certain prescrip tion drugs. taking a prescription drug. Acid reduce rs may in teract Ask a doctor or pharma cist before useif you are

Drug Facts (continued)

- stom ach pain
   kidn ey disease

tra demark Pepcid<sup>®</sup>.

- mu dhead Atiw yhe lucithea, gai saath with headb um
  - m frequent che st pain
- sweating; pain spreading to arme, nedcorshoulders; drest pain or should erp ain with shortness of breath;
- 🔳 hear fourn with lighthead edness, sweating, or dizzin ea m ore serious condition.
- had heartb um over3 mon ths. This may be a sign of a Ask a doctor before useif you have
  - with other acid reducers
- with blood, or bloody or black stools. These may be m if you h ave trouble or pains want and boot g niw olls want and both ave it uoy it eu tono (

or other acid reducers

Alergyalert. Do not use if you are all ergic to farm obdine sg ninn sW

certain food and beverages

- and sour stomach brought on byea ting ord in inking prevents heartburn associa ted with aci dindig estion so nus foursich
- relieve sheartburn associated with acid indigestion and

Famotidine 10 mg......Prid reducer Active ingredient (in each tablet) Purpose

Drug Facts



CONVENIENT RECLOSING TAB

#### Tips for Managing Heartburn

- · Do not lie flat or bend over after eating
- . Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
   Raise the head of your bed · Avoid heartburn-causing foods such as rich, spicy, fatty
- or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables . Eat slowly and avoid big meals
- · If overweight, lose weight · Quit smoking

#### DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

JUST ONE TABLET prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.



**SEE NEW** WARNINGS NDC 41250-493-65

Compare to Pepcid® AC active ingredient\*



## **ORIGINAL STRENGTH**

# heartburn relief

Famotidine Tablets, 10 mg **Acid Reducer** 

Just One Tablet! Prevents & Relieves **Heartburn Due to Acid Indigestion** 

**30** Tablets



#### **HEARTBURN RELIEF**

famotidine tablet, film coated

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41250-493

Route of Administration ORAL

## **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>FAMOTIDINE</b> (UNII: 507.015127.8) (FAMOTIDINE - UNII:507.015127.8)	FAMOTIDINE	10 ma

## **Inactive Ingredients**

Ingredient Name	Strength
CARNALIRA WAY (UNIII, D12CDM0FIZ)	

CARNAUBA WAX (UNII: R12CBM0EIZ)

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)

FERRIC OXIDE RED (UNII: 1K09F3G675)

FERRIC OXIDE YELLOW (UNII: EX43802MRT)
MAGNESIUM STEARATE (UNII: 70097M6I30)

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

POLYDEXTROSE (UNII: VH2XOU12IE)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

TRIACETIN (UNII: XHX3C3X673)

#### **Product Characteristics**

Color	PINK	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L141
Contains			

## **Packaging**

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:41250-493-	30 in 1 CARTON	04/17/2019	

1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:41250-493- 72	1 in 1 CARTON	04/17/2019	
2		60 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075400	04/17/2019	

## Labeler - Meijer Distribution Inc (006959555)

Revised: 7/2021 Meijer Distribution Inc