

GUNA-IL 2- aldesleukin solution/ drops

Guna spa

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

GUNA-IL 2

ACTIVE INGREDIENTS/PURPOSE

INTERLEUKIN 2 4C IMMUNE SYSTEM SUPPORT

USES

IMMUNE SYSTEM SUPPORT

WARNINGS

Stop use and ask doctor if symptoms worsen or persist more than 5 days

PREGNANCY

If pregnant or breast-feeding ask a doctor before use

WARNINGS

Keep this and all medicines out of reach of children

DIRECTIONS

Take 15 minutes before meals.

Adults and children 12 years and older 20 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.

Children between 12 years and 6 years of age 10 drops twice a day in a little water. Hold in the mouth for about 30 seconds then swallow.

Children under 6 years 5 drops twice a day in a glass of water.

QUESTIONS


Questions?: info@gunainc.com

Tel. (484) 223-3500

Inactive ingredient: Ethyl alcohol 30%.

Take 15 minutes before meals

PRINCIPAL DISPLAY PANEL



GUNA-IL 2

aldesleukin solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17089-380
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALDESLEUKIN (UNII: M89N0Q7EQR) (ALDESLEUKIN - UNII:M89N0Q7EQR)	ALDESLEUKIN	4 [hp_C] in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	9 mL in 30 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17089-380-18	1 in 1 BOX	10/06/2010	
1		30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/17/2008	

Labeler - Guna spa (430538264)

Establishment

Name	Address	ID/FEI	Business Operations
Guna spa		338587646	manufacture(17089-380)

Revised: 11/2022

Guna spa