

**PAIN RELIEVER RAPID RELEASE- acetaminophen tablet, coated**  
**Strategic Sourcing Services LLC**

-----  
**SMK - 1170 - 2022-0922**

***Drug Facts***

**Active ingredient (in each gelcap)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease.

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 gelcaps every 6 hours while symptoms last</li><li>• do not take more than 6 gelcaps in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	<ul style="list-style-type: none"><li>• ask a doctor</li></ul>

**Other information**

- store between 20-25°C (68-77°F)
- retain carton for complete product information

**Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, D&C red #33, edible ink, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone,

pregelatinized starch, stearic acid, titanium dioxide

**Questions or comments?**

Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

**PRINCIPAL DISPLAY PANEL**

sunmark®

COMPARE TO TYLENOL® RAPID RELEASE GELS ACTIVE INGREDIENT†

NDC 49348-116-10

Extra Strength

For Adults

pain relief

ACETAMINOPHEN

Pain reliever & Fever reducer

ACTUAL SIZE

100 GELCAPS - 500 MG EACH

INK AND COATING FREE  
FOR LOT AND  
EXPIRATION STAMPING



F117008SMK\_R2

DO NOT USE IF IMPRINTED SEAL  
UNDER CAP IS BROKEN OR MISSING

This product is not manufactured or distributed by McNeil Consumer  
Healthcare, distributor of Tylenol® Rapid Release Gels.

**Drug Facts**

**Active ingredient**  
(In each gelpcap)  
Acetaminophen 500 mg..... Pain reliever/fever reducer

**Purpose**

- Uses**
- temporarily relieves minor aches and pains due to:
    - the common cold
    - headache
    - backache
    - minor pain of arthritis
    - toothache
    - muscular aches
    - premenstrual and menstrual cramps
  - temporarily reduces fever

**Warnings**

- Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take
- more than 4,000 mg of acetaminophen in 24 hours
  - with other drugs containing acetaminophen
  - 3 or more alcoholic drinks every day while using this product
- Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:
- skin redness
  - hives
  - rash
- If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease.**

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

**Drug Facts (continued)**

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away! (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)
- adults and children 12 years and over:
  - take 2 gelpcaps every 6 hours while symptoms last
  - do not take more than 6 gelpcaps in 24 hours, unless directed by a doctor
  - do not use for more than 10 days unless directed by a doctor
- children under 12 years:
  - ask a doctor

**Other information**

- store between 20°-25°C (68°-77°F)
- retain caution for complete product information

**Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, D&C red #33, edible ink, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, polydioxane, pregelatinized starch, stearic acid, titanium dioxide

Distributed By McKesson Corp.,  
Memphis, TN 38141  
via Strategic Sourcing Services LLC.  
Please visit us at [www.sunmarkbrand.com](http://www.sunmarkbrand.com)  
©2003 McKesson Corporation  
Rev 09/2022  
Product of India

**Drug Facts (continued)**  
**Questions or comments?**  
Call 833-358-6431 Monday to Friday  
9:00am to 7:00pm EST

sunmark®  
Extra Strength  
**pain relief**  
ACETAMINOPHEN  
Pain reliever / Fever reducer  
ACTUAL SIZE  
100 GELCAPS - 500 MG EACH

COMPARE TO TYLENOL® RAPID RELEASE GELS ACTIVE INGREDIENT†  
NDC 49348-116-10  
For Adults

sunmark®  
Extra Strength  
**pain relief**  
ACETAMINOPHEN  
Pain reliever / Fever reducer  
ACTUAL SIZE  
100 GELCAPS - 500 MG EACH

COMPARE TO TYLENOL® RAPID RELEASE GELS ACTIVE INGREDIENT†  
NDC 49348-116-10  
For Adults

NC

NC

NC

<b>PAIN RELIEVER RAPID RELEASE</b> acetaminophen tablet, coated			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49348-116
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

## Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 33 (UNII: 9DBA05BB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY35J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

Color	gray (red and light blue ends)	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	G1
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-116-10	1 in 1 CARTON	10/24/2014	03/31/2025
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/24/2014	03/31/2025

Revised: 10/2023

Strategic Sourcing Services LLC