

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 8B PORCELAIN BEIGE- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 13N FAIR NEUTRAL- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 14S FAIR SAND- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16B FAIR-LIGHT BEIGE- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16S FAIR-LIGHT SAND- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16N FAIR-LIGHT NEUTRAL- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22S LIGHT SAND- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22N LIGHT NEUTRAL- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22B LIGHT BEIGE- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 24G LIGHT GOLDEN- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 27S LIGHT-MEDIUM SAND- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 27N LIGHT-MEDIUM NEUTRAL- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 29H LIGHT-MEDIUM HONEY- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 34S MEDIUM SAND- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 34N MEDIUM NEUTRAL- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 35G MEDIUM GOLDEN- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 36H MEDIUM-TAN HONEY- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 36N MEDIUM-TAN NEUTRAL- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 38S MEDIUM-TAN SAND- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 42N TAN NEUTRAL- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 44H TAN HONEY- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 44S TAN SAND- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 48S TAN-DEEP SAND- titanium dioxide and zinc oxide liquid**

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20**

**SUNSCREEN 49H TAN-DEEP HONEY-** titanium dioxide and zinc oxide liquid  
**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20**  
**SUNSCREEN 50S DEEP SAND-** titanium dioxide and zinc oxide liquid  
**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20**  
**SUNSCREEN 52N DEEP NEUTRAL-** titanium dioxide and zinc oxide liquid  
**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20**  
**SUNSCREEN 54H DEEP HONEY-** titanium dioxide and zinc oxide liquid  
**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20**  
**SUNSCREEN 58S RICH SAND-** titanium dioxide and zinc oxide liquid  
**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20**  
**SUNSCREEN 59N RICH NEUTRAL-** titanium dioxide and zinc oxide liquid  
**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20**  
**SUNSCREEN 60H MAHOGANY-** titanium dioxide and zinc oxide liquid  
Tarte, Inc.

-----  
**foundcealer™ multi-tasking foundation Broad Spectrum SPF 20 Sunscreen**

### ***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
Titanium Dioxide 7.47%	Sunscreen
Zinc Oxide 4.75%	Sunscreen

### **Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Stop use and ask doctor** if rash occurs.

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

### **Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

### **Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Dist. by tarte, Inc.  
New York, NY 10018.

### **PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 8B - porcelain beige**

tarte  
high-performance naturals™

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

8B  
porcelain beige

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



#### Drug Facts

##### Active Ingredients Purpose

Titanium Dioxide 7.47%... Sunscreen  
Zinc Oxide 4.75%..... Sunscreen

##### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

##### Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

##### Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

##### Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

#### Drug Facts (continued)

##### Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglycerol polyacrylate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK

FG05274-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 13N - fair neutral**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

13N  
fair neutral

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients Purpose**

Titanium Dioxide 7.47%... Sunscreen  
Zinc Oxide 4.75%..... Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
-Limit time in the sun, especially from 10 a.m.-2 p.m.  
-Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
**Broad Spectrum  
SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered  
@tarte cosmetics  
www.tarte.com



FG05276-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 14S - fair sand**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

14S  
fair sand

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL. Oz.



#### Drug Facts

##### Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

##### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

##### Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

##### Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

##### Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

#### Drug Facts (continued)

##### Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglycerol polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05277-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 16B - fair-light beige**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

16B  
fair-light beige

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients**      **Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

**Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
-Limit time in the sun, especially from 10 a.m.-2 p.m.  
-Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
**Broad Spectrum  
SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05278-03



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 16S - fair-light sand**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

16S  
fair-light sand

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL. Oz.



**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
---------------------------	----------------

Titanium Dioxide 7.47%.....	Sunscreen
Zinc Oxide 4.75%.....	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs. Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

**Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05279-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 16N - fair-light neutral**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

16N  
fair-light neutral

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tarte cosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



**Drug Facts**

**Active Ingredients Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05280-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 22S - light sand**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

225  
light sand

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
---------------------------	----------------

Titanium Dioxide 7.47%.....	Sunscreen
Zinc Oxide 4.75%.....	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs. Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05281-03



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 22N - light neutral**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

22N  
light neutral

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL. Oz.



**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
---------------------------	----------------

Titanium Dioxide 7.47%.....	Sunscreen
Zinc Oxide 4.75%.....	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs. Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05282-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 22B - light beige**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

22B  
light beige

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tarte cosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



**Drug Facts**  
**Active Ingredients**  
Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**  
• Helps prevent sunburn.  
• If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
**For external use only.**  
Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.  
When using this product keep out of eyes. Rinse with water to remove.  
**Keep out of the reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• Shake before use.  
• Apply liberally 15 minutes before sun exposure.  
• Use a water resistant sunscreen if swimming or sweating.  
• Reapply at least every 2 hours.  
• Children under 6 months: Ask a doctor.  
• **Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
–Limit time in the sun, especially from 10 a.m.-2 p.m.  
–Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**  
• Protect the product in this container from excessive heat and direct sunlight.  
• You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

**Drug Facts (continued)**  
**Inactive Ingredients**  
Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05283-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 24G - light golden**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

24G  
light golden

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#### Drug Facts

#### Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

#### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

#### Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

#### Drug Facts (continued)

#### Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglycerol polyacyladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
**Broad Spectrum  
SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05284-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 27S - light-medium sand**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

27S  
light-medium sand

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL. Oz.



**Drug Facts**

**Active Ingredients**      **Purpose**  
**Ingredients**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

• **Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved.  
BIORIUS, Wavre, BE / London WC2H 9JQ, UK

FG05285-03



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 27N - light-medium  
neutral**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

27N  
light-medium neutral

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



**Drug Facts**

**Active Ingredients**      **Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05286-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 29H - light-medium honey**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

29H  
light-medium honey

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.



cruelty free  
100% vegan

**Drug Facts**

**Active Ingredients Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

**Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglycerol polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK

FG05287-03



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 34S - medium sand**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

34S  
medium sand

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05288-03



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 34N - medium neutral**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

34N  
medium neutral

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#### Drug Facts

**Active Ingredients**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

#### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

#### Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

#### Drug Facts (continued)

#### Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05289-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 35G - medium golden**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

35G  
medium golden

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients**      **Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.  
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
**Broad Spectrum  
SPF 20 Sunscreen**

net 30 mL / 1 Fl. Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



cruelty-free  
100% Vegan

FG05290-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 36H - medium-tan honey**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

36H  
medium-tan honey

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL. Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05291-03



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 36N - medium-tan neutral**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

36N  
medium-tan neutral

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.



**Drug Facts**

**Active Ingredients Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05292-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 38S - medium-tan sand**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

38S  
medium-tan sand

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients**      **Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglycerol polyacyladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
**Broad Spectrum  
SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05293-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 42N - tan neutral**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

42N  
tan neutral

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL Oz



**Drug Facts**

**Active Ingredients**      **Purpose**

Titanium Dioxide 7.47%.....Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

**Drug Facts**  
**(continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05294-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 44H - tan honey**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

44H  
tan honey

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients**      **Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000712.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
**Broad Spectrum  
SPF 20 Sunscreen**

net 30 mL / 1 Fl. Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05295-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 44S - tan sand**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

44S  
tan sand

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients**      **Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.  
If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

**Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, aluminum hydroxide, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000722.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK

foundcealer™  
multi-tasking foundation  
**Broad Spectrum  
SPF 20 Sunscreen**

net 30 mL / 1 Fl. Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05296-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 48S - tan-deep sand**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

48S  
tan-deep sand

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#### Drug Facts

##### Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

#### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

#### Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

#### Drug Facts (continued)

##### Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearyl acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499), EX100FL000732.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05297-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 49H - tan-deep honey**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

49H  
tan-deep honey

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.



#### Drug Facts

##### Active Ingredients Purpose

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

#### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

#### Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

#### Drug Facts (continued)

##### Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid. (+/-): Titanium Dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000742.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05298-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 50S - deep sand**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

50S  
deep sand

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients**      **Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglycerol polyacryladipate-2, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearyl acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000732.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
**Broad Spectrum  
SPF 20 Sunscreen**

net 30 mL / 1 FL. Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05299-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 52N - deep neutral**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

52N  
deep neutral

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.



**Drug Facts**

**Active Ingredients Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.  
Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.  
When using this product keep out of eyes. Rinse with water to remove.  
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, titanium dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000732.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05300-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 54H - deep honey**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

54H  
deep honey

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients**      **Purpose**

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.  
 Stop use and ask doctor if rash occurs.  
 Do not use on damaged or broken skin.  
 When using this product keep out of eyes. Rinse with water to remove.  
 Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, butylene glycol, dimethicone, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cyclohexasiloxane, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, (+/-): Titanium Dioxide (CI 77891), iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000742.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
 multi-tasking foundation  
**Broad Spectrum  
 SPF 20 Sunscreen**

net 30 mL / 1 FL.Oz.

#plantpowered  
 @tartecosmetics  
 www.tarte.com



FG05301-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 58S - rich sand**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

58S  
rich sand

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#### Drug Facts

##### Active Ingredients

Titanium Dioxide 7.47%...Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

##### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

##### Warnings

For external use only.

Stop use and ask doctor if rash occurs.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.  
If swallowed, get medical help or contact a Poison Control Center right away.

##### Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

#### Drug Facts (continued)

##### Inactive Ingredients

Water/Aqua/Eau, phenyl trimethicone, cyclohexasiloxane, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacyladipate-2, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, polypropylsilsesquioxane, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000752.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 FL Oz.

#plantpowered  
@tartecosmetics  
www.tarte.com



FG05302-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 59N - rich neutral**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

59N  
rich neutral

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

#plantpowered  
@tartecosmetics  
www.tarte.com

foundcealer™  
multi-tasking foundation  
Broad Spectrum  
SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.



cruelty free  
100% vegan

**Drug Facts**

**Active Ingredients Purpose**

Titanium Dioxide 7.47%... Sunscreen  
Zinc Oxide 4.75%..... Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, cyclohexasiloxane, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearyl acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, iron oxides (CI 77491, CI 77492, CI 77499). EX100FL000762.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

FG05303-02



**PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 60H - mahogany**

tarte

high-performance naturals™

foundcealer™

multi-tasking foundation

Broad Spectrum

SPF 20 Sunscreen

net 30 mL / 1 Fl. Oz.

60H  
mahogany

tarte  
high-performance naturals™

- 12-hour makeup
- dermatologist tested

**Drug Facts**

**Active Ingredients**      **Purpose**

Titanium Dioxide 7.47%.....Sunscreen  
Zinc Oxide 4.75%.....Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

**Drug Facts (continued)**

**Inactive Ingredients**

Water/Aqua/Eau, phenyl trimethicone, cyclohexasiloxane, dimethicone, butylene glycol, butylene glycol dicaprylate/dicaprate, butyloctyl salicylate, cetyl PEG/PPG-10/1 dimethicone, bis-diglyceryl polyacryladipate-2, polypropylsilsesquioxane, methyl methacrylate crosspolymer, orbignya oleifera seed oil, sodium chloride, aluminum hydroxide, stearic acid, polyglyceryl-4 isostearate, hexyl laurate, dimethicone/vinyl dimethicone crosspolymer, calcium stearate, disteardimonium hectorite, triethoxycaprylylsilane, sodium benzoate, potassium sorbate, tocopherol, polyhydroxystearic acid, helianthus annuus (sunflower) seed oil, ethylhexyl palmitate, isopropyl myristate, isostearic acid, lecithin, disodium EDTA, polyglyceryl-3 polyricinoleate, kaolin, phenoxyethanol, sodium hyaluronate, ethylhexylglycerin, hydrolyzed hyaluronic acid, iron oxides (CI 77491, CI 77492, CI 77499), EX100FL000762.

Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORIUS, Wavre, BE / London WC2H 9JQ, UK.

foundcealer™  
multi-tasking foundation  
**Broad Spectrum  
SPF 20 Sunscreen**

net 30 mL / 1 FL Oz.

#plantpowered  
@tarte cosmetics  
www.tarte.com



FG05304-02



# FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 8B PORCELAIN BEIGE

titanium dioxide and zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-197
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	

<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q00K5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-197-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 13N FAIR NEUTRAL

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-198
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	

<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-198-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 14S FAIR SAND

titanium dioxide and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-199
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	

<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-199-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16B FAIR-LIGHT BEIGE

titanium dioxide and zinc oxide liquid

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-200
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: ORE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-200-01	1 in 1 CARTON	03/21/2019	

1	30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16S FAIR-LIGHT SAND**  
titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	

<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q00K5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-201-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 16N FAIR-LIGHT NEUTRAL

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-202
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-202-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22S LIGHT SAND

titanium dioxide and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-203
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	

<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-203-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22N LIGHT NEUTRAL

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-204
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	

<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-204-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## **FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 22B LIGHT BEIGE**

titanium dioxide and zinc oxide liquid

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-205
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL	
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL	

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	

<b>BABASSU OIL</b> (UNII: 8QSB4M5477)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-205-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 24G LIGHT GOLDEN**

titanium dioxide and zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-206
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	

<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-206-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 27S LIGHT-MEDIUM SAND

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-207
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	

<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-207-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

# FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 27N LIGHT-MEDIUM NEUTRAL

titanium dioxide and zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-208
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	

<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-208-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 29H LIGHT-MEDIUM HONEY

titanium dioxide and zinc oxide liquid

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-209
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q00K5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-209-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 34S MEDIUM SAND

titanium dioxide and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-210
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	

<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-210-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 34N MEDIUM NEUTRAL

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-211
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:51060-211-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 35G MEDIUM GOLDEN

titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-212
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)			
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)			
CYCLOMETHICONE 6 (UNII: XHK3U310BA)			
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)			
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)			
BABASSU OIL (UNII: 8QSB4M5477)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)			
HEXYL LAURATE (UNII: 4CG9F9W01Q)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
CALCIUM STEARATE (UNII: 776XM7047L)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			

<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-212-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 36H MEDIUM-TAN HONEY

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-213
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-213-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 36N MEDIUM-TAN NEUTRAL

titanium dioxide and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-214
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-214-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 38S MEDIUM-TAN SAND

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-215
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	

<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-215-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 42N TAN NEUTRAL

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-216
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	

<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-216-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

**FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM**

# SPF 20 SUNSCREEN 44H TAN HONEY

titanium dioxide and zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-217
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	

<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-217-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 44S TAN SAND

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-218
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	

<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-218-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

# FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 48S TAN-DEEP SAND

titanium dioxide and zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-219
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: ORE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	

<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q00K5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-219-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## **FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 49H TAN-DEEP HONEY**

titanium dioxide and zinc oxide liquid

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-220
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	

<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-220-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 50S DEEP SAND

titanium dioxide and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-221
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	

<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q00K5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-221-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 52N DEEP NEUTRAL

titanium dioxide and zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-222
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q00K5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-222-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 54H DEEP HONEY

titanium dioxide and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-223
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	

<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-223-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## **FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 58S RICH SAND**

titanium dioxide and zinc oxide liquid

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-224
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-224-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 59N RICH NEUTRAL

titanium dioxide and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-225
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	

<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-225-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

## FOUNDCEALER MULTI-TASKING FOUNDATION BROAD SPECTRUM SPF 20 SUNSCREEN 60H MAHOGANY

titanium dioxide and zinc oxide liquid

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-226
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	74.7 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	47.5 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BABASSU OIL</b> (UNII: 8QSB4M5477)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CALCIUM STEARATE</b> (UNII: 776XM7047L)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE 4</b> (UNII: CZ227117JE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-226-01	1 in 1 CARTON	03/21/2019	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/21/2019	

**Labeler** - Tarte, Inc. (027905186)

Revised: 12/2023

Tarte, Inc.