SELENIUM BROMATUM- selenium bromatum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

SELENIUM BROMATUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901 TWIST TO OPEN - USE ONLY IF SEALED

TWIST TO OPEN - USE ONLY IF SEALED

SELENIUM BROMATUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

SELENIUM BROMATUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

SELENIUM BROMATUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Fahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

SELENIUM BROMATUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

SELENIUM BROMATUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients: sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, (

TWIST TO OPEN - USE ONLY IF SEALED

SELENIUM BROMATUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SELENIUM BROMATUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SELENIUM BROMATUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

SELENIUM BROMATUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients:

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael, CA
TWIST TO OPEN - USE ONLY IF SEALE

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

SELENIUM BROMATUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SELENIUM BROMATUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SELENIUM BROMATUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

SELENIUM BROMATUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients: Sucrose

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael, (

SELENIUM BROMATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

SELENIUM BROMATUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SELENIUM BROMATUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

SELENIUM BROMATUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

sucrose

pellets orally once Inactive ingredients:

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,
TWIST TO OPEN - USE ONLY IF SEA

SELENIUM BROMATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SELENIUM BROMATUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SELENIUM BROMATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

SELENIUM BROMATUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

SELENIUM BROMATUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

SELENIUM BROMATUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

SELENIUM BROMATUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

SELENIUM BROMATUM

selenium bromatum pellet

Product Information

Product Type HUMAN O

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-4034

Route of Administration

ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|------------|
| SELENIUM TETRABROMIDE (UNII: 8054YXR180) (SELENIUM TETRABROMIDE - UNII:8054YXR180) | SELENIUM TETRABROMIDE | 100 [hp_C] |

| Inactive Ingredients | |
|----------------------------|----------|
| Ingredient Name | Strength |
| SUCROSE (UNII: C151H8M554) | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 2mm |
| Flavor | | Imprint Code | |
| Contains | | | |

| P | Packaging | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:37662- 4034-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| 2 | NDC:37662- 4034-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| 3 | NDC:37662- 4034-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| 4 | NDC:37662- 4034-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |

| Marketing Information | | | |
|---------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 09/28/2023 | |
| | | 09/28/2023 | |

| Product Information | | | |
|----------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4037 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | |
|---------------------------------|----------------------|----------|
| Ingredient Name | Basis of Strength | Strength |

SELENIUM TETRABROMIDE (UNII: 8054YXR180) (SELENIUM TETRABROMIDE - UNII:8054YXR180)

SELENIUM TETRABROMIDE

1 [hp_M]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

| Color | white | Score | no score |
|----------|-------|--------------|----------|
| Shape | ROUND | Size | 2mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| Ш | P | Packaging | | | | |
|---|---|----------------------|---|-------------------------|-----------------------|--|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| | 1 | NDC:37662- 4037-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| | 2 | NDC:37662- 4037-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| | 3 | NDC:37662- 4037-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| | 4 | NDC:37662- 4037-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |

| Marketing | In | formation |
|-----------|----|-----------|
| | | |

| Marketing | Application Number or Monograph Citation | Marketing Start | Marketing End |
|---------------------------|--|-----------------|---------------|
| Category | | Date | Date |
| unapproved homeopathic | | 09/28/2023 | |

SELENIUM BROMATUM

selenium bromatum pellet

| _ | | | |
|------|------|-------------|--|
| Prod | luct | Information | |

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4038 |
|--------------|----------------|--------------------|----------------|
| | | | |

Route of Administration ORAL

| A | | / 🗛 | B 4 |
|---------|----------|-------------|--------|
| ACTIN/A | Inaraa | | MAIATV |
| ACLIVE | iliul Eu | ient/Active | MOIELV |

| realite ingredient, realite i loiety | | |
|--|--------------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| SELENIUM TETRABROMIDE (UNII: 8054YXR180) (SELENIUM TETRABROMIDE - UNII:8054YXR180) | SELENIUM TETRABROMIDE | 1 [hp_Q] |

| Inactive Ingredients | | | | |
|------------------------------|----------|--|--|--|
| Ingredient Name | Strength | | | |
| SUCPOSE (LINII) C151LIOM554) | | | | |

| Product Characteristics | | | | |
|-------------------------|-------|--------------|----------|--|
| Color | white | Score | no score | |
| Shape | ROUND | Size | 1mm | |
| Flavor | | Imprint Code | | |
| Contains | | | | |

| | Packaging | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|
| 4 | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:37662- 4038-1 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |

| Marketing Information | | | | |
|---------------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 09/28/2023 | | |
| потпеоранне | | | | |

| Product Information | | | | | |
|-------------------------|----------------|--------------------|----------------|--|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4031 | | |
| Route of Administration | ORAL | | | | |

| l | Active Ingredient/Active Moiety | | | | |
|---|--|--------------------------|----------|--|--|
| | Ingredient Name | Basis of Strength | Strength | | |
| | SELENIUM TETRABROMIDE (UNII: 8054YXR180) (SELENIUM TETRABROMIDE - UNII:8054YXR180) | SELENIUM TETRABROMIDE | 6 [hp_C] | | |

| Inactive Ingredients | | | | |
|----------------------------|----------|--|--|--|
| Ingredient Name | Strength | | | |
| SUCROSE (UNII: C151H8M554) | | | | |
| | | | | |

| Product Characteristics | | | | |
|-------------------------|-------|--------------|----------|--|
| Color | white | Score | no score | |
| Shape | ROUND | Size | 3mm | |
| Flavor | | Imprint Code | | |
| Contains | | | | |

| P | Packaging | | | | | |
|---|----------------------|--|-------------------------|-----------------------|--|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| 1 | NDC:37662- 4031-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | | |
| 2 | NDC:37662- 4031-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | | |
| 3 | NDC:37662- 4031-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | | |

| Marketing Information | | | | |
|---------------------------|--|-----------------------|--|--|
| , | | Marketing End Date | | |
| unapproved homeopathic | | 09/28/2023 | | |
| homeopathic | | 33, 23, 232 | | |

| Product Information | | | | |
|-------------------------|----------------|--------------------|----------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4033 | |
| Route of Administration | ORAL | | | |

| l | Active Ingredient/Active Moiety | | | | |
|---|--|--------------------------|-----------|--|--|
| | Ingredient Name | Basis of Strength | Strength | | |
| | SELENIUM TETRABROMIDE (UNII: 8054YXR180) (SELENIUM TETRABROMIDE - UNII:8054YXR180) | SELENIUM TETRABROMIDE | 30 [hp_C] | | |

| Inactive Ingredients | | | |
|----------------------------|----------|--|--|
| Ingredient Name | Strength | | |
| SUCROSE (UNII: C151H8M554) | | | |

| Product Characteristics | | | | |
|-------------------------|-------|------|----------|--|
| Color white Score | | | no score | |
| Shape | ROUND | Size | 3mm | |

| Flavor | Imprint Code | |
|----------|--------------|--|
| Contains | | |

| Packaging | | | | |
|---------------------------------|--|----------------------|-----------------------|--|
| # Item Code Package Description | | Marketing Start Date | Marketing End Date | |
| 1 NDC:37662-4033-1 | 80 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| NDC:37662- 4033-2 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| NDC:37662- 4033-3 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| 4 NDC:37662-4033-4 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |

| Marketing Information | | | | |
|---|--|-------------------------|-----------------------|--|
| Marketing Application Number or Monograph Category Citation | | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 09/28/2023 | | |

| Product Information | | | | |
|-------------------------|----------------|--------------------|----------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4032 | |
| Route of Administration | ORAL | | | |

| l | Active Ingredient/Active Moiety | | | | |
|---|--|--------------------------|-----------|--|--|
| | Ingredient Name | Basis of Strength | Strength | | |
| | SELENIUM TETRABROMIDE (UNII: 8054YXR180) (SELENIUM TETRABROMIDE - UNII:8054YXR180) | SELENIUM TETRABROMIDE | 12 [hp_C] | | |

| Inactive Ingredients | | | | |
|----------------------------|----------|--|--|--|
| Ingredient Name | Strength | | | |
| SUCROSE (UNII: C151H8M554) | | | | |

| Product Characteristics | | | | | |
|----------------------------|----------|--------------|-----|--|--|
| Color white Score no score | | | | | |
| Shape | ROUND | Size | 3mm | | |
| Flavor | | Imprint Code | | | |
| Contains | Contains | | | | |

| P | Packaging | | | | |
|---|----------------------|--|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:37662- 4032-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| 2 | NDC:37662- 4032-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |
| 3 | NDC:37662- 4032-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | | |

| Marketing Information | | | | |
|---|---------------------------------|---|--|--|
| Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| | 09/28/2023 | | | |
| | Application Number or Monograph | Application Number or Monograph Marketing Start Citation Date | | |

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4035 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | | |
|---|--------------------------|------------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| SELENIUM TETRABROMIDE (UNII: 8054YXR180) (SELENIUM TETRABROMIDE - UNII: 8054YXR180) | SELENIUM TETRABROMIDE | 200 [hp_C] | | |

| Inactive Ingredients | |
|----------------------------|----------|
| Ingredient Name | Strength |
| SUCROSE (UNII: C151H8M554) | |

| Product Characteristics | | | | | |
|-------------------------|-------|--------------|----------|--|--|
| Color | white | Score | no score | | |
| Shape | ROUND | Size | 2mm | | |
| Flavor | | Imprint Code | | | |
| Contains | | | | | |

| Packaging | | |
|-----------|--|--|
| | | |

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------------|---|----------------------|-----------------------|
| 1 | NDC:37662- 4035-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | |
| | NDC:37662- 4035-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | |
| 3 | NDC:37662- 4035-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | |
| 4 | NDC:37662- 4035-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | |

| Marketing Application Number or Monograph | Marketing Start | Marketing End |
|---|-----------------|---------------|
| Category Citation | Date | Date |
| unapproved homeopathic | 09/28/2023 | |

selenium bromatum pellet

| Product | Intorm | ation |
|---------|--------|--------|
| FIUMULL | | ativii |

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-4036 |
|---------------------|----------------|--------------------|----------------|
| | | | |

Route of Administration ORAL

| Active Ingredient/Active Moiety | | | | |
|---|--------------------------|------------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| SELENIUM TETRABROMIDE (UNII: 8054YXR180) (SELENIUM TETRABROMIDE - UNII: 8054YXR180) | SELENIUM TETRABROMIDE | 500 [hp_C] | | |

| Inactive Ingredients | | |
|----------------------------|----------|--|
| Ingredient Name | Strength | |
| SUCROSE (UNII: C151H8M554) | | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 2mm |
| Flavor | | Imprint Code | |
| Contains | | | |

| Packaging | | | | |
|-----------|-----------|---|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | NDC-27662 | 200 in 1 MAL CLACC. Time O. Not a Combination | | |

| 1 | NDC:37002- 4036-1 | 200 In 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | |
|---|----------------------|---|------------|--|
| 2 | NDC:37662- 4036-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 09/28/2023 | |
| 3 | NDC:37662- 4036-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | |
| 4 | NDC:37662- 4036-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 09/28/2023 | |

| Marketing Information | | | |
|---------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 09/28/2023 | |
| | | | |

Labeler - Hahnemann Laboratories, INC. (147098081)

| Establishment | | | |
|---------------------------------|---------|-----------|---|
| Name | Address | ID/FEI | Business Operations |
| Hahnemann Laboratories, INC. | | 147098081 | manufacture(37662-4031, 37662-4032, 37662-4033, 37662-4034, 37662-4035, 37662-4036, 37662-4037, 37662-4038) |

Revised: 9/2023 Hahnemann Laboratories, INC.