

**SUNMARK MUCUS ER- guaifenesin tablet, extended release
McKesson**

McKesson Mucus•ER Drug Facts

Active ingredient (in each extended-release tablet)

Guaifenesin 600 mg

Purpose

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use

- for children under 12 years of age

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: one or two tablets every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

Other information

- do not use if printed seal under cap is broken or missing
- store between 20-25°C (68-77°F)

Inactive ingredients

compressible sugar, copovidone, hydroxyethyl cellulose, silicon dioxide, zinc stearate

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

COMPARE TO MUCINEX® ACTIVE INGREDIENT

mucus•ER

Guaifenesin Extended-Release Tablets, 600 mg

Expectorant

Relieves chest congestion

Thins & loosens mucus

12 HOUR

ACTUAL SIZE

GLUTEN FREE

40 EXTENDED-RELEASE TABLETS

sunmark[®]

COMPARE TO MUCINEX[®]
ACTIVE INGREDIENT*
NDC 49348-905-59

mucus.ER

Guaifenesin Extended-Release
Tablets, 600 mg
Expectorant

Relieves chest congestion
Thins & loosens mucus



ACTUAL SIZE

12 HOUR

GLUTEN FREE

40 EXTENDED-RELEASE TABLETS

sunmark[®]


mucus.ER

Guaifenesin Extended-Release
Tablets, 600 mg
Expectorant





mucus·ER



Drug Facts

Active Ingredient Purpose (In each extended-release tablet)

Guafenesin 600 mg.....Expectorant

Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use ■ for children under 12 years of age

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: one or two tablets every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

Other Information

- do not use if printed seal under cap is broken or missing
- store between 20-25°C (68-77°F)

Inactive Ingredients compressible sugar, copovidone, hydroxyethyl cellulose, silicon dioxide, zinc stearate

Questions or comments?

1-800-719-9260

*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Mucinex®.

McKesson

Another Quality Product
Distributed By McKesson
One Post Street, San Francisco, CA 94104
Money Back Guarantee
Please visit us at www.sunmarkbrand.com

Actual Size



LOT NO.

EXP.

: 49858 S1 C5

SUNMARK MUCUS ER

guaifenesin tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:49348-905
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (GUAIFENESIN)	GUAIFENESIN	600 mg

Inactive Ingredients

Ingredient Name	Strength
COPOVIDONE K25-31	
SILICON DIOXIDE	
ZINC STEARATE	

Product Characteristics

Color	WHITE ((off-white))	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	L498
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-905-47	1 in 1 CARTON		
1		20 in 1 BOTTLE		
2	NDC:49348-905-59	1 in 1 CARTON		
2		40 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078912	03/18/2013	

