HIGH POTENCY MULTI B COMPLEX - cyanocobalamin, niacinamide, dexpanthenol, p yridoxine hydrochloride, riboflavin 5 phosphate sodium, thiamine hydrochloride injection Sparhawk Laboratories, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

HIGH POTENCY VITAMIN B COMPLEX

INDICATIONS

For use as a supplement source of B complex vitamins in cattle, swine and sheep.

PRECAUTIONS

Allergic-type reactions following the injection of products containing thiamine have been reported. Administer with caution and keep treated animals under close observation.

DOSAGE AND ADMINISTRATION

Inject intramuscularly. May be administered subcutaneously or intravenously if recommended by your veterinarian. The following are suggested dosages, depending on the condition of the animal and the desired response.

Adult Cattle--1 to 2 mL per 100 pounds body weight. **Calves, Swine** and **Sheep--**5 mL per 100 pounds of body weight.

May be repeated daily, if indicated.

TAKE TIME OBSERVE LABEL DIRECTIONS

COMPOSITION

With Citric Acid and Benzyl Alcohol 1.5% v/v (preservative)

Store at controlled room temperature between 15° and 30°C (59°-86°F)

Protect from light

INDICATIONS: For use as a supplemental source of B complex vitamins in cattle, swine and sheep.

PRECAUTIONS: Allergic-type reactions following the injection of products containing thiamine have been reported. Administer with caution and keep treated animals under close observation.

animals under close observation.

DOSAGE AND ADMINISTRATION: Inject intramuscularly. May be administered subcutaneously or intravenously if recommended by your veterinarian. The following are suggested dosages, depending on the condition of the animal and the desired response.

and the desired response.

Adult Cattle- 1 to 2 mL per 100 pounds of body weight.

of body weight.

Calves, Swine and Sheep- 5 mL per 100 pounds of body weight.

May be repeated daily, if indicated.

TAKE TIME



OBSERVE LABEL DIRECTIONS

V-0606-05

Rev. 1-97

HIGH POTENCY VITAMIN B COMPLEX

INJECTION

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 250 mL



COMPOSITION: Each mL of sterile aqueous solution contains:

1.5% v/v (preservative).

Store at controlled room temperature

Store at controlled room temperature between 15° and 30°C (59°– 86°F). Protect from light.

Lot No.

Exp. Date

ENEXA, KS 66215 U.S.A.

HIGH POTENCY MULTI B COMPLEX

cyanocobalamin, niacinamide, dexpanthenol, p yridoxine hydrochloride, riboflavin 5 phosphate sodium, thiamine hydrochloride injection

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:58005- 606
Route of Administration	INTRAMUSCULAR, SUBCUTANEOUS, INTRAVENOUS		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CYANO CO BALAMIN (UNII: P6 YC3EG204) (CYANOCOBALAMIN - UNII:P6 YC3EG204)	CYANOCOBALAMIN	100 ug in 1 mL		
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	100 mg in 1 mL		
DEXPANTHENOL (UNII: 106C93RI7Z) (DEXPANTHENOL - UNII:106C93RI7Z)	DEXPANTHENOL	10 mg in 1 mL		
PYRIDO XINE HYDRO CHLO RIDE (UNII: 68 Y4CF58 BV) (PYRIDO XINE - UNII: KV2JZ1BI6 Z)	PYRIDOXINE HYDROCHLORIDE	10 mg in 1 mL		
RIBO FLAVIN 5'-PHO SPHATE SO DIUM (UNII: 20 RD1DZH99) (RIBO FLAVIN - UNII: TLM2976 O FR)	RIBOFLAVIN 5'-PHOSPHATE SODIUM	5 mg in 1 mL		
THIAMINE HYDRO CHLORIDE (UNII: M572600E5P) (THIAMINE - UNII:X66NSO3N35)	THIAMINE HYDROCHLORIDE	100 mg in 1 mL		

Pá	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58005-606-04	100 mL in 1 VIAL		

2 NDC:58005-606-05	250 mL in 1 VIAL		
3 NDC:58005-606-06	500 mL in 1 VIAL		
Marketing Infor	mation		
Marketing Informarketing Category	mation Application Number or Monograph Citatio	n Marketing Start Date	Marketing End Date
		n Marketing Start Date 07/01/1996	Marketing End Date

Labeler - Sparhawk Laboratories, Inc. (958829558)

Revised: 8/2010 Sparhawk Laboratories, Inc.