

ISOPROPYL RUBBING ALCOHOL- isopropyl alcohol solution
NDC, Inc.

Isopropyl Rubbing Alcohol

Drug Facts

Active Ingredient

Isopropyl Alcohol 70% v/v

Purpose

First Aid Antiseptic

Uses

First aid to help prevent the risk of infection in:

- minor cuts
- scrapes
- burns

WARNINGS

For external use only

Flammable

- keep away from fire or flame, heat, spark, electrical. Flash point 72°F
- do not use with electrocautery procedures.

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- the condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean infected area

- apply 1 to 3 times daily

Other information

- does not contain, nor is intended as a substitute for grain or ethyl alcohol
- will produce serious gastric disturbances if taken internally

Inactive Ingredient

Purified Water

PRINCIPAL DISPLAY PANEL**REF: P907132**

NDC 43128-002-32

Pro
ADVANTAGE®

Isopropyl Rubbing
Alcohol 70% USP

*Tamper evident cap for your protection.
If ring-band is detached from cap or missing do not use.*

WARNING:Flammable

Made in USA for:
NDC, Inc., 407 New Sanford Rd.
La Vergne, TN 37086
www.ProAdvantagebyNDC.com

32 fl. oz. (946 mL)

REF: **P907032**
NDC 43128-002-32



Isopropyl Rubbing Alcohol 70% USP

Tamper evident cap for your protection. If ring-band is detached from cap or missing do not use.

Alcohol Isopropílico 70% USP

Manipulación evidente casquillo para su protección. No utilice banda anillo o si está separado de la tapa.

Made in the USA for:
Fabricado en Estados Unidos para:
NDC, Inc., 407 New Sanford Rd.
La Vergne, TN 37086
www.ProAdvantagebyNDC.com

32 fl. oz. (946 mL)

1-07-D0024N05F

Drug Facts

Active Ingredient	Purpose
Isopropyl Alcohol 70% v/v	First Aid Antiseptic

Uses First aid to help prevent the risk of infection inc:
• minor cuts • scrapes • burns

Warnings For external use only

Flammable • keep away from fire or flame, heat, spark, electrical. Flash point 72°F • do not use with electrocautery procedures.

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if • the condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• clean infected area • apply 1 to 3 times daily

Other Information • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive Ingredient Purified Water

1-07-D0024N05B



WARNING: Flammable
ADVERTENCIA: inflamable



+M220P9070328Z

ISOPROPYL RUBBING ALCOHOL

isopropyl alcohol solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43128-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43128-002-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2014	
2	NDC:43128-002-01	3785 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2014	
3	NDC:43128-002-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/01/2014	

Labeler - NDC, Inc. (009831413)

Revised: 10/2023

NDC, Inc.