MICONAZOLE NITRATE - miconazole nitrate cream Central Texas Community Health Centers

Miconazole nitrate

ACTIVE INGREDIENT

Miconazole nitrate 2% (100 mg in each applicator) Miconazole nitrate 2% (as external cream)

PURPOSE

Vaginal antifungal

USES

- treats repeat vaginal yeast infections
- relieves external itching and irritation due to a repeat vaginal yeast infection

WARNINGS

For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS.

Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medication warfarin, because bleeding or bruising may occur.

When using this product

- do not use tampons, douches, spermicides, or other vaginal products
- do not have vaginal intercourse
- condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs)

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge

IF PREGNANT OR BREAST FEEDING,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

If swallowed, get medical help or contact a Poison Control Center right away.

DOSAGE & ADMINISTRATION

- before using this product read the enclosed consumer information leaflet for complete instructions
- adults and children 12 years of age and over:
 - applicator: insert one applicatorful into the vagina at bedtime for 7 nights in a row
- **external cream:** squeeze a small amount of cream onto your fingertip. Gently apply the cream onto the itchy, irritated
 - skin outside the vagina. Use daily for up to 7 days as needed
- children under 12 years of age: ask a doctor

OTHER INFORMATION

- do not use if seal over tube opening has been punctured or cannot be seen
- store at room temperature 15°-30°C (59°-86°F). Avoid heat over 30°C or 86°F.

INACTIVE INGREDIENT

benzoic acid, BHA, mineral oil, peglicol 5 oleate, pegoxol 7 stearate, purified water

PRINCIPAL DISPLAY PANEL - 45 g Tube Label

CommUnityCare Federally Qualified Health Centers

MICONAZOLE 2% VAGINAL CREAM

Date:

Name: Dr.

USE AS DIRECTED

123456

1/1/01

MICONAZOLE 2% VAG.CRM 45gNDC 76413-318-45

Batch: 123456 Lot: 123456 Exp: 1/1/01 G&W LABS

Federal law prohibits the transfer of this drug to any other person than the patient for whom prescribed.

CommUnityCare Federally Qualified Health Centers

MICONAZOLE 2% VAGINAL CREAM

Date:

Name: Dr.

USE AS DIRECTED

USAR COMO INDICADO.

123456

1/1/01 MICONAZOLE 2% VAG.CRM 45gNDC 76413-318-45

Batch: 123456 Lot: 123456 Exp: 1/1/01 G&W LABS

Federal law prohibits the transfer of this drug to any other person than the patient for whom prescribed.

MICONAZOLE NITRATE

miconazole nitrate cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:76413-318 (NDC:0713-0252)

Route of Administration VAGINAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------|--------------|
| Miconazole Nitrate (UNII: VW4H1CYW1K) (Miconazole - UNII:7NNO0D7S5M) | Miconazole Nitrate | 20 mg in 1 g |

| Inactive Ingredients | |
|---|----------|
| Ingredient Name | Strength |
| Benzoic Acid (UNII: 8 SKN0 B0 MIM) | |
| Butylated Hydroxyanisole (UNII: REK4960K2U) | |
| Mineral Oil (UNII: T5L8T28FGP) | |
| Peg-5 Oleate (UNII: 0240 V77G50) | |
| Pegoxol 7 Stearate (UNII: 3EW5AXE5X5) | |
| Water (UNII: 059QF0KO0R) | |

| Pa | ckaging | | | |
|-----|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 Z | NDC:76413-318- 45 | 1 in 1 CARTON | 02/22/1996 | |
| 1 | | 45 g in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product | | |
| | | | | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| ANDA | ANDA074366 | 02/22/1996 | |
| | | | |

Labeler - Central Texas Community Health Centers (079674019)

| Establishment | | | |
|--|---------|-----------|---------------------------------------|
| Name | Address | ID/FEI | Business Operations |
| Central Texas Community Health Centers | | 079674019 | REPACK(76413-318), RELABEL(76413-318) |

Revised: 4/2016 Central Texas Community Health Centers