

5% MINOXIDIL HAIR REGROWTH TREATMENT- sannuo 5% minoxidil hair regrowth treatment spray
Shenzhen Baixingchen Technology Co., Ltd.

Minoxidil 5%

Ask a Doctor before use if you have Heart disease.

Warnings

- For external use only.
- Keep away from fire and flame.
- Avoid contact with eyes.

Do not use

- You have no family history of hair loss, hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18 years of age.

Do not use it on babies and children.

- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on the scalp.

When using

- Do not apply on other parts of the body.
- Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.
- It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person.

Stop use and ask doctor if

- chest pain, rapid heart beat, faintness, or dizziness occurs suddenly, unexplained weight gain occurs, your hands or feet swell, scalp irritation or redness occurs
- May be harmful when pregnant or breast-feeding

Keep Out of Reach of Children

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Hair Regrowth Treatment

Other information

- Before use, read all information on the carton.
- Store at controlled room temperature 20 to 25 °C (68 to 77°F)

Directions

- Apply 1ml (7 Sprays) twice a day. Once in the morning and another time in the evening before bed.
- Spray directly on top of the scalp in the area to be treated.
- Using more than directed or more often will not improve results.
- Continued use is necessary to increase and then maintain your hair regrowth.
- Discontinuing use may result in hair loss.

Inactive ingredients
Propylene Glycol, Ethyl Alcohol, Aqua.

Use to regrow hair on the top of the scalp.

SanNuo[®]

SanNuo[®]

5% MINOXIDIL SPRAY

HAIR REGROWTH TREATMENT

**60ML(2FL.OZ)
1 MONTH SUPPLY**

SanNuo[®]

5% MINOXIDIL SPRAY

HAIR REGROWTH TREATMENT

**60ML(2FL.OZ)
1 MONTH SUPPLY**

DRUG FACTS

Active Ingredient Purpose
Minoxidil 5% Hair Regrowth Treatment

Use to regrow hair on the top of the scalp

Warnings
-For external use only.
-Keep away from fire and flame.
-Avoid contact with eyes.

Do not use
-You have no family history of hair loss, hair loss is sudden and/or patchy.
-You do not know the reason for your hair loss.
-You are under 18 years of age.
Do not use it on babies and children.
-Your scalp is red, inflamed, infected, irritated, or painful.
-You use other medicines on the scalp.
-Ask a Doctor before use if you have Heart disease.

When using
-Do not apply on other parts of the body.
-avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.
-It takes time to regrow hair. You may need to use this product 2 times a day for a least 4 months before you see results. The amount of hair regrowth is different for each person

Stop use and ask doctor if
-chest pain, rapid heart beat, faintness, or dizziness occurs

DRUG FACTS(continued)

sudden, unexplained weight gain occurs your hands or feet swell scalp irritation or redness occurs
-May be harmful when pregnant or breast-feeding

Keep Out of Reach of Children
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
-Apply 1ml(7 Sprays) twice a day. Once in the morning and another time in the evening before bed.
-Spray directly on top of the scalp in the area to be treated.
-Using more than directed or more often will not improve results.
-Continued use is necessary to increase and then maintain your hair regrowth.
-Discontinuing use may result in hair loss.

Other information
-Before use, read all information on the carton.
-Store at controlled room temperature 20 to 25 °C (68 to 77°F)

Inactive ingredients
Propylene Glycol, Ethyl Alcohol, Aqua.

Questions
info@sannuocare.com

5% MINOXIDIL HAIR REGROWTH TREATMENT

sannuo 5% minoxidil hair regrowth treatment spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83648-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83648-002-01	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/28/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075357	10/28/2023	

Labeler - Shenzhen Baixingchen Technology Co., Ltd. (411899311)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Baixingchen Technology Co., Ltd.		411899311	manufacture(83648-002)