WAL-NADOL PM- acetaminophen and diphenhydramine hcl tablet, film coated Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens 44-235 Delisted

Active ingredients (in each caplet)

Acetaminophen 500 mg Diphenhydramine HCl 25 mg

Purpose

Pain reliever Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery
- drowsiness will occur

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years: do not use

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C blue #1 aluminum lake, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

Walgreens

Compare to Panadol® PM Extra Strength Caplets active ingredients††

NDC 0363-0235-08

Wal-Nadol PM ACETAMINOPHEN 500 mg / PAIN RELIEVER
DIPHENHYDRAMINE HCl 25 mg / NIGHTTIME SLEEP AID

NIGHTTIME EXTRA STRENGTH

24 CAPLETS** (**CAPSULE-SHAPED TABLETS)

ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Walgreens Pharmacist Recommended Walgreens Pharmacist Survey

††This product is not manufactured or distributed by GlaxoSmithKline Consumer Healthcare, owner of the registered trademark Panadol® PM Extra Strength Caplets.

50844 ORG041723508

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 **100% SATISFACTION GUARANTEED** walgreens.com © 2018 Walgreen Co.



WAL-NADOL PM

acetaminophen and diphenhydramine hcl tablet, film coated

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0235	
Route of Administration	ORAL			

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg			
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg			

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics				
Color	blue	Score	no score	
Shape	OVAL	Size	17mm	
Flavor		Imprint Code	44;235	
Contains				

Pa	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:0363- 0235-08	1 in 1 CARTON	05/15/1994	12/28/2024		
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part343	05/15/1994	12/28/2024	

Labeler - Walgreen Company (008965063)

Establishment			
Name	Address	ID/FEI	Business Operations

LNK International, Inc.	038154464	pack(0363-0235)
LINK IIILEI Halloffal, IIIC.	030134404	Dack(0303-0233)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-0235) . pack(0363-0235)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	pack(0363-0235)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-0235)

Revised: 9/2023 Walgreen Company