

**PROSTAT BLOOD CLOTTING FIRST AID- benzethonium chloride and lidocaine aerosol,
spray**

ProStat First Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ProStat Blood Clotting Spray

☐Active Ingredients

Benzethonium Chloride 0.2% w/w

Lidocaine 4% w/w

Purpose

Topical antiseptic

Topical anesthetic

Uses

for help in control of superficial bleeding

for temporary relief of pain and to help protect against infection in:

minor cuts

scrapes

burns

Warnings

☐For external use only

☐Flammable

keep away from fire or flame

contents under pressure

do not puncture or incinerate container

do not expose to temperatures above 120° F

Do not use

in eyes or other mucous membranes

on large portions of the body

in case of deep or puncture wounds

on raw surfaces

on blistered areas

on animal bites

on serious burns

Stop use and ask a doctor if

redness, swelling, or irritation occurs

infection occurs

condition persists or worsens

symptoms persist for more than 7 days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

shake can well before using
hold 6-8 inches from moist injured area
spray until area is covered
scab-like cover will gradually disappear as healing takes place or may be removed with soap and water
for adult institutional use only
not intended for use on children

Inactive ingredients

isobutane, isopropyl myristate, karaya, n-butane, propane, silica, silicone, sorbitan monooleate, talc, tragacanth.

Principal Display

PROSTAT FIRST AID

Blood Clotting Spray

- Aids in control of superficial bleeding
- Temporarily relieves pain of minor cuts, burns and scrapes
- Helps prevent infection
- Contains no fluorocarbons

Aerosol

WARNING: FLAMMABLE
CONTENTS UNDER PRESSURE, READ BACK PANEL CAREFULLY

NET WEIGHT 3 OZ (85G)

Manufactured for
ProStat First Aid LLC
Valencia, CA, 91355
prostatfa.com

14889 01269 2

8

Drug Facts	
Active Ingredients	Purpose
Benzethonium Chloride 0.2% w/w	Topical Antiseptic
Lidocaine 4% w/w	Topical Anesthetic
Uses	
■ for help in control of superficial bleeding	
■ for temporary relief of pain and to help protect against skin infection in:	
■ minor cuts ■ scrapes ■ burns	
Warnings	
For external use only	
Flammable	
■ Keep away from fire or flame ■ Do not puncture or incinerate container	
■ Contents under pressure ■ Do not expose to temperatures above 120° F	
Do not use	
■ in eyes or other mucous membranes ■ on large portions of the body	
■ in case of deep or puncture wounds ■ on raw surfaces	
■ on blistered areas ■ on animal bites ■ on serious burns	
Stop use and ask a doctor if	
■ redness, swelling, or irritation occurs	
■ infection occurs ■ condition persists or worsens	
■ symptoms persist for more than 7 days	
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.	
Directions	
■ shake can well before using	
■ hold 6-8 inches from moist injured area	
■ spray until area is covered	
■ scab-like cover will gradually disappear as healing takes place or may be removed with soap and water	
■ for adult institutional use only	
■ not intended for use on children	
Inactive ingredients	
Isobutane, Isopropyl Myristate, Karaya, N-Butane, Propane, Silica, Silicone, Sorbitan Monooleate, Talc, Tragacanth	

PROSTAT BLOOD CLOTTING FIRST AID

benzethonium chloride and lidocaine aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58228-0103(NDC:52982-106)
--------------	----------------	--------------------	-------------------------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	3400 mg in 85 g
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	170 mg in 85 g

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
KARAYA GUM (UNII: 73W9IQY50Q)	
BUTANE (UNII: 6LV4FOR43R)	
PROPANE (UNII: T75W9911L6)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
TALC (UNII: 7SEV7J4R1U)	
TRAGACANTH (UNII: 2944357O2O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58228-0103-3	85 g in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/18/2014	

Labeler - ProStat First Aid (061263699)

Registrant - Dixon Investments, Inc. (115315822)

Establishment

Name	Address	ID/FEI	Business Operations
Dixon Investments, Inc.		115315822	manufacture(58228-0103)