

**QUALITY CHOICE HYDROCORTISONE MAXIMUM STRENGTH- hydrocortisone cream**  
**Chain Drug Marketing Association Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**QC Max. Strength Itch Relief Cream 1 oz 99260, 2019**

| <b>Active ingredient</b> | <b>Purpose</b> |
|--------------------------|----------------|
| Hydrocortisone 1%.....   | Anti-itch      |

**Uses**

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
- eczema
- psoriasis
- poison ivy, oak, or sumac
- insect bites
- detergents
- jewelry
- cosmetics
- soaps
- seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

**Warnings**

**For external use only**

**Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

**When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- conditions worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- **for itching of skin irritation, inflammation, and rashes :**
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults :**
- when practical, clean the affected area with mild soap and water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying

- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

- Store at between 20° to 25°C (68°-77°F)
- Lot No. & Exp. Date: see box or see crimp of tube

**Inactive ingredients**

butylated hydroxytoluene, cetanol, liquid paraffin, methylparaben, polyoxyethylene cetyether, propylene glycol, propylparaben, purified water, sorbitan monostearate, stearyl alcohol

DISTRIBUTED BY C.D.M.A., INC.

43157 W. NINE MILE

NOVI, MI 48376-0995

[www.qualitychoice.com](http://www.qualitychoice.com)

MADE IN KOREA

NDC 63868-596-28



\*Compare to the active ingredient in CORTAID®

# 1% Hydrocortisone

Maximum Strength

## Temporary Relief of:

Eczema | Poison Ivy, Oak, and Sumac | Insect bites | Psoriasis | Dermatitis



# 1% Hydrocortisone

Maximum Strength

## Temporary Relief of:

Eczema | Poison Ivy, Oak, and Sumac | Insect bites | Psoriasis | Dermatitis

1 oz NET WT (28g)

\*This product is not manufactured or distributed by Valeant Consumer Pharmaceuticals North America, owner of the registered trademark Cortaid®.

Made in Korea



Distributed by C.D.M.A., Inc.®  
• 43157 W. Nine Mile  
Novi, MI 48376-0995  
www.qualitychoice.com  
Questions: 248-449-9300



6 35515 99260 3



1% Hydrocortisone  
Maximum Strength

LOT & EXP.

|   |
|---|
| <b>Drug Facts</b>   |
| <b>Active Ingredient</b><br>Hydrocortisone 1%<br>Anti-itch  |
| <b>Purpose</b>  |
| <b>Uses</b> ■ temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:<br>■ eczema ■ psoriasis ■ poison ivy, oak, or sumac ■ insect bites ■ detergents ■ jewelry ■ cosmetics ■ soaps ■ seborrheic dermatitis   |
| <b>Warnings</b><br>■ other uses of this product should only be under the advice and supervision of a doctor   |
| <b>For external use only</b>  |
| <b>Do not use</b> ■ in the genital area if you have a vaginal discharge. Consult a doctor. ■ for the treatment of diaper rash. Consult a doctor.  |
| <b>When using this product</b> ■ avoid contact with eyes ■ do not use more than directed unless told to do so by a doctor ■ do not put directly into the rectum by using fingers or any mechanical device or applicator.  |
| <b>Stop use and ask a doctor if</b> ■ condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor ■ rectal bleeding occurs  |
| <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.   |
| <b>Directions</b><br>■ for itching of skin irritation, inflammation, and rashes:<br>■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 2 years of age: ask a doctor ■ when practical, clean the affected area with mild soap and water and rinse thoroughly ■ gently dry by patting or blotting with lint free or soft cloth before applying ■ apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor |
| <b>Other information</b> ■ Store between 20° to 25°C (68° to 77°F) ■ Lot No. & Exp. Date: see box or see crimp of tube  |
| <b>Inactive ingredients</b> butylated hydroxytoluene, cetanol, liquid paraffin, methylparaben, polyoxyethylene cetyl ether, propylene glycol, propylparaben, purified water, sorbitan monostearate, stearyl alcohol   |

# QUALITY CHOICE HYDROCORTISONE MAXIMUM STRENGTH

hydrocortisone cream

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:63868-596 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>   | <b>Basis of Strength</b> | <b>Strength</b> |
|--|--------------------------|-----------------|
| HYDROCORTISONE (UNII: WI4X0X7BPJ) (HYDROCORTISONE - UNII:WI4X0X7BPJ) | HYDROCORTISONE           | 1 g in 100 g    |

## Inactive Ingredients

| <b>Ingredient Name</b>                      | <b>Strength</b> |
|---|-----------------|
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) |                 |
| PARAFFIN (UNII: I9O0E3H2ZE)                 |                 |
| METHYLPARABEN (UNII: A2I8C7HI9T)            |                 |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)         |                 |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)            |                 |
| WATER (UNII: 059QF0KO0R)                    |                 |
| SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)    |                 |
| STEARYL ALCOHOL (UNII: 2KR89I4HIY)          |                 |

## Packaging

| # | <b>Item Code</b> | <b>Package Description</b>                        | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:63868-596-28 | 1 in 1 CARTON                                     | 01/16/2015                  |                           |
| 1 |                  | 28 g in 1 TUBE; Type 0: Not a Combination Product |                             |                           |

## Marketing Information

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC monograph not final   | part348   | 01/15/2015                  |                           |

**Labeler** - Chain Drug Marketing Association Inc (011920774)

Revised: 12/2019

Chain Drug Marketing Association Inc