ASPIRIN REGULAR STRENGTH- aspirin tablet, film coated Walgreen Company

Regular Strength Aspirin

Active ingredient (in each tablet)

Aspirin 325 mg (NSAID)* *nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves:

- minor pain of arthritis
- headache
- muscle pain
- menstrual pain
- toothache
- pain and fever of colds

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- facial swelling
- shock
- hives
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- take more or for a longer time than directed
- have had stomach ulcers or bleeding problems
- have 3 or more alcoholic drinks every day while using this product

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- you are taking a diuretic
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you have asthma

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
 - feel faint
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• do not take more than directed

- drink a full glass of water with each dose
- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours not to exceed 12 tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

Other information

- use by expiration date on package
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, hypromellose, polyethylene glycol, propylene glycol

Questions or comments?

1-800-426-9391

Principal display panel

NDC 0363-0157-98

Walgreens

Aspirin 325 325 mg / PAIN RELIEVER / FEVER REDUCER (NSAID)

Regular Strength

100 TABLETS

HEART HEALTH**


**Talk to your doctor or other healthcare provider before using this product for your heart.


TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand.

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com © 2021 Walgreen Co.

50844 ORG012215712





Walgreens 44-157

ASPIRIN REGULAR S	STRENGTH						
aspirin tablet, film coated							
Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:0363-0157			
Route of Administration	ORAL						
Active Ingredient/Active Moiety							
Ingredient Name			Basis of Strength		Strength		
ASPIRIN (UNII: R16C05Y76E) (ASPI		ASPIRIN		325 mg			
Inactive Ingredients							
J	Ingredient Name				Strength		
STARCH, CORN (UNII: 08232NY3S	J)				_		

PC	HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3MJQ0SDW1A)								
	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)								
P	roduct Chara	cter	istics						
Color white Score		Score		no score					
Shape			ROUND	Size	Size				
Fla	avor			Imprint Code		AS PIRIN;44	;157		
Сс	ontains								
Packaging									
#	Item Code		Package Description		Marketing Start Date		Marketing End Date		
1	NDC:0363-0157- 98	100 in Produ	0 in 1 BOTTLE; Type 0: Not a Combination		02/10/1996				
2	NDC:0363-0157- 14	500 in 1 BOTTLE; Type 0: Not a Combination Product		02/10/1996					
3	NDC:0363-0157- 12	1 in 1	CARTON	ON			03/19/2021		
3		100 in Produ		0: Not a Combination					
4	NDC:0363-0157- 17	300 in Produ		0: Not a Combination	02/10/1996		05/07/2020		
R.A			~~~~						
Marketing Information									
	Marketing Category	A		mber or Monograph itation		eting Start Date	Marketing End Date		

Labeler - Walgreen Company (008965063)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-0157)
Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-0157)
Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-0157)
Establishment			
Name	Address	ID/FEI	Business Operations

LNK International, Inc.		868734088	manufacture(0363-0157)
Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-0157)

Revised: 6/2023

Walgreen Company