

**LIDOCAINE- burn relief aerosol, spray**  
**Chain Drug Consortium, LLC**

-----  
**Premier Value Burn Relief Spray**

***Active ingredient***

Lidocaine 0.5%

***Purpose***

External analgesic

***Uses***

for the temporary relieves pain and itching due to:

- sunburn
- minor burns
- minor cuts
- scrapes
- insect bites
- minor skin irritations

***Warnings***

**For external use only.**

**Flammable:**

Do not use while smoking or near heat or flame. Do not puncture or incinerate.  
Contents under pressure. Do not store at temperature above 120°F

**Do not use**

in large quantities, particularly over raw surfaces or blistered areas.

**When using this product**

- keep out eyes
- only as directed
- do not puncture or incinerate

Contents under pressure. Do not store at temperature above 120 °F

**Stop use and ask a doctor if**

- conditions gets worse
- symptoms last more than 7 days
- symptoms clear up and occurs again in few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. Do not use on children under 2 years of age unless directed by a doctor.

***Directions***

- shake can well
- adults and children 2 years and older, apply to affected area not more than 3 to 4 times daily
- to apply to face spray in palm of hand and gently apply
- for children under 2 years of age, ask a doctor

***Other information***

store between 20° and 25°C (68°F and 77°)

***Inactive ingredients***

aloe barbadensis gel, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerine, methylparaben, propane, propylene glycol, propylparaben, tocopheryl acetate (vitamin E acetate), triethanolamine, simethicone, water

***Questions?***

call 1-866-964-0939

**Principal Display Panel****Premier Value**

Aloe

**Burn Relief Spray**

Relieves Pain with Lidocaine HCl

- Cools
- Moisturizes
- Relieves itching

Net WT 4.5 (127g)



**COMPARE TO THE  
ACTIVE INGREDIENT  
IN SOLARCAINE<sup>SM</sup>**

**ALOE  
BURN RELIEF  
SPRAY**

**Relieves Pain with Lidocaine HCl**

- Cools
- Moisturizes
- Relieves itching

NET WT 4.5 OZ (127g)

3301 NW BOCA RATON BLVD., SUITE 101, BOCA RATON, FL 33431

\*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., owner of the registered trademark Solarcaine<sup>SM</sup>.

MADE IN USA

if for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

**Drug Facts**

Active ingredient	Purpose
Lidocaine 0.5%	External analgesic

**Uses** temporarily relieves pain and itching due to:

- sunburn    ■ minor burns    ■ minor cuts    ■ scrapes
- insect bites    ■ minor skin irritations

**Warnings**

**For external use only.**

**Flammable:** Do not use while smoking or near heat or flame.

**Do not use** in large quantities, particularly over raw surfaces or blistered areas.

**When using this product**

- keep out of eyes    ■ use only as directed
- Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate
- Contents under pressure. Do not store at temperature above 120°F.

**Stop use and ask a doctor if**    ■ condition gets worse    ■ symptoms last more than 7 days    ■ symptoms clear up and occur again in a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**    ■ shake can well    ■ adults and children 2 years and older: apply to affected area not more than 3 to 4 times daily    ■ to apply to face, spray in palm of hand and gently apply

■ children under 2 years of age: ask a doctor

**Other information**

■ store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

aloe barbadensis gel, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin, methylparaben, propane, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine, water

**Questions?** Call 1-866-964-0939

F.P.O. 8 40986 02032 2

LIDOCAINE			
burn relief aerosol, spray			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-614
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	0.64 g in 127 g
Inactive Ingredients			
Ingredient Name			Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)			
BUTANE (UNII: 6LV4FOR43R)			
CARBOMER 940 (UNII: 4Q93RCW27E)			
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)			
DISODIUM COCOAMPHODIPROPIONATE (UNII: 6K8PRP397M)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
GLYCERIN (UNII: PDC6A3C0OX)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
PROPANE (UNII: T75W9911L6)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			

<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-614-00	127 g in 1 CAN; Type 0: Not a Combination Product	12/07/2005	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/07/2005	

**Labeler** - Chain Drug Consortium, LLC (101668460)