

GOOD SENSE LEVOCETIRIZINE- levocetirizine dihydrochloride tablet, film coated
L. Perrigo Company

Perrigo Levocetirizine Drug Facts

Active ingredient (in each tablet)

Levocetirizine dihydrochloride 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

- if you have kidney disease
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

Ask a doctor before use if you have

- ever had trouble urinating or emptying your bladder

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- you have trouble urinating or emptying your bladder
- an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults 65 years of age and older	<ul style="list-style-type: none">ask a doctor
adults and children 12-64 years of age	<ul style="list-style-type: none">take 1 tablet (5 mg) once daily in the eveningdo not take more than 1 tablet (5 mg) in 24 hours½ tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms
children 6-11 years of age	<ul style="list-style-type: none">take ½ tablet (2.5 mg) once daily in the eveningdo not take more than ½ tablet (2.5 mg) in 24 hours
children under 6 years of age	<ul style="list-style-type: none">do not use
consumers with kidney disease	<ul style="list-style-type: none">do not use

Other information

- store between 20° and 25°C (68° and 77°F)
- do not use if printed foil under cap is broken or missing

Inactive ingredients

hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Allergy

Original Prescription Strength

Levocetirizine

Dihydrochloride Tablets, 5 mg

Antihistamine

Actual Size

24 Hour Relief of:

Sneezing

Runny Nose

Itchy Nose or Throat

Itchy, Watery Eyes

Compare to active ingredient of XYZAL® Allergy 24 HR

100% SATISFACTION GUARANTEED

35 Tablets



GOOD SENSE LEVOCETIRIZINE

levocetirizine dihydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0241
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LEVOCETIRIZINE DIHYDROCHLORIDE (UNII: SOD6A38AGA) (LEVOCETIRIZINE - UNII:6U5EA9RT2O)	LEVOCETIRIZINE DIHYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	2 pieces
Shape	OVAL	Size	8mm
Flavor		Imprint Code	L9CZ;5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-0241-01	1 in 1 CARTON	09/11/2020	
1		35 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211983	09/11/2020	

Labeler - L. Perrigo Company (006013346)