

POVIDONE IODINE - povidone-iodine solution
Supervalu Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

ACTIVE INGREDIENT

Povidone Iodine, 10% w/v (equivalent to 1% titratable iodine)

PURPOSE

Antiseptic

USE

First aid antiseptic to help prevent the risk of infection in minor cuts, scrapes and burns

WARNINGS

For external use only.

Do not

- use in the eyes
- use on individuals who are allergic or sensitive to iodine
- apply over large areas of the body

Discontinue use and ask a doctor

- if condition persists or gets worse
- for use longer than 1 week

Ask a doctor in case of

- deep or puncture wounds
- animal bites
- serious burns

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Clean the affected area
- Apply a small amount of this product to the area 1-3 times daily
- May be covered with a sterile bandage

- If bandaged, let dry first

OTHER INFORMATION

Store at room temperature 15° - 30° C (59° - 86° F)

INACTIVE INGREDIENTS

citric acid, glycerin, Makon 8, purified water, sodium hydroxide

LABEL INFORMATION

EQUALINE

*Compare to Betadine active ingredient®

NDC 24385-053-55

Topical Antiseptic Solution

10% povidone-iodine solution, USP
topical antiseptic

helps reduce bacteria that can potentially cause skin infection

- water soluble
- use for first aid and general hygiene
- helps prevent infection in minor cuts, scrapes and burns

NET WT 8 FL OZ (236 mL)

*This product is not manufactured or distributed by Purdue Frederick, owner of the registered trademark, Betadine®.

Distributed by Albertsons, Inc.
Boise, Idaho 83726

We're committed to your satisfaction and guarantee the quality of this product. Contact us at 1-877-932-7948 or www.albertsons.com.

equaline™

compare to
Betadine®
active ingredient*

NDC 41163-052-55

topical antiseptic solution LOT

10% povidone-iodine solution, USP
topical antiseptic EXP

helps reduce bacteria that can potentially cause skin infection

- water soluble
- use for first aid & general hygiene
- helps prevent infection in minor cuts, scrapes, and burns

NET WT 8 FL OZ (236mL)

Drug Facts

Active ingredient Purpose

Povidone Iodine USP, 10% w/v (equivalent to 1% Iodine)Antiseptic

Use First aid antiseptic to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings For external use only.

Do not

- use in the eyes
- use on individuals who are allergic or sensitive to iodine
- apply over large areas of the body

Discontinue use and ask a doctor

- if condition persists or gets worse
- for use longer than 1 week

Ask a doctor in case of

- deep or puncture wounds
- animal bites
- serious burns

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- Clean the affected area
- Apply a small amount of this product to the area 1 – 3 times daily
- May be covered with a sterile bandage
- If bandaged, let dry first

Other information

Store at room temperature: 15° – 30° C (59° – 86° F)

Inactive ingredients
citric acid, glycerin, Makon 8, purified water, sodium hydroxide

*This product is not manufactured or distributed by Purdue Frederick, owner of the registered trademark, Betadine®.

Rev. A

Distributed by Albertsons, Inc.
Boise, Idaho 83726



LALB05255-4 R0904

POVIDONE IODINE

povidone-iodine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-052
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
povidone-iodine (UNII: 85H0HZU99M) (povidone-iodine - UNII:85H0HZU99M)	povidone-iodine	0.10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
citric acid monohydrate (UNII: 2968PHW8QP)	
glycerin (UNII: PDC6A3C0OX)	
sodium hydroxide (UNII: 55X04QC32I)	

water (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-052-55	236 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	10/01/2004	

Labeler - Supervalu Inc (006961411)

Revised: 2/2010

Supervalu Inc