

WINTER DIP- heptanoic acid solution
spen Veterinary Resources, Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

WARNING

Causes serious eye irritation. Wash skin thoroughly after handling. Wear eye protection/face protection.

DIRECTIONS:

IMPORTANT: Do not mix Winter Dip with water, any other teat dips, or other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Winter Dip.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Pre-Milk Dipping: Fill teat dip cup with pre-milking teat dip. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, full strength Winter Dip. Do not turn cows out in freezing weather until Winter Dip is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Winter Dip is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

FIRST AID

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact: Rinse with water.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Inhalation: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: Contact local poison control.

Representative label and principal display panel

aspen DAIRY SOLUTIONS

WINTER DIP

Ultra Conditioning Teat Dip

- An aid in reducing the spread of organisms which may cause mastitis
- Contains an emollient system (glycerin, lanolin and propylene glycol) 78%

ACTIVE INGREDIENT:

Heptanoic acid..... 1.5%

INERT INGREDIENTS:..... 98.5%

TOTAL:..... 100.0%

NET CONTENTS: 56.8 L (15 US GAL)

6301378

Manufactured for:

Aspen Veterinary Resources®, Ltd.

3155 Heartland Drive, Liberty, MO 64068

1-800-203-5620

760657/5300/0115



WINTER DIP



ACTIVE INGREDIENT:	
Heptanoic acid	1.5%
INERT INGREDIENTS:	
	98.5%
TOTAL:	100.0%

Ultra Conditioning Teat Dip

- An aid in reducing the spread of organisms which may cause mastitis
- Contains an emollient system (glycerin, lanolin and propylene glycol) 78%

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

DIRECTIONS:

IMPORTANT: Do not mix Winter Dip with water, any other teat dips, or other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Winter Dip.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Pre-Milk Dipping: Fill teat dip cup with pre-milking teat dip. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, full strength Winter Dip. Do not turn cows out in freezing weather until Winter Dip is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving. **PRECAUTION:** Winter Dip is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

WARNING

Causes serious eye irritation. Wash skin thoroughly after handling. Wear eye protection/face protection.

FIRST AID

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact: Rinse with water.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Inhalation: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: Contact local poison control.

Sellador de pezones con ultra acondicionamiento

- Ayuda a evitar la proliferación de organismos que pueden causar mastitis
- Contiene un sistema emoliente (glicerina, lanolina y glicol propileno) 78%

PARA USO INDUSTRIAL SOLAMENTE

MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USO HUMANO

INSTRUCCIONES:

IMPORTANTE: No mezcle Winter Dip con agua, con ningún baño antiséptico para pezones, ni con ningún otro producto a menos que los mismos hayan sido especificados en las instrucciones de uso del producto. Si el producto fuese transferido desde este envase a cualquier otro, asegúrese de que ese otro envase haya sido integralmente prelavado y que contenga el etiquetamiento del envase de Winter Dip.

Si el producto del porta baño antiséptico se tornara visiblemente sucio, deséchelo su contenido y vuelva a reponerlo con el producto no diluido. No vuelva a utilizar el mismo producto, ni vuelva a colocar el producto sin usar dentro del envase original. **Antes de ordeñar:** Lave los pezones completamente justo antes de ordeñar con una solución de lavado apropiada para ubres o baño antiséptico para pezones previo al ordeño, o rodee el pezón para evitar la contaminación de la leche. Posteriormente, los pezones se deben secar con toallas de servicio único o descartables. Utilice el procedimiento adecuado para el lavado o el prebaño antiséptico de las ubres.

Sellado del pezón previo al ordeño: Llena la taza del sellador de pezones con sellador de pezones previo al ordeño. No lo diluya. Antes de ordeñar a cada vaca, embeba cada teta por completo en la taza del sellador de pezones. Seque los pezones después de realizar el sellado, utilizando toallas desechables para evitar la contaminación de la leche.

Sellado del pezón posterior al ordeño: Inmediatamente después de ordeñar cada vaca, bañe toda la superficie del pezón en el recipiente que contiene el producto. Deje secar al aire. No utilice paños. Siempre utilice Winter Dip fresco y sin diluir. Hasta que Winter Dip no se haya secado completamente, no saque las vacas al exterior en climas fríos.

Uso Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por aproximadamente 10 días antes de parir.

PRECAUCIÓN: Winter Dip no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágalas tratar con un veterinario.

ATENCIÓN

Provoca irritación ocular grave. Lave la piel minuciosamente después del manejo. Usar equipo de protección para los ojos/la cara.

PRIMEROS AUXILIOS

Contacto con los ojos: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.

Contacto con la piel: Lave con agua.

Ingestión: Enjuague la boca. Consultar un médico si los síntomas aparecen.

Inhalación: Consultar un médico si los síntomas aparecen.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: Contacto local de veneno.

NET CONTENTS: 56.8 L (15 US GAL)

6301378



Manufactured for:
Aspen Veterinary Resources*, Ltd.
3155 Heartland Drive, Liberty, MO 64068
1-800-203-5620
760657/5300/0115

WINTER DIP

heptanoic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-405
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HEPTANOIC ACID (UNII: THE3YNP39D) (HEPTANOIC ACID - UNII:THE3YNP39D)	HEPTANOIC ACID	15 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	

PEG-75 LANOLIN (UNII: 09179OX7TB)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-405-21	208000 mL in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/04/2015	

Labeler - spen Veterinary Resources, Ltd. (627265361)

Revised: 5/2023

spen Veterinary Resources, Ltd.