TUSSIN DM- dextromethorphan hbr, guaifenesin solution CVS Pharmacy

CVS Pharmacy, Inc. Tussin DM Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children	10 mL
12 years and over	every 4 hours
children under 12 years	do not use

Other information

- Phenylketonurics: Contains Phenylalanine 30 mg per 10 mL
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

Questions or comments?

1-800-719-9260

Principal Display Panel

CVS Heath™

Compare to the active ingredients in Robitussin® Sugar-Free Cough + Chest Congestion DM

Sugar Free

Non-Drowsy

Tussin DM

DEXTROMETHORPHAN HBr

Cough suppressant

GUAIFENESIN

Expectorant

Adult Cough & Chest Congestion

Specially Formulated for Diabetics

Relieves:

Cough

Chest congestion/mucus

Dye free

Fructose free

Sorbitol free


Alcohol free

Actual Bottle Size on Side Panel

For ages 12 & over

Dosage cup provided

4 FL OZ (118 mL)



Dye free; Fructose free; Sorbitol free; Alcohol free tor Diabetics Specially Formulated Chest Congestion Adult Cough & M**Q** nissuT Non-Drowsy

Sugar Free

CA2Health.



Compare to the active ingredients in Robitussin® Sugar-Free Cough + Chest Congestion DM*

Sugar Free

NDC 59779-919-26 **Non-Drowsy**

Tussin DM

DEXTROMETHORPHAN HBr Cough suppressant

GUAIFENESIN Expectorant

Adult Cough & **Chest Congestion**

Specially Formulated for Diabetics

- Cough
- Chest congestion/mucus

Dve free Fructose free Alcohol free

Actual Bottle Size on Side Panel



4 FL OZ (118 mL)

Non-Drowsy

Tussin DM

Chest Congestion

Choose the correct Tussin formula for your symptoms

- Chest congestion with dry cough

 Loosens chest congestion to help coughs clear chest

- Tussin DM:
 Frequent coughs & chest congestion
 Controls & suppresses coughing
 Loosens & relieves chest
 congestion/mucus

- Cussin CF:

 lasal stuffiness, frequent

 coughs & chest congestion

 Clears nasal passages to restore

 freer breathing through the nose

 Controls & suppresses coughing

 Relieves chest congestion/mucus

Drug Facts

Purposes

...Cough suppressant

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

 ■ helps loosen phlegm (mucus) and thin
 bronchial secretions to drain bronchial tubes

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know the control of the manual oxidation if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have cough that occurs with too much phlegm (mucus)

cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

of a serious contaion.

If pregnant or breast-feeding, ask a health
professional before use.
Keep out of reach of children. In case of
overdose, get medical help or contact a
Poison Control Center right away
(1-800-222-1222).

Directions

- do not take more than 6 doses in any

- and onot take more than 6 doses in any 24-hour period in measure only with dosing cup provided leave possing cup with product in m. = milliliter in this adult product is not intended for use in children under 12 years of age

Drug Facts (continued)

3 1		
age	dose	
adults and children 12 years and over	10 mL every 4 hours	
children under 12 years	do not use	

- Other information

 Phenylketonurics: Contains
 Phenylalanine 30 mg per 10 mL
 store at 20-25°C (68-77°F). Do not refrigerate.
- Inactive ingredients aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

Questions or comments? 1-800-719-9260

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING


This product is not manufactured or distributed by Pfizer, distributor of Robitussin[®] Sugar-Free Cough + Chest Congestion DM.

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2018 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-16430





www.StopMedicineAbuse.org





LOT NO.

EXP.

: 57826 17 (9

TUSSIN DM

dextromethorphan hbr, quaifenesin solution

Product Information

HUMAN OTC DRUG NDC:59779-919 **Product Type Item Code (Source)**

Route of Administration

ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ASPARTAME (UNII: Z0H242BBR1)		
BENZOIC ACID (UNII: 85KN0B0MIM)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
WATER (UNII: 059QF0KO0R)		
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:59779-919- 26	1 in 1 CARTON	12/07/1994	02/28/2022		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product				
2	NDC:59779-919- 34	1 in 1 CARTON	12/07/1994			
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	12/07/1994		

Labeler - CVS Pharmacy (062312574)

Revised: 10/2023 CVS Pharmacy