# GOOD NEIGHBOR PHARMACY LOPERAMIDE HYDROCHLORIDE- loperamide hcl suspension

ATLANTIC BIOLOGICALS CORP.

-----

# Amerisource Bergen Loperamide Hydrochloride Oral Suspension Drug Facts

## Active ingredient (in each 7.5 mL)

Loperamide HCl 1 mg

### **Purpose**

Anti-diarrheal

#### Use

controls symptoms of diarrhea, including Travelers' Diarrhea

#### **Warnings**

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

#### Do not use

if you have bloody or black stool

#### Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease

#### Ask a doctor or pharmacist before use if you are

taking antibiotics

#### When using this product

• tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

## Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging.

These may be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- find right dose on chart. If possible, use weight to dose; otherwise use age.
- shake well before using
- only use attached measuring cup to dose product

adults and children	30 mL (6 tsp) after the first loose stool; 15 mL (3 tsp) after each subsequent loose stool; but no more than 60 mL (12 tsp) in 24 hours
12 years and	
over	
children 9-11	15 mL (3 tsp) after the first loose stool; 7.5 mL (1 1/2 tsp) after each subsequent loose
years	stool; but no more than 45 mL (9 tsp) in 24 hours
(60-95 lbs)	
children 6-8	15 mL (3 tsp) after the first loose stool; 7.5 mL (1 1/2 tsp) after each subsequent loose
years	stool; but no more than 30 mL (6 tsp) in 24 hours
(48-59 lbs)	
children under	ask a doctor
6 years	
(up to 47 lbs)	

#### Other information

- each 30 mL (6 tsp) contains: sodium 15 mg
- store between 20-25°C (68-77°F)
- see side panel for lot number and expiration date

## **Inactive ingredients**

anhydrous citric acid, carboxymethylcellulose sodium, D&C yellow no. 10, FD&C blue no. 1, glycerin, microcrystalline cellulose, natural and artificial mint flavor, propylene glycol, purified water, simethicone, sodium benzoate, sucralose, titanium dioxide, xanthan gum

#### **DISTRIBUTED BY:**

ATLANTIC BIOLOGICALS CORP. 20101 N.E 16TH PLACE MIAMI,FL 33179

1-800-719-9260

#### Package/Label Principal Display Panel

Controls the Symptoms of Diarrhea

Compare to Imodium® A-D active ingredient Loperamide Hydrochloride Oral Suspension anti-diarrheal 17856-0111-06



# LOPERAMIDE HCL 2 MG/15 ML ORAL SUSPENSION ANTI-DIARRHEAL

3ev 01/19

See package insert for indications and dosage schedule

Store between 20-25°C (68-77°F)
KEEP OUT OF THE REACH OF CHILDREN

17856-0111-06 LOPERAMIDE HCL Dosage: 15 ML

Qty: 50 Cups

GTIN: 1785601116 S/N: 00000000000001

Exp: 10/08/19 Lot: 000000 OTC

17856011106

Packaged by: Unit Dose Solutions

Morrisville, NC 27560

Distributed by: AtlanticBiologicals

Corp, Miami FI 33179

Call to Reorder: 800.509.7592

Rev.01/19

See package insert for indications and dosage schedule

Store between 20-25°C (68-77°F) KEEP OUT OF THE REACH OF CHILDREN

17856-0111-05 LOPERAMIDE HCL Dosage: 7.5 ML

Qty: 72 Cups

GTIN: 1785601115 S/N: 000000000000001

Exp: 03/13/20 Lot: 000000

17856011105

Packaged by: Unit Dose Solution:

OTC

Morrisville, NC 27560

Distributed by: AtlanticBiological

Corp, Miami FI 33179

Call to Reorder: 800.509.7592

#### GOOD NEIGHBOR PHARMACY LOPERAMIDE HYDROCHLORIDE

loperamide hcl suspension

**Product Information** 

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:17856-0111(NDC:46122-111)

Route of Administration ORAL

**Active Ingredient/Active Moiety** 

1	receive rings content receive in content		
	Ingredient Name	Basis of Strength	Strength
		LOPERAMIDE HYDROCHLORIDE	1 mg in 7.5 mL

**Inactive Ingredients** 

Ingredient Name	Strength
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679 OBS 311)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics			
Color	GREEN (opaque, viscous)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging				
#	Item Code Package Description		Marketing Start Date	Marketing End Date
1	NDC:17856-0111- 2	72 in 1 BOX, UNIT-DOSE	01/25/2021	
1		10 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
2	NDC:17856-0111-3	72 in 1 BOX, UNIT-DOSE	01/25/2021	
2		5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
3	NDC:17856-0111-	72 in 1 BOX, UNIT-DOSE	01/25/2021	
3		15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
4	NDC:17856-0111-5	72 in 1 BOX, UNIT-DOSE	01/25/2021	
4		7.5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
5	NDC:17856-0111-	50 in 1 BOX, UNIT-DOSE	01/25/2021	
5		15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA091292	02/26/2019	

# Labeler - ATLANTIC BIOLOGICALS CORP. (047437707)

Establishment			
Name	Address	ID/FEI	Business Operations
ATLANTIC BIOLOGICALS CORP.		047437707	repack(17856-0111), relabel(17856-0111)

Revised: 1/2021 ATLANTIC BIOLOGICALS CORP.