TUSSIN GUIFENESIN EXPECTRORANT SYRUP- guifenes in syrup Bayer HealthCare LLC

Tussin-Export Only

Drug Facts

Active Ingredients (in each 5ml teaspoonful)

Guaifenesin, USP 100 mg

Purpose

Expectorant

Helps loosen phlegn (mucus) to make coughs more productive.

Ask a doctor before use if

- you have chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough occurs with too much mach phlegm (mucus)

Stop use and ask a doctor if cough lasts for more than 1 week, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a seriuos conditions.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.





GUAIFENESIN EXPECTORANT SYRUP, USP

Loosens & Relieves Chest Congestion Non-Narcotic



4 FL OZ (118 ml)

Drug Facts

active ingredient

(in each 5 ml teaspoonful) Guaifenesin, USP 100 mg Purpose Expectorant inactive ingredients

sodium benzoate, propylene glycol, gly-cerin (anhydrous), corn syrup, sodium sac-charin, menthol (levo), citric acid (anhyd-rous), caramel powder, FD&C Red #40, wild cherry flavor, purified water

helps loosen phlegm (mucus) to make coughs more productive.

Warnings

Ask a doctor before use if

 you have chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

· cough occurs with too mach phlegm (mucus)

Stop use and ask a doctor if cough lasts for more than 1 week, comes back, or oc-curs with fever, rash, or headache that lasts. These could be signs of a serious

If pregnant or breast-feeding, ask a health

Keep out of reach of children. In case of overdose, get medical heip or contract a Poison Control Center right away.

TUSSIN

GUAIFENESIN EXPECTORANT SYRUP, USP

Loosens & Relieves Chest Congestion

Non-Narcotic

adults and children 12 years and over

2-4 teaspoonfuls every 4 hours, but not more than 24 teaspoonfuls in 24 hours, or as directed by a doctor

children 6 to under 12 years

1-2 teaspoonful every 4 hours, but not more than 12 teaspoonfuls in 24 hours, or as directed by a doctor

children 2 to under 6 years

1/2-1 teaspoonful every 4 hours, but not more than 6 teaspoonfuls in 24 hours, or as directed by a doctor

children under 2 years

consult a doctor

Tamper evident: Do not use this product it imprinted plastic seal on bottle cap is torn, broken or missing.

UNBREAKABLE BOTTLE

CHILD-RESISTANT CAP

TAMPER EVIDENT CONTAINER ENCLOSED





Bayer



4 FL OZ (118 ml)



Bayer Consumer Care AG, Switzerland Bio-Pharm Inc., 2091 Hartel Street, Levittown, PA 19057, USA



Lot no.

Exp.

guifenesin syrup

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61841-403
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SACCHARIN SO DIUM (UNII: SB8 ZUX40 TY)			
MENTHOL, UNSPECIFIED FORM (UNII: L7T10 EIP3A)			
PROPYLENE GLYCOL (UNII: 6 DC9 Q16 7 V3)			
GLYCERIN (UNII: PDC6A3C0OX)			
CORN SYRUP (UNII: 9G5L16BK6N)			
CITRIC ACID MONO HYDRATE (UNII: 2968 PHW8 QP)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
WATER (UNII: 059QF0KO0R)			

Product Characteristics			
Color	pink	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61841-403- 26	1 in 1 CARTON	0 1/14/20 15	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		0 1/14/20 15	

Establishment			
Name	Address	ID/FEI	Business Operations
Bio-Pharm, Inc.		801652546	manufacture(61841-403), pack(61841-403)

Revised: 1/2015 Bayer HealthCare LLC