# CHILDREN PAIN AND FEVER RELIEVER- acetaminophen tablet, chewable Target Corporation

-----

### Children's Pain Fever Chewables Acetaminophen 24 Melty Tabs

### Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

### Purpose

Pain reliever/fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache
- temporarily reduces fever

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy Alert: acetaminophen may cause severe skin reaction. Symptoms may include:

- skin reddening
- blister
- rash

If a skin reaction occurs, stop use and seek medical help right away

**Sore throat warning:** If sore throat is severe, persists for more than 2 days is accompanied or followed by fever headache, rash, nausea or vomiting, consult a doctor promptly.

#### Do not use

with any other drug containing acetaminophen (prescription or nonprescription). If

- you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

#### Ask a doctor before use if your child has

liver disease.

### Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

### When using this product

do not exceed recommended dose (see overdose warning).

### Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

#### **Directions**

- this product does not contain directions or complete warnings for adult use.
- do not give more than directed (see overdose warning)
- find the right dose on chart below. If possible, use weight to dose; otherwise use age.
- chew completely do not swallow whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours or as directed by a doctor

Weight	under	24-	36-47	48-59	60-71	72-95
(lbs)	24	35				
Age (yr)	under	2-3	4-5	6-8	9-10	11
	2	years	years	years	years	years
	years					
Dose	ask a	1	1 ½	2	2 ½	3
(Tablets)	doctor	tablet	tablets	tablets	tablets	tablets

#### Other information

- store at room temperature. Avoid high humidity. Protect from light
- see end flap for expiration date and lot number

#### Inactive ingredients

citric acid, crospovidone, D&C Red no. 30 Lake, dextrose, FD&C Blue No. 1 Lake, flavors, hydroxypropylcellulose, magnesium stearate, maltodextrin, silicon dioxide, sodium carboxymethyl cellulose, starch, sucralose

#### Questions or comments?

1-866-467-2748

#### Principal Display Panel

NDC 11673-241-24

Compare to active ingredient in Children's Tylenol® Chewables\*

children's acetaminophen

chewable tabs, 160 mg

up & up

pain reliever/fever reducer

aspirin free

ibuprofen free Ages 2-11 YEARS

**GRAPE FLAVOR** 

Naturally and Artificially Flavored

24 CHEWABLE TABLETS 160 mg each

**TAMPER EVIDENT:** DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

IMPORTANT: Keep this carton for future reference on full labeling.

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark children's Tylenol® Chewable.

50844 REV0213F44908

094 01 0603 R03 ID225450

Distributed by Target Corporation

Minneapolis, MN 55403

© 2019 Target Brands,Inc.

Shop Target.com

### children's acetaminophen chewable tabs, 160 mg



*luestions or comments?* 1-800-910-6874 IMPORTANT:
Keep this carton for future reference on full labeling.

Inactive ingredients citric acid, dextrose, FD&C Blue No. 1 Lake, flavor, h maltodextrin, silicon dioxide, sodium ca

d, crospovidone, D&C Red No. 30 Lake, r, hydroxypropylcellulose, magnesium stea carboxymethyl cellulose, starch, sucralo:

Compare to active ingredient in Children's Tylenol® Chewables'

children's acetaminophen chewable tabs, 160 mg

up&up

pain reliever/fever reducer

24

CHEWABLE TABLETS

NDC 11673-241-24

AGES 2-11 YEARS



9  $\infty$ 

Exp: Pot

24 CHEWABLE TABLETS

Drug Facts

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Active ingredient (in each chewable tablet)

Uses = temporarily relieves minor aches and pains due to:

the common cold = flu = headache = sore throat = toothache = temporarily reduces fever

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes: ■ more than 5 doses in 24 hours, which is the maximum daily amount

with other drugs containing acetaminophen

Allergy Alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■skin reddening 
blisters rash. If a skin reaction occurs, stop use and seek medical help right away

Drug Facts (continued)

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin. When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if ■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions = this product does not contain directions or complete warnings for adult use. ■ do not give more than directed (see overdose warning) ■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age. ■ chew completely do not swallow whole ■ repeat dose every 4 hours while symptoms last ■ do not give more than 5 times in 24 hours

Weight (lbs)	under 24	24-35	36-47	48-59	60-71	72-95
Age (yrs)	under 2 years	2-3 years	4-5 years	6-8 years	9-10 years	11 years
Dose (tablets)*	ask a doctor	1 tablet	1½ tablets	2 tablets	2½ tablets	3 tablets
*or as directed	by a doctor					

Other information store at room temperature. Avoid high humidity. Protect from light ◀ ■ see end flap for expiration date and lot number







#### **CHILDREN PAIN AND FEVER RELIEVER**

acetaminophen tablet, chewable

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11673-241

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN 160 mg

### **Inactive Ingredients**

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
STARCH, CORN (UNII: O8232NY3SJ)	

CROSPOVIDONE (120 .MU.M) (UNII: 68401960MK)

**D&C RED NO. 30** (UNII: 2S42T2808B)

DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)

FD&C BLUE NO. 1 (UNII: H3R47K3TBD)

**GELATIN, UNSPECIFIED** (UNII: 2G86QN327L)

MALTODEXTRIN (UNII: 7CVR7L4A2D)

MAGNESIUM STEARATE (UNII: 70097M6I30)

**SUCRALOSE** (UNII: 96K6UQ3ZD4)

#### **Product Characteristics**

Color	PURPLE	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	GRAPE	Imprint Code	RP160
Contains			

### **Packaging**

ш							
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1	NDC:11673-241- 24	4 in 1 CARTON	11/11/2019			
l	1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product				
П							

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	11/11/2019		

## Labeler - Target Corporation (006961700)

Revised: 11/2023 Target Corporation