

# **COLD AND ALLERGY CHILDRENS- brompheniramine maleate, phenylephrine hcl liquid**

**P & L Development, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Drug Facts**

### **Active ingredients (in each 10 mL)**

Brompheniramine maleate 2 mg

Phenylephrine HCl 5 mg

## **Purposes**

Antihistamine

Nasal decongestant

## **Uses**

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat
- temporarily restores freer breathing through the nose

## **Warnings**

### **Do not use**

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- glaucoma

- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

**When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use

**Other information**

- **each 10 mL contains:** sodium 5mg
- store at 20-25°C (68-77°F). Do not refrigerate.

## **Inactive ingredients**

anhydrous citric acid, FD&C blue #1, FD&C red # 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate

## **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

## **Principal Display Panel**

Compare to the active ingredients in Children's Dimetapp® Cold & Allergy\*

### **Children's dibromm**

#### **Cold & Allergy**

Brompheniramine Maleate 2 mg Antihistamine

Phenylephrine HCl 5 mg Nasal Decongestant

Relieves:

- itchy, watery eyes
- runny nose
- sneezing
- stuffy nose
- itchy of the nose or throat

for ages 6 years and over

Alcohol free

grape flavor

FL OZ (mL)

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Children's Dimetapp® Cold & Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

Manufactured by:

PL Developments

11865 S. Alameda St

Lynwood, CA 90262

## **Package Label**

Drug Facts (continued)	
Age	Dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use
<b>Other information</b>	
■ each 10 mL contains: sodium 5 mg	
■ store between 20-25°C (68-77°F). Do not refrigerate.	
<b>Inactive ingredients</b> citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose	
<b>Questions or comments?</b> Call 1-877-753-3835 Monday-Friday 9AM-5PM EST	

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Children's Dimetapp® Cold & Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**



Manufactured by:  
**PL Developments**  
11865 S. Alameda St  
Lynwood, CA 90262



Compare to the active ingredients in  
**Children's Dimetapp® Cold & Allergy\***

NDC 49580-0312-4



relieves:

- itchy, watery eyes
- runny nose
- sneezing
- stuffy nose
- itching of the nose or throat

for ages 6 years and over  
alcohol free

4 fl oz (118 mL)



grape flavor



Compare to the active ingredients in  
**Children's Dimetapp® Cold & Allergy\***

NDC 49580-0312-4



relieves:

- itchy, watery eyes
- runny nose
- sneezing
- stuffy nose
- itching of the nose or throat

for ages 6 years and over  
alcohol free

4 fl oz (118 mL)



grape flavor

Drug Facts	
Active ingredients (in each 10 mL)	Purposes
Brompheniramine maleate 2 mg	Antihistamine
Phenylephrine HCl 5 mg	Nasal decongestant
<b>Uses</b>	
■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies	
■ temporarily relieves these symptoms due to hay fever (allergic rhinitis)	
■ runny nose ■ itchy, watery eyes	
■ sneezing ■ itching of the nose or throat	
■ temporarily restores freer breathing through the nose	
<b>Warnings</b>	
Do not use	
■ to sedate a child or to make a child sleepy	
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.	
<b>Ask a doctor before use if you have</b>	
■ heart disease ■ high blood pressure ■ glaucoma	
■ diabetes ■ thyroid disease	
■ trouble urinating due to an enlarged prostate gland	
■ a breathing problem such as emphysema or chronic bronchitis	
<b>Ask a doctor or pharmacist before use if you are</b>	
■ taking any other oral nasal decongestant or stimulant	
■ taking sedatives or tranquilizers	
<b>When using this product</b>	
■ do not use more than directed	
■ drowsiness may occur	
■ avoid alcoholic beverages	
■ alcohol, sedatives, and tranquilizers may increase drowsiness	
■ be careful when driving a motor vehicle or operating machinery	
■ excitability may occur, especially in children	
<b>Stop use and ask a doctor if</b>	
■ nervousness, dizziness or sleepiness occur	
■ symptoms do not get better within 7 days or are accompanied by fever	
<b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</b>	
<b>Directions</b>	
■ do not take more than 6 doses in any 24-hour period	
■ measure only with dosing cup provided. Do not use any other dosing device.	
■ keep dosing cup with product	
■ mL = milliliter ■ shake well before using	



3 49580 31204 3

PLD-E260C FC004139

Lot No.:  
Exp. Date:

## READYinCASE Children's Dibromm Cold & Allergy

## COLD AND ALLERGY CHILDRENS

brompheniramine maleate, phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49580-0312
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BROMPHENIRAMINE MALEATE</b> (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49580-0312-4	1 in 1 BOX	05/31/2016	05/31/2025
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/31/2016	05/31/2025

**Labeler** - P & L Development, LLC (101896231)

Revised: 5/2023

P & L Development, LLC