

**BASIC CARE FIRST AID ANTIBIOTIC AND BURN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hydrochloride ointment  
Amazon.com Services LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Amazon First Aid Antibiotic + Burn Relief Drug Facts**

**Active ingredients (in each gram)**

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

**Purpose**

First aid antibiotic

External analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

## **Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## **Directions**

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

## **Other information**

- store at 20-25°C (68-77°F)

## **Inactive ingredient**

white petrolatum

## **Questions or comments?**

**1-800-719-9260**

## **Package/Label Principal Display Panel**

Maximum Strength

Compare to Neosporin® + Burn Relief active ingredients

First Aid Antibiotic + Burn Relief

First Aid Antibiotic Pain Relieving Ointment

Bacitracin Zinc

Neomycin Sulfate

Polymyxin B Sulfate

Pramoxine HCl

Triple Antibiotic Infection Protection

Relieves Minor Burn Pain + Infection Protection

NET WT. 1 OZ (28g)



WERNER



basic care

Maximum Strength

Compare to Neosporin® + Burn Relief active ingredients\*

NDC 72288-253-64

# First Aid Antibiotic + Burn Relief

## First Aid Antibiotic Pain Relieving Ointment

Bacitracin Zinc  
Neomycin Sulfate  
Polymyxin B Sulfate  
Pramoxine HCl

Triple Antibiotic  
Infection Protection

Relieves Minor Burn Pain  
+ Infection Protection

NET WT. 1 OZ (28 g)

First Aid Antibiotic + Burn Relief

### Drug Facts

#### Active ingredients Purpose (in each gram)

Bacitracin zinc 500 units...First aid antibiotic  
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....First aid antibiotic  
Polymyxin B 10,000 units as polymyxin B sulfate.....First aid antibiotic  
Pramoxine HCl 10 mg...External analgesic

**Uses** first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts ■ scrapes ■ burns

### Warnings

For external use only

#### Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites ■ serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- adults and children 2 years of age or older:
  - clean the affected area
  - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
  - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

### Drug Facts (continued)

#### Other information

- store at 20-25°C (68-77°F)

#### Inactive ingredient

white petrolatum


#### Questions or comments?

1-800-719-9260

\*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin® + Burn Relief.

DISTRIBUTED BY:  
AMAZON.COM SERVICES LLC  
410 TERRY AVENUE N.  
SEATTLE, WA 98109

© 2020 AMAZON.COM, INC. OR ITS AFFILIATES. ALL RIGHTS RESERVED. BASIC CARE AND ALL RELATED LOGOS ARE TRADEMARKS OF AMAZON.COM, INC. OR ITS AFFILIATES.



4

8

25L64 BN C1

WERNER





## BASIC CARE FIRST AID ANTIBIOTIC AND BURN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, pramoxine hydrochloride ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72288-253
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-253-64	1 in 1 CARTON	07/21/2021	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	07/21/2021	

**Labeler** - Amazon.com Services LLC (128990418)