### FIBER THERAPY ORANGE SMOOTH- psyllium husk powder YOUR MILITARY EXCHANGE

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### exchange select<sup>™</sup> 100% Natural Psyllium Husk Orange Flavor Sugar free Drug Facts

#### **Active ingredient: (in each teaspoon)**

Psyllium husk approximately 3.4 g

#### **Purpose**

**Bulk-forming Laxative** 

#### **Uses:**

- for relief of occasional constipation (irregularity)
- Generally produces bowel movement in 12-72 hours

#### Warnings:

#### **Choking:**

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

#### Allergy alert:

This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

### Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

#### Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

#### **Directions:**

Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & Children 1 rounded teaspoon in 8 ounces of liquid at the first sign of		
12 years & older:	irregularity. Can be taken up to 3 times daily.	
Children 6-11 yrs :	$\frac{1}{2}$ adult dose in 8 ounces of liquid, up to 3 times daily	
Children under 6	Consult a doctor	
yrs:		

Bulk forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine. As your body adjusts to increased fiber intake, you may experience changes in bowel habits or minor bloating.

#### **New Users**

Start with 1 serving per day; gradually increased to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

#### Other information:

- **each teaspoon contains:** potassium 35 mg; sodium 5 mg
- PHENYLKETONURICS: CONTAINS PHENYLALANINE, 25 mg per teaspoon
- store at room temperature. Keep the container tightly closed to protect from humidity
- contains a 100% natural, therapeutic fiber

#### **Inactive ingredients:**

aspartame, citric acid, FD&C yellow 6, maltodextrin, natural and artificial orange flavor, silica.

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

exchange select<sup>™</sup>

#### NDC# 55301-515-14

# Compare to the fiber content in Metamucil<sup>®</sup> 4 in 1 MultiHealth Fiber! $^{m*}$ Fiber Therapy

100% NATURAL PSYLLIUM HUSK

Multi-benefit Daily Fiber Supplement

Therapy for Regularity

- Helps you feel less hungry between meals\*\*
- Helps maintain healthy blood sugar levels as part of your diet\*\*
- Helps lower cholesterol to promote heart health†
- Promotes digestive health\*\*
- Gluten free

#### Sugar Free not a low calorie food.

#### **Orange Smooth**

Naturally and Artificially Flavored

114 teaspoon doses<sup>‡</sup>

NET WT 23.3 OZ (1.4 LBS) 660 g

fill controlled by weight, not volume

†See back for information about soluble fiber and heart disease.

‡Serving size varies. See DIRECTIONS on back panel for more information

\*\*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

\*This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil @. 4 in 1 MultiHealth Fiber!  $^{\text{TM}}$ .

## TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

GLUTEN FREE (may contain trace amounts less than 20 ppm). If you have specific dietary needs, you should consult your doctor before consuming this product.

This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.

"SASTISFACTION GUARANTEED OR YOUR MONEY BACK"

Manufactured for Your Military Exchanges

By: Raritan Pharmaceuticals Inc.,

#### Package Label 114 Teaspoons Doses



Serving Size Servings Per Container	2 rounded t About	sp (11.6g) :57		tsp (5.8g ut 114
Amount per Serving		%DV*		%DV*
Calories	45		20	
Total Carbohydrate	11 g	4%*	5 g	2%*
Dietary Fiber	6 g	21%*	3 g	11%*
Soluble Fiber	5 g	†	2 g	†
Total Sugars	0 g	†	0 g	†
Includes Added Sugars	0 g	0%*	0 g	0%*
Iron	1.4 mg	8%	0.7 mg	4%
Sodium	10 mg	<1%	5 mg	<1%
Potassium	70 mg	1%	35 mg	1%

Ingredients: Psyllium Husk, Maltodextrin, Citric Acid, Natural & Artificial Orange Flavor, Silica, Aspartame, FD&C Yellow No. 6.

Artificial Orange Flavor, Silica, Aspartame, FD&C Yellow No. 6, Mollor: Pat 1 dose of product into an empty glass. Mix this product will at least 6 ounces in fall glass of flagad. Sur brisky and drink prompty, when of flingad is flagad is flagad is flagad to the product will be product may cause choicing. Do not take if you have difficulty southweig.

Alterya after: This product may cause alleging reaction in propole sensitive to inhaled or inspetted pryllium. Contact your doctor BFDCE ISING this delary applement if you have recently apperienced a sudden change in bowel habits pensisting for 2 weeks, addoximal pain nauses or vorniting. 570 EVISM this delays supplement and and colors if constiguistion lasts more than 7 days or rectal bleeding occurs. These may be signed as elevius condition.

New Users: Start with 1 serving per day, gradually increase to desirely intitude, you may intitude preparience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

When used as a daily	fiber supplement:

#### Fiber Supplement Information

Uses & Directions:
For feeling less hungry between meals\*\*
Adults & children 12 yrs. and over. Two rounded teaspoors it is or more curces of liquid with meals, up to 3 times daily.
For lowering cholestered to promote heart health?
Adults & children 12 yrs. & over- One rounded teaspoor in a course of liquid. Si mes daily. Dies both in sharthed that and cholestered that include 7 grants of skalable filter per day from positions, as in this product, may reduce the risk of heart disease by lowering cholesterd. One serving of this product has 24 grants of this soluble filter. Constant, and control you considering use of this product has 7 grant of this soluble filter. Constant in considering use of this product has 7 grant of a cholesterol-lowering program.

Adultis & children 12 yrs. and over: Die readed tespool in Sources of fauit 3 times dals, Corael your doctor before use if you see currelly using medication to control your blood sage rhee. For promoting and maintaining digestive health!\* Adultis & children 12 yrs. and over: The rounded tespoon in 8 ounces of liquid up to 3 times daly for their supplementation, for cocasional consistent and to be promote and maintain regularly For children under 12 yrs: consult a doctor.

#### hen used as a therapy for regularity: Drug Facts

Active ingredient (in each teaspoon)

Purpose

Uses ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hours

\*\*Variant\*\* Set in the product without adequate fluid may cause it to swell and block your throat or esophagus an may cause choking. Do not take this product if you have officing in swallowing. If you experience chest pain, vonthing, or difficulty in swallowing or breathing after fluid pic product, seek immediate medical attention. argy alert: This product may cause an allergic reaction in people sensitive to inhaled or ingested psyllium.

Allergy arter. This product may cause on seasons be seen as a school of the seen as a sudden change in bowel habits persisting for 2 weeks. ■ abdominal pain, nausea or vomiting Stop use and ask a doctor if ■ constipation lasts more than 7 days. ■ rectal bleeding occurs these may be signs of a serious condition.

Stop use and ask a doctor if # contrappanon lasts more than 7 days # rectal becoming occurs These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions Put one dose into an empty glass, Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & children 12 years & older:	1 rounded teaspoon in 8 ounces of liquid at the first sign of irregular Can be taken up to 3 times daily.	
Children 6-11 yrs:	1/2 adult dose in 8 ounces of liquid, up to 3 times daily	
Children under 6 yrs:	Consult a doctor	

Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 5 hours before or 2 hours after the prescribed medicine. New Users: Start with 1 serving per day; gradually increase to desired day traike. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

#### Other information

- Outer Importations: potassium 35 mg; sodium 5 mg
  ■eht Neaspoon contains: potassium 35 mg; sodium 5 mg
  ■PHENYLKETONURICS: CONTAINS PHENYLALANINE, 25 mg per teaspoon
   store at room temperature. Keep the container tightly closed to protect from humidity
   contains a 100% natural, therapeutic fiber

Inactive ingredients aspartame, citric acid, FD&C Yellow No. 6, maltodextrin, natural and artificial orange

#### Questions or comments? 1-866-467-2748

his product is not manufactured or distributed by Procter & Camble, the distributor of Metamucil® 4 in 1 MultiHealth Fiber

"THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

"SATISFACTION GUARANTEED OR YOUR MONEY BACK" Manufactured For Your Military Exchang By: Raritan Pharmaceuticals Inc., East Brunswick, NJ 08816

515114ESELR

GLUTEN FREE (may contain trace amounts less than 20 pm). If you have specific delary needs, you should consult your doctor before consuming this product.

This product has a low glyomic index, a measure of the effect of distance of the effect of distan



### FIBER THERAPY ORANGE SMOOTH

psyllium husk powder

#### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:55301-515

**Route of Administration ORAL** 

#### **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength

**PSYLLIUM HUSK** (UNII: 0SH053407G) (PSYLLIUM HUSK - UNII:0SH053407G) **PSYLLIUM HUSK** 3.4 g in 5.8 g

#### **Inactive Ingredients**

Strength **Ingredient Name** 

ASPARTAME (UNII: Z0H242BBR1)

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)

FD&C Yellow No. 6 (UNII: H77VEI93A8) MALTODEXTRIN (UNII: 7CVR7L4A2D)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

Product Characteristics			
Color	BROWN (Light Yellowish)	Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:55301- 515-14	660 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/13/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	05/13/2019	

### Labeler - YOUR MILITARY EXCHANGE (001695568)

Revised: 11/2021 YOUR MILITARY EXCHANGE