

REGENECARE HA- lidocaine hcl gel
MPM Medical LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

MP00117 MPM Regenecare HA Spray 4 fl.oz.

Active Ingredient

Lidocaine HCl 2%

Purpose

Anesthetic

Uses

For the temporary relief of pain and itching associated with

- minor burns
- sunburn
- minor cuts
- scrapes
- insect bites
- minor skin irritations

Warnings

For external use only

If swallowed, get medical help or contact a Poison Control Center right away

Avoid contact with the eyes

If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult with a doctor

Do not use in large quantities, particularly over raw surfaces or blistered areas

Keep out of reach of children

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: Consult a physician prior to use.

Other information

Store at room temperature.

Avoid freezing and excessive heat.

Inactive ingredients

Aloe vera barbadensis leaf extract, Benzethonium chloride, Carbomer, Glycerin, Iodopropynyl butylcarbamate, Procollagen, Sodium hyaluronate, Triethanolamine, Water

Package Label



*Topical Anesthetic Hydrogel
with Lidocaine HCl 2%*

FOR THE TEMPORARY RELIEF

of pain and itching associated with minor burns, sunburn,
minor cuts, scrapes, insect bites or minor skin irritations.

Shake Well Before Using

4 FL OZ (120 mL)



Drug Facts

Active ingredient	Purpose
Lidocaine HCl 2%	Anesthetic

Use: For the temporary relief of pain and itching associated with minor burns • sunburn • minor cuts • scrapes • insect bites • minor skin irritations

Warnings For external use only • Keep out of reach of children
• If swallowed, get medical help or contact a Poison Control Center right away • Avoid contact with the eyes • If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor
• Do not use in large quantities, particularly over raw surfaces or blistered areas

Directions Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. **Children under 2 years of age:** Consult a physician prior to use.

Other information • Store at room temperature • Avoid freezing and excessive heat

Inactive ingredients Aloe vera barbadensis leaf extract, Benzethonium chloride, Carbomer, Glycerin, Iodopropynyl butylcarbamate, Procollagen, Sodium hyaluronate, Triethanolamine, Water



Manufactured For:
MPM Medical
Mesquite, TX 75149
www.mpmmed.com • 800.232.5512
REORDER NO. MP00117 • R0720

REGENECARE HA

lidocaine hcl gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66977-117
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)			LIDOCAINE	20 mg in 1 mL
Inactive Ingredients				
Ingredient Name				Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
BENZETHONIUM CHLORIDE (UNII: PH41D05744)				
CARBOMER 940 (UNII: 4Q93RCW27E)				
GLYCERIN (UNII: PDC6A3C0OX)				
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)				
HYALURONATE SODIUM (UNII: YSE9PPT4TH)				
TROLAMINE (UNII: 9O3K93S3TK)				
WATER (UNII: 059QF0KO0R)				
MARINE COLLAGEN, SOLUBLE (UNII: 8JC99XGU4W)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66977-117-04	120 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2009	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	06/01/2009		

Labeler - MPM Medical LLC (081241522)

Revised: 3/2022

MPM Medical LLC