

SWIFTALYN FUNGAL NAIL TREATMENT- fungal nail treatment liquid
Shenzhen Peruidaishi Technology Co., Ltd.

84048-002

Active Ingredient

Miconazole nitrate 2%

Purpose

This product provides relief from nail thickening yellow-brown discoloration, brittleness, crumbliness, shape distortion dark color caused by debris build-up under the nail or unpleasant odor.

Use

Apply once in the morning and once in the evening, Ensure nails are thoroughly cleansed and dry. Gently file and trim nails to enhance the absorption and effectiveness of the product.

Warnings

Do not use the product on children under 10 years of age unless directed by a doctor. *Avoid contact with the eyes. If contact occurs, rinse thoroughly with water and seek medical advice.

. Always perform a skin patch test before using the product. If irritation occurs, discontinue use. Keep the product out of reach of children. For external use only. If swallowed, seek immediate medical assistance.

Do not use

Always perform a skin patch test before using the product. If irritation occurs, discontinue use.

When Using

Repeat this process daily until the fungal infection has completely healed. For optimal outcomes, continue applying the treatment for an additional 7 days after the symptoms have subsided.

Stop Use

May be harmful if used when pregnant or breast-feeding
Keep Out Of Reach Of Children: if swallowed, get medical help or contact a Poison

Control Center right away.

Keep Out Of Reach Of Children

Keep Out Of Reach Of Children

Directions

Immerse your feet in hot water for 10 minutes and ensure your nails are completely dry.. Utilize a nail clipper or file to eliminate as much of the affected nails as you can.. Apply an appropriate quantity of the fungal nail treatment solution to the infected nails and let them dry.

. Repeat this process daily until the fungal infection has completely healed. for optimal outcomes, continue applying the treatment for an additional 7 days after the symptoms have subsided

. if the symptoms persist even after 40 days of consistent use, it is advisable to seek medical advice from a doctor

Other information

Avoid direct sunlight. store at room temperature between 15-30°C (59-86°F).

Inactive ingredients

Water

Sorbitol

Alcohol

Propylene Glycol

Angelica Dahurica Root


Laurocapram

Caramel

Dimethylol Urea

FD&C Yellow No. 6

PRINCIPAL DISPLAY PANEL



SWIFTALYN FUNGAL NAIL TREATMENT

fungal nail treatment liquid

Product Information

Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:84048-002
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)			MICONAZOLE NITRATE	2 g in 100 mL
Inactive Ingredients				
Ingredient Name				Strength
SORBITOL (UNII: 506T60A25R)				
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)				
OXYMETHUREA (UNII: N68H97CAWG)				
ALCOHOL (UNII: 3K9958V90M)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
LAUROCAPRAM (UNII: 1F3X9DRV9X)				
CAMEL (UNII: T9D99G2B1R)				
WATER (UNII: 059QF0KO0R)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84048-002-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/24/2024	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M029	01/24/2024	

Labeler - Shenzhen Peruidaishi Technology Co., Ltd. (706728459)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Peruidaishi Technology Co., Ltd.		706728459	label(84048-002) , manufacture(84048-002)