

**CURAHIST DM- dextromethorphan hbr, pyrilamine maleate liquid**  
**Wittman Pharma, Inc.**

-----  
**CuraHIST DM**

Directions: Do not exceed the recommended dosage.

Adults and children 12 years of age and over - 4 teaspoonfuls every 6-8 hours, not to exceed 16 teaspoonfuls in 24 hours, or as directed by a doctor

Children 6 years to under 12 years of age - 2 teaspoonfuls every 6-8 hours, not to exceed 8 teaspoonfuls in 24 hours, or as directed by a doctor

Children under 6 years of age - consult a doctor

**Warnings**

Do not exceed recommended dosage.

■ a persistent cough may be a sign of a serious condition.

If cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache, consult a doctor.

Do not use this product

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI)(certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

■ for persistent or chronic cough such as occurs with

smoking, asthma, or emphysema, or if cough is accompanied by excessive phlegm(mucus) unless directed by a doctor

Ask a doctor before use if you have

■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor before use if you are taking sedatives or tranquilizers.

When using this product

■ excitability may occur, especially in children ■ may cause marked drowsiness ■ sedatives and tranquilizers may increase drowsiness effect ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Inactive ingredients: Citric acid, flavor, methylparaben, monoammonium glycyrrhizinate, potassium citrate, potassium sorbate, propylene glycol, propylparaben, purified water, sorbitol, sucralose

Uses temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:

■ runny nose ■ sneezing ■ itching of the nose or throat

■ itchy, watery eyes ■ cough due to minor throat and bronchial irritation associated with a cold ■ alleviates cough to help you sleep ■ nonnarcotic cough suppressant for the relief of cough

Keep out of reach of children.

In case of accidental overdose, seek professional help or contact a Poison Control Center immediately.

Antitussive/Antihistamine

Active Ingredients (in each 5 ml teaspoonful)

Dextromethorphan HBr 7.5mg

Pyrilamine Maleate 7.5mg

<p><b>Drug Facts</b></p> <p><b>Active Ingredients</b> (in each 5 mL teaspoonful)      <b>Purpose</b></p> <p>Dextromethorphan HBr 7.5 mg ..... Antitussive</p> <p>Pyrilamine Maleate 7.5 mg ..... Antihistamine</p> <p><b>Uses:</b> ■ temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itching of the nose or throat ■ itchy, watery eyes ■ cough due to minor throat and bronchial irritation associated with a cold ■ alleviates cough to help you sleep ■ nonnarcotic cough suppressant for the relief of cough</p> <p><b>Warnings: Do not exceed recommended dosage.</b></p> <p>■ A persistent cough may be a sign of a serious condition. If cough persist for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache, consult a doctor.</p> <p><b>Do not use this product:</b> ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product ■ for persistent or chronic cough such as occurs with smoking, asthma, or emphysema, or if cough is accompanied by excessive phlegm (mucus) unless directed by a doctor</p> <p><b>Ask a doctor before use if you have:</b> ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland</p> <p><b>Ask a doctor before use if you are taking sedatives or tranquilizers.</b></p> <p><b>When using this product:</b> ■ excitability may occur, especially in children ■ may cause marked drowsiness ■ sedatives and tranquilizers may increase drowsiness effect ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery</p>	<p>MADE IN USA      NDC 83335-105-16</p>  <p><b>CuraHIST DM</b> Antitussive / Antihistamine</p> <p><b>Each teaspoonful (5 mL) for oral administration contains:</b></p> <p>Pyrilamine Maleate ..... 7.5 mg</p> <p>Dextromethorphan HBr ..... 7.5 mg</p> <p>✓ SUGAR FREE      ✓ ALCOHOL FREE</p> <p>✓ DYE FREE      ✓ GLUTEN FREE</p> <p>Apple Pie Flavor</p>  <p><b>Wittman Pharma</b></p> <p>Net Content: 16 fl oz (473 mL)</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Warnings: (continued)</b></p> <p>If pregnant or breast-feeding, ask a health professional before use. <b>Keep out of reach of children.</b></p> <p>In case of accidental overdose, seek professional help or contact a Poison Control Center immediately.</p> <p><b>Directions: Do not exceed recommended dosage.</b></p> <table border="1"> <thead> <tr> <th>Age</th> <th>Dose</th> </tr> </thead> <tbody> <tr> <td>Adults and children 12 years of age and over:</td> <td>4 teaspoonfuls every 6-8 hours, not to exceed 16 teaspoonfuls in 24 hours, or as directed by a doctor</td> </tr> <tr> <td>Children 6 years to under 12 years of age:</td> <td>2 teaspoonfuls every 6-8 hours, not to exceed 8 teaspoonfuls in 24 hours, or as directed by a doctor</td> </tr> <tr> <td>Children under 6 years of age:</td> <td>consult a doctor</td> </tr> </tbody> </table> <p><b>Other information:</b></p> <p>■ store at 15°-30°C (59°-86°F)</p> <p>■ tamper evident, do not use if imprinted safety seal under cap is</p> <p><b>Inactive ingredients:</b> Citric acid, flavor, methylparaben, monoammonium glycyrrhizinate, potassium citrate, potassium sorbate, propylene glycol, propylparaben, purified water, sorbitol, sucralose</p> <p><b>Questions or Comments?</b></p> <p>Call 1-352-549-9917 M-F 9am - 5pm EST.</p> <p>Manufactured for: Wittman Pharma, Inc. Brooksville, FL 34604</p> <p style="text-align: right;">Rev. 3/2024</p>  <p>3 83335 10516 0</p>	Age	Dose	Adults and children 12 years of age and over:	4 teaspoonfuls every 6-8 hours, not to exceed 16 teaspoonfuls in 24 hours, or as directed by a doctor	Children 6 years to under 12 years of age:	2 teaspoonfuls every 6-8 hours, not to exceed 8 teaspoonfuls in 24 hours, or as directed by a doctor	Children under 6 years of age:	consult a doctor
Age	Dose									
Adults and children 12 years of age and over:	4 teaspoonfuls every 6-8 hours, not to exceed 16 teaspoonfuls in 24 hours, or as directed by a doctor									
Children 6 years to under 12 years of age:	2 teaspoonfuls every 6-8 hours, not to exceed 8 teaspoonfuls in 24 hours, or as directed by a doctor									
Children under 6 years of age:	consult a doctor									

## CURAHIST DM

dextromethorphan hbr, pyrilamine maleate liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83335-105
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	7.5 mg in 5 mL
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	7.5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>AMMONIUM GLYCYRRHIZATE</b> (UNII: 3VRD35U26C)	
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	APPLE (Apple Pie)	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83335-105-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/15/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/15/2024	

**Labeler** - Wittman Pharma, Inc. (830980947)

## Establishment

Name	Address	ID/FEI	Business Operations
Wittman Pharma, Inc.		830980947	analysis(83335-105) , label(83335-105) , manufacture(83335-105)

Revised: 4/2024

Wittman Pharma, Inc.