SYKES CALCIUM GLUCONATE 23% - calcium gluconate solution Sypharma Pty Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Sykes Calcium Gluconate 23% Solution

STERILE NONPYROGENIC SOLUTION For Animal Use Only

KEEP OUT OF REACH OF CHILDREN

500 mL

Each 100mL contains:

CALCIUM GLUCONATE (PROVIDES 2.14 grams OF CALCIUM) 23 grams
WATER FOR INJECTION q.s.
BORIC ACID (AS A SOLUBILIZING AGENT) 3.5 grams
mEq/L CALCIUM 1069, HYPERTONIC, pH: 2.5 to 4.5, OSMOLARITY: 6,782 mOsmol/L (calc)

INDICATIONS

FOR USE IN CATTLE AS AN AID IN TREATING UNCOMPLICATED MILK FEVER (PARTURIENT PARESIS).

DOSAGE AND ADMINISTRATION

FOR INTRAVENOUS ADMINISTRATION ONLY. CATTLE 250 – 500 mL DOSAGE MAY BE REPEATED AT 8 TO 12 HOUR INTERVALS IF REQUIRED.

CAUTION

SOLUTION SHOULD BE WARMED TO BODY TEMPERATURE AND ADMINISTERED SLOWLY. ENTIRE CONTENTS SHOULD BE USED UPON ENTERING, AS THIS PRODUCT CONTAINS NO PRESERVATIVE. DISCARD ANY UNUSED PORTION. DO NOT USE IF SOLUTION IS CLOUDY OR CONTAINS PRECIPITATE. MONITOR ANIMAL'S CONDITION CLOSELY. RE-TREATMENT MAY BE NECESSARY. IF THERE IS NO NOTICEABLE IMPROVEMENT WITHIN 24 HOURS FOLLOWING TREATMENT, CONSULT YOUR VETERINARIAN. ASEPTIC PRECAUTIONS SHOULD BE OBSERVED.

STORAGE

STORE BETWEEN 59°F-86°F/15°C-30°C IN BARRIER OVER-POUCH UNTIL READY FOR USE. PROTECT FROM FREEZING.

Made in Australia

MANUFACTURED AND DISTRIBUTED BY: SYPHARMA PTY LTD, 27 HEALEY ROAD, DANDENONG VICTORIA 3175 AUSTRALIA.

FOR CUSTOMER SERVICE EMAIL: CUSTOMERSERVICE@SYPHARMA.COM.AU

NDC NUMBER: 86043-1004-2 BARCODE: 9317643192506

BATCH NUMBER:

EXPIRY:

500mL Sykes Calcium Gluconate 23% Solution



Sykes Calcium Gluconate 23% Solution

STERILE NONPYROGENIC SOLUTION For Animal Use Only

KEEP OUT OF REACH OF CHILDREN

500 mL

Each 100mL contains:

CALCIUM GLUCONATE 23 grams

(PROVIDES 2.14 grams OF CALCIUM)

WATER FOR INJECTION q.s.

ROPIC ACID (AS A SOLUBILIZING AGENT) 3.5 grams

BORIC ACID (AS A SOLUBILIZING AGENT) 3.5 grams

mEq/L CALCIUM 1069, HYPERTONIC, pH: 2.5 to 4.5, OSMOLARITY: 6,782 mOsmol/L (calc)

INDICATIONS: FOR USE IN CATTLE AS AN AID IN TREATING UNCOMPLICATED MILK FEVER (PARTURIENT PARESIS).

DOSAGE AND ADMINISTRATION:

FOR INTRAVENOUS ADMINISTRATION ONLY.

CATTLE 250 - 500 mL

DOSAGE MAY BE REPEATED AT 8 TO 12 HOUR INTERVALS IF REQUIRED.

CAUTION: Solution should be warmed to body temperature and administered slowly. Entire contents should be used upon entering, as this product contains no preservative. Discard any unused portion. Do not use if solution is cloudy or contains precipitate. Monitor animal's condition closely. Re-treatment may be necessary. If there is no noticeable improvement within 24 hours following treatment, consult your veterinarian. Aseptic precautions should be observed.

STORAGE: STORE BETWEEN 59°F-86°F/15°C-30°C IN BARRIER OVER-POUCH UNTIL READY FOR USE. PROTECT FROM FREEZING.

Made in Australia

MANUFACTURED AND DISTRIBUTED BY: SYPHARMA PTY LTD, 27 HEALEY ROAD, DANDENONG VICTORIA 3175 AUSTRALIA.

CUSTOMERSERVICE@SYPHARMA.COM.AU

FOR CUSTOMER SERVICE EMAIL: CUSTOMERSERVICE@SY

NDC NUMBER: 86043-1004-2

BARCODE:

DARCODE.

317643 192506

BATCH NUMBER: EXPIRY:



Sykes Calcium Gluconate 23% Solution

STERILE NONPYROGENIC SOLUTION For Animal Use Only

KEEP OUT OF REACH OF CHILDREN

500 mL

Each 100mL contains:

CALCIUM GLUCONATE 23 grams

(PROVIDES 2.14 grams OF CALCIUM)

WATER FOR INJECTION q.s.

BORIC ACID (AS A SOLUBILIZING AGENT) 3.5 grams

mEq/L CALCIUM 1069, HYPERTONIC, pH: 2.5 to 4.5, OSMOLARITY: 6,782 mOsmol/L (calc)

INDICATIONS: FOR USE IN CATTLE AS AN AID IN TREATING UNCOMPLICATED MILK FEVER (PARTURIENT PARESIS).

DOSAGE AND ADMINISTRATION:

FOR INTRAVENOUS ADMINISTRATION ONLY.

CATTLE 250 – 500 mL

DOSAGE MAY BE REPEATED AT 8 TO 12 HOUR INTERVALS IF REQUIRED.

CAUTION: Solution should be warmed to body temperature and administered slowly. Entire contents should be used upon entering, as this product contains no preservative. Discard any unused portion. Do not use if solution is cloudy or contains precipitate. Monitor animal's condition closely. Re-treatment may be necessary. If there is no noticeable improvement within 24 hours following treatment, consult your veterinarian. Aseptic precautions should be observed.

STORAGE: STORE BETWEEN 59°F-86°F/15°C-30°C IN BARRIER OVER-POUCH UNTIL READY FOR USE. PROTECT FROM FREEZING.

Made in Australia

MANUFACTURED AND DISTRIBUTED BY: SYPHARMA PTY LTD, 27 HEALEY ROAD,

DANDENONG VICTORIA 3175 AUSTRALIA.

FOR CUSTOMER SERVICE EMAIL: CUSTOMERSERVICE@SYPHARMA.COM.AU

NDC NUMBER: 86043-1004-2 BARCODE:

0 317643 102506

BATCH NUMBER: EXPIRY:

SYKES CALCIUM GLUCONATE 23%

calcium gluconate solution

Product Information				
Product Type	OTC ANIMAL DRUG	ANIMAL DRUG Item Code (Source)		
Route of Administration	INTRAVENOUS			

Active Ingredient/Active Moiety

l	Ingredient Name	Basis of Strength	Strength
l	CALCIUM GLUCONATE (UNII: SQE6VB453K) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM GLUCONATE	23 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:86043-1004-2	500 mL in 1 CONTAINER			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		0 1/22/20 16		

Labeler - Sypharma Pty Ltd (753786292)

Establishment					
Name	Address	ID/FEI	Business Operations		
Sypharma Pty Ltd		753786292	manufacture, pack, sterilize		

Revised: 12/2017 Sypharma Pty Ltd