

**ADAPALENE- adapalene gel**  
**The Kroger Co.**

-----  
**Adapalene Gel USP 0.1 percent ENE**

**Active ingredient**

Adapalene, USP 0.1% (retinoid)\*

\*read consumer information leaflet

**Purpose**

Acne treatment

**Use**

- For the treatment of acne

**Warnings**

**For external use only**

**Do not use**

- on damaged skin (cuts, abrasions eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product

**If pregnant or breast-feeding,**

ask a doctor before use.

**When using this product**

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors.
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that become severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
  - in the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

**Stop use and ask a doctor if**

- you become pregnant, or planning to become pregnant while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation become severe
- you see no improvement after 3 months of once daily use

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

#### **Adults and children 12 years of age and older:**

- use **once** daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.
- **Children under 12 years of age:** ask a doctor

### **Other information**

- store at room temperature 68° to 77°F
- protect from freezing

### **Inactive ingredients**

carbomer homopolymer type C, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water.

May contain hydrochloric acid and/or sodium hydroxide to adjust pH.

### **Questions or comments?**

Call **1-800-632-6900**

### **Principal Display Panel**

Compare to **the Active Ingredient in Differin® Gel†**

ADAPALENE GEL USP 0.1%

acne treatment

ONCE DAILY TOPICAL RETINOID\*

*Oil & fragrance free*

*dermatologist developed & tested*

*previously available only by prescription*

**\*READ CONSUMER INFORMATION LEAFLET BEFORE USE**

**NET WT OZ (g)**

**\*READ CARTON AND ENCLOSED CONSUMER INFORMATION LEAFLET BEFORE USING THIS PRODUCT.**

**KEEP THIS CARTON AND CONSUMER INFORMATION LEAFLET. THEY CONTAIN IMPORTANT INFORMATION.**

†DIFFERIN® GEL IS A REGISTERED TRADEMARK OF GALDERMA LABORATORIES, L.P., DALLAS, TX 75201.

GALDERMA LABORATORIES, L.P. IS NOT AFFILIATED WITH THE KROGER CO. OR THIS PRODUCT.

DISTRIBUTED BY THE KROGER CO.

CINCINNATI, OHIO 45202

**Product Label**

NO COATING  
AREA

#### Drug Facts

**Active ingredient** Adapalene, USP (0.1% retinoid)\* **Purpose** Acne treatment  
\*read consumer information leaflet

**Use** ■ For the treatment of acne

#### Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product

■ If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors.
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
  - in the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- It may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### Directions

Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

#### Other information

- store at room temperature 68° to 77°F
- protect from freezing

**Inactive ingredients** carboxymethylcellulose sodium salt, croscarmellose sodium, hydroxyethylcellulose, polyethylene glycol, purified water. May contain hydrochloric acid and/or sodium hydroxide to adjust pH.

#### Questions or comments?

Call 1-800-633-6900

\*DIFFERIN® GEL IS A REGISTERED TRADEMARK OF GALDERMA LABORATORIES, L.P., DALLAS, TX 75201. GALDERMA LABORATORIES, L.P. IS NOT AFFILIATED WITH THE KROGER CO. OR THIS PRODUCT.

## ADAPALENE GEL USP 0.1% acne treatment



NDC 30142-725-05

## ADAPALENE GEL USP 0.1% acne treatment



ONCE DAILY  
TOPICAL RETINOID\*

oil & fragrance free  
dermatologist developed & tested  
previously available only  
by prescription

Compare to the Active  
Ingredient in Differin® Gel†

\*READ CONSUMER INFORMATION LEAFLET BEFORE USE

NET WT 0.5 OZ (15 g)

oil & fragrance free  
dermatologist developed & tested  
previously available only  
by prescription

Compare to the Active  
Ingredient in Differin® Gel†

\*READ CONSUMER INFORMATION LEAFLET BEFORE USE

ONCE DAILY  
TOPICAL  
RETINOID\*

ADAPALENE  
GEL USP 0.1%  
acne treatment

NDC 30142-725-05

NET WT 0.5 OZ (15 g)

ACTUAL SIZE

DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202  
PRODUCT OF ITALY

FOR MORE PRODUCT INFORMATION,  
SCAN UPC USING YOUR KROGER APP  
OR CALL 800-632-6900

Our Brands. Our Guarantee.  
Love It or Your Money Back.  
www.kroger.com



PLD-4796A F000778

Lot No.:

Exp. Date:

Adapalene Gel USP 0.1%

ADAPALENE

adapalene gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30142-725
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ADAPALENE</b> (UNII: 1L4806J2QF) (ADAPALENE - UNII:1L4806J2QF)	ADAPALENE	1 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 4Q93RCW27E)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLOXAMER 182</b> (UNII: JX0HIX6OAG)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>HYDROCHLORIC ACID</b> (UNII: QTT17582CB)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:30142-725-05	1 in 1 CARTON	03/15/2024	
<b>1</b>		15 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA090962	03/15/2024	

**Labeler** - The Kroger Co. (006999528)

Revised: 3/2024

The Kroger Co.