CHRONIC PAIN/FEVER RELIEF- as pirin delayed release tablets, 81 mg tablet We Care Distributor Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Chronic Pain/Fever Relief - Aspirin Delayed Release Tablets, 81 mg

Drug Facts

Active Ingredient (in each tablet)

Purpose

Aspirin 81 mg (NSAID*) *nonsteroidal anti-inflammatory drug Pain reliever

Uses

- for the temporary relief of minor aches and pains or as recommended by your doctor. **Because of** its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief.
- ask your doctor about other uses for 81 mg Aspirin

Warnings

Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

• are age 60 or older

- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product

• take more or for a longer time than directed

Do not use

• if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking

• a prescription drug for diabetes, gout, or arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
- • feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
 - pain gets worse or lasts for more than 10 days
 - redness or swelling is present
 - any new symptoms occur
 - ringing in the ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- drink a full glass of water with each dose
- **adults and children 12 years and over:** take 4 to 8 tablets every 4 hours; not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

Other information

- store at room temperature
- read all product information before using. Keep this box for important information

Inactive ingredients

Anhydrous Lactose, Carnuba Wax Colloidal Sillicon Dioxide, Crosscarmellose Sodium,FD&C Yellow #10 al lake, FD&C Yellow#6 al Lake, Iron Oxide Ochre, Methacrylic acid copolymer, Micro crystalline cellulose, Polysorbate 80, simethiocone, sodium hydroxide, sodium lauryl sulfate, talc,

titanium dioxide, triethyl citrate

Questions or comments?

1-888-705-WECARE (Mon-Fri 9am-5pm EST) or www.wecaredistributor.com

PRINCIPAL DISPLAY PANEL


See New Warnings Information & Directions

Compare to the Active Ingredients in *Bayer Low Dose*

Aspirin Delayed Release Tablets, 81 mg

TO OPEN PUSH IN TAB AND PULL OUT

25 Pouches of 2 Caplets Each



CHRONIC PAIN/FEVER RELIEF

aspirin delayed release tablets, 81 mg tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70005-002	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Stre	ngth Strength	

Aspirin (UNII: R16CO5Y76E) (Aspirin - UNII:R16CO5Y76E)	Aspirin	81 mg

Inactive Ingredients		
Ingredient Name	Strength	
CARNAUBA WAX (UNII: R12CBM0EIZ)		
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)		
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
BROWN IRON OXIDE (UNII: 1N032N7MFO)		
METHACRYLIC ACID (UNII: 1CS02G8656)		
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)		
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
SODIUM HYDROXIDE (UNII: 55X04QC32I)		
SODIUM LAURYL SULFATE (UNII: 368GB5141J)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		
TALC (UNII: 7SEV7J4R1U)		
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)		

Product Characteristics				
Color	yello w	Score	no score	
Shape	ROUND	Size	7mm	
Flavor		Imprint Code	А	
Contains				

Packaging

-	T uckuging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:70005-002-25	25 in 1 BOX			
1		2 in 1 POUCH; Type 0: Not a Combination Product			
2	NDC:70005-002-50	50 in 1 BOX			
2		2 in 1 POUCH; Type 0: Not a Combination Product			
3	NDC:70005-002-02	2 in 1 POUCH			
3		2 in 1 POUCH; Type 0: Not a Combination Product			
Marketing Information					
N	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
0	TC monograph final	part343	02/09/2016		

Labeler - We Care Distributor Inc. (079832998)

Establishment			
Name	Address	ID/FEI	Business Operations

	Elysium Pharmaceutical Ltd.	915664486	manufacture(70005-002)
--	-----------------------------	-----------	------------------------

Revised: 3/2016

We Care Distributor Inc.