

**ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid**  
**Walgreen Co.**

-----  
**Walgreens 1061**

**Active Ingredient**

Chlorhexidine gluconate 4% Solution

**Purpose**

Antiseptic

**Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

**Warnings**

**For external use only**

**Allergy alert:**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor if**

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

**Surgical hand scrub:**

- wet hands and forearms under running water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

**Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

**Skin wound and normal skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

**Other information**

- store at 20-25° C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

**Questions or comments?**

call 1-800-925-4733

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

**WARNING:** This product contains a chemical (cocamide DEA) known to the State of California to cause cancer.

‡Walgreens Pharmacist Survey Study, November 2014

‡‡This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

Distributed by: Walgreen Co.

200 Wilmot RD., Deerfield, IL 60015

**100% Satisfaction Guaranteed**

walgreens.com

©2015 Walgreen Co. **Made in USA**

**Package label and principal display panel**

Well at Walgreens

NDC 0363-1061-08

Walgreens Pharmacist Recommended†

Antiseptic Skin Cleanser

Chlorhexidine Gluconate 4% Solution/Antiseptic/Antimicrobial Skin Cleanser

Compare to the active ingredient in Hibiclens®‡‡

8 FL OZ. (237 mL)

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING.

4WA08BTLLBLF



Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey

†† This product is not manufactured or distributed by Mölnlycke  
Healthcare, owner of the registered trademark Hibiclens®.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
**100% SATISFACTION GUARANTEED**  
walgreens.com ©2018 Walgreen Co.  
4WA08BTLLBLF

ITEM 454559 W10071-1018-L  
  
3 11917 12239 7

## Drug Facts

### Active ingredient

Chlorhexidine gluconate  
4% solution .....

### Purpose

Antiseptic

### Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

▲ Lift Here

## **Drug Facts** (continued)

### **Warnings**

**For external use only**

#### **Allergy alert:**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### **Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

#### **When using this product**

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin ~~should not be routinely treated~~
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.


### **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

#### **Surgical hand scrub:**

- wet hands and forearms under running water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

#### **Healthcare personnel handwash:**

- wet hands with water
  - dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
  - rinse and dry thoroughly
- 

**Drug Facts** (continued)**Skin wound and general skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

**Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

**Questions or comments?**

call 1-800-925-4733

W1061

ORG0918-F  
REV-1018

**Laundering/Cleaning Instructions:**

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey

†† This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

DISTRIBUTED BY: WALGREEN CO. ITEM 454559 W10071-1018-F  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2018 Walgreen Co. 3 11917 12239 7

Well at Walgreens

NDC 0363-1061-16

Walgreens Pharmacist Recommended‡

Antiseptic Skin Cleanser

Chlorhexidine Gluconate 4% Solution/Antiseptic/Antimicrobial Skin Cleanser

Compare to the active ingredient in Hibiclens®‡‡

16 FL OZ. (473 mL)

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING.

4WA16BTLLBLC

VALUE SIZE

NDC 0363-1061-16

*Walgreens*

Compare to Hibiclens® active ingredient††

# Dye-Free Antiseptic Skin Cleanser

CHLORHEXIDINE GLUCONATE 4%  
SOLUTION / ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER

**DYE FREE**

- Skin wound & general skin cleansing

Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey

†† This product is not manufactured or distributed by Mölnlycke Healthcare,  
owner of the registered trademark Hibiclens®.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com  
©2018 Walgreen Co. **MADE IN U.S.A.**

ITEM 932004 W10071-0718-L



4WA16BTLLBLC

REV0718-RF

## Drug Facts

### Active ingredient

Chlorhexidine gluconate  
4% solution

### Purpose

Antiseptic

### Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

▲ Lift Here

## **Drug Facts** (continued)

### **Warnings**

**For external use only**

#### **Allergy alert:**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### **Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

#### **When using this product**

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs.**

These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

#### **Surgical hand scrub:**

- wet hands and forearms under running water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

#### **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

#### **Skin wound and general skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly





**Drug Facts** (continued)

**Other information**

■ store at 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F)

**Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

**Questions or comments?** call 1-800-925-4733

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey

<sup>††</sup> This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
**100% SATISFACTION GUARANTEED**  
walgreens.com  
©2018 Walgreen Co. **MADE IN U.S.A.**

ITEM 932004 W10071-0718-F



Walgreens

Dye-Free Antiseptic

Foaming Skin Cleanser

CHLORHEXIDINE GLUCONATE 4% SOLUTION /  
ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER

Compare to Hibiclens® active ingredient

NDC 0363-1061-18

DYE FREE

Surgical hand scrub

Healthcare personnel handwash

Skin wound & general skin cleansing

18 FL OZ (532 mL)

4WA18FM1061LBL

Walgreens

## Dye-Free Antiseptic Foaming Skin Cleanser

CHLORHEXIDINE GLUCONATE 4% SOLUTION /  
ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER

Compare to Hibiclens®  
active ingredient!!

NDC 0363-1061-18

NEW

### DYE FREE

- Surgical hand scrub
- Healthcare personnel hand wash
- Skin wound & general skin cleansing

4WA18FM1061 LBL

18 FL OZ (532 mL)

### Drug Facts

#### Active ingredient

Chlorhexidine gluconate 4% solution

#### Purpose

Antiseptic

Walgreens Pharmacist Recommended  
The product is not manufactured or distributed by Regent Medical  
United Corporation, owner of the registered trademark "Hibiclens".  
DISTRIBUTION: WALGREEN CO., 200 WALMART DR., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED walgreens.com ©2016 Walgreens Co. MADE IN U.S.A.

ORG1020-F  
REV-12/20



## **Drug Facts** (continued)

### **Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

### **Warnings**

For external use only

#### **Allergy alert:**

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### **Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

#### **When using this product**

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a healthcare provider

**Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.


**Surgical hand scrub:**

- wet hands and forearms with water
- scrub for 3 minutes with 4 full pumps (6 grams) of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 4 full pumps (6 grams) of product and rinse under running water
- dry thoroughly

**Healthcare personnel handwash:**

- wet hands with water
- dispense 4 full pumps (6 grams) of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

**Skin wound and general skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- 

## **Drug Facts** (continued)

- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

## **Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

## **Questions or comments?**

call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

### **Laundering/Cleaning Instructions:**

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Walgreens Pharmacist Recommended

Walgreens Pharmacist Survey

†† This product is not manufactured or distributed by Regent Medical Limited Corporation, owner of the registered trademark Hibiclens®.

## **Carton**

NDC 0363-1061-15

## **Walgreens, Co.**

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleansing Kit

Distributed by:

Xttrium Laboratories, Inc.,

Mount Prospect, IL 60056

4WAL15INNERCTN

0.5 FL OZ (15 mL)



# Antiseptic Kit

PRE-SURGICAL

WALGREENS PHARMACIST RECOMMENDED\*



## Drug Facts

**Active ingredient**  
Chlorhexidine gluconate  
4% solution

**Purpose**  
Antiseptic

### Uses

• Patient preoperative skin preparation: for the preparation of the patient's skin prior to surgery

• Skin wound and general skin cleansing

### Warnings

For external use only

#### Do not use

- If you are allergic to chlorhexidine gluconate or any other ingredients
- In contact with mucous membranes
- In the genital area
- As a preoperative skin preparation of the head or face

#### When using this product

- Keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause blindness when washed in the mouth and through perforated ear drums.
- If solution should contact these areas, rinse out promptly and thoroughly with water.
- Wounds which involve more than the superficial layers of the skin should not be routinely treated.
- Repeated general skin cleansing of large body areas should not be done except when the underlying condition makes it necessary to reduce the bacterial population of the skin.

Stop use and ask a doctor if irritation, redness, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burn.

#### Patient preoperative skin preparation:

• Apply product liberally to surgical site and wash for at least 2 minutes and dry with a sterile towel

• Repeat procedure for an additional 2 minutes and dry with a sterile towel

#### Skin wound and general skin cleansing:

- Thoroughly rinse the area to be cleaned with water
- Apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- Rinse again thoroughly

### Other information

- Store at 20-25°C (68-77°F)
- Avoid excessive heat above 40°C (104°F)

### Inactive ingredients

sodium DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, isosorbine citrate, PEG-75 benzoate, purified water, 100% ethanol

### Questions or comments?

Call 1-800-451-4733

### Read/Review Instructions:

• This product is not for use on the face, neck, or scalp. Do not use on the face, neck, or scalp.

• See the back of the box for more information.

• Walgreens Pharmacist Survey Study, November 2014.

• This product is not manufactured or distributed by Walgreens. Walgreens is the registered trademark of Walgreens.

DISTRIBUTED BY WALGREEN CO.

200 WALGREEN BLVD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

Walgreens.com ©2014 Walgreen Co.

MADE IN U.S.A.



0000000000000

PRE-SURGICAL

## Antiseptic Skin Cleanser Kit

Chlorhexidine  
Gluconate 4% /  
Antiseptic Liquid

- Patient pre-operative skin preparation
- Wound & general skin cleanser

2 KITS  
1 SPONGE & 1 (15 mL)  
LIQUID POUCH EACH

NET WT 0.17 lbs (79.62 g)

Compare to the active ingredient in Mibactone®

BEFORE USING THIS PRODUCT, CAREFULLY READ ALL WARNINGS AND FOLLOW THE DIRECTIONS IN THE DRUG FACTS AND PACKAGE INSERT

NEW



WALGREENS PHARMACIST RECOMMENDED\*

PRE-SURGICAL

## Antiseptic Skin Cleanser Kit

Chlorhexidine Gluconate 4% /  
Antiseptic Liquid

- Patient pre-operative skin preparation
- Wound & general skin cleanser

2 KITS  
1 SPONGE & 1 (15 mL)  
LIQUID POUCH EACH

NET WT 0.17 lbs (79.62 g)

Compare to the active ingredient in Mibactone®

BEFORE USING THIS PRODUCT, CAREFULLY READ ALL WARNINGS AND FOLLOW THE DIRECTIONS IN THE DRUG FACTS AND PACKAGE INSERT



WALGREENS PHARMACIST RECOMMENDED\*

PRE-SURGICAL

## Antiseptic Skin Cleanser Kit

Chlorhexidine  
Gluconate 4% /  
Antiseptic Liquid

- Patient pre-operative skin preparation
- Wound & general skin cleanser

2 KITS  
1 SPONGE & 1 (15 mL)  
LIQUID POUCH EACH

NET WT 0.17 lbs (79.62 g)

Compare to the active ingredient in Mibactone®

BEFORE USING THIS PRODUCT, CAREFULLY READ ALL WARNINGS AND FOLLOW THE DIRECTIONS IN THE DRUG FACTS AND PACKAGE INSERT

NEW

Well at  
Walgreens

WALGREENS PHARMACEUT RECOMMENDED

PRE-SURGICAL

Antiseptic Skin  
Cleanser KitChlorhexidine Gluconate 4% /  
Antiseptic Liquid

- Patient pre-operative skin preparation
- Wound & general skin cleanser

2

KITS  
1 SPONGE & 1 (15 mL)  
LIQUID POUCH EACH

NET WT 0.17 lbs (79.62 g)

Keepers to the active ingredient in this kit

BEFORE USING THIS PRODUCT, CAREFULLY READ ALL WARNINGS AND  
FOLLOW THE DIRECTIONS IN THE DRUG FACTS AND PACKAGE INSERTAntiseptic Kit  
PRE-SURGICAL

WALGREENS PHARMACEUT RECOMMENDED

Well at  
Walgreens

## Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate (4% solution)	Antiseptic
<b>Uses</b>	
<ul style="list-style-type: none"> <li>• patient pre-operative skin preparation for the preparation of the patient's skin prior to surgery</li> <li>• skin wound and general skin cleansing</li> </ul>	
<b>Warnings</b>	
<b>For external use only</b> <ul style="list-style-type: none"> <li>• Do not use</li> <li>• If you are allergic to chlorhexidine gluconate or any other ingredients</li> <li>• or contact with mucous membranes</li> <li>• or in the genital area</li> <li>• as a preoperative skin preparation of the head or face</li> </ul>	
<b>When using this product</b>	
<ul style="list-style-type: none"> <li>• Keep out of eyes, ears, nose, and mouth. May cause surface and permanent eye injury if placed or kept in the eye during surgery procedures or may cause distress when contact in the mouth or through perforated eardrums.</li> <li>• If solution should contact face, throat, chest, or mouth, rinse and swallow thoroughly with water.</li> <li>• Rinse mouth with water more than the recommended dose of the skin should not be routinely rinsed.</li> <li>• Repeat gentle skin cleansing of large body areas should not be done except when the skin condition makes it necessary to reduce the bacterial population of the skin.</li> </ul>	
<b>Stop use and ask a doctor if irritation, redness, or rash occurs. There may be signs of a serious condition.</b>	
<b>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</b>	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li> </ul>	
<b>Patient pre-operative skin preparation:</b>	
<ul style="list-style-type: none"> <li>• Apply product liberally to surgical site and wash for at least 2 minutes and dry with a sterile towel.</li> <li>• Repeat procedure for an additional 2 minutes and dry with a sterile towel.</li> </ul>	
<b>Wound and general skin cleansing:</b>	
<ul style="list-style-type: none"> <li>• Thoroughly rinse the area to be treated with water.</li> <li>• Apply the minimum amount of product necessary to cover the skin at wound area and wash gently.</li> <li>• Rinse after thoroughly.</li> </ul>	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>• Store at 20-25°C (68-77°F).</li> <li>• Avoid excessive heat above 40°C (104°F).</li> </ul>	
<b>Inactive ingredients</b>	
sodium PCA, fragrance, sodium hydroxide, hydroxyethylcellulose, isopropyl alcohol, isosorbate stearate, PEG-20 methyl, methyl ester, methyl ester.	
<b>Questions or comments?</b>	
1-800-441-1111	

Contains 2 Kits (Sponge and Liquid)  
Chlorhexidine gluconate 4% solution is used with chlorhexidine gluconate 4% solution, 15 mL (1.7 fl oz) and 15 mL (1.7 fl oz) of liquid.

Walgreens Pharmaceutical Survey Study, November 2014.  
This product is not manufactured or distributed by Walgreens HealthCare.  
©2014 Walgreens HealthCare

GUARANTEED TO BE SATISFIED OR  
100% GUARANTEED  
Walgreens.com ©2014 Walgreens Co.  
MADE IN U.S.A.

0 11917 18950 6



## **Lidstock**

NDC 0363-1061-15

## **Walgreens, Co.**

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleansing Kit

Distributed by:

Xttrium Laboratories, Inc.,

Mount Prospect, IL 60056

4WAL15LIDSTOCK

0.5 FL OZ (15 mL)





WALGREENS PHARMACY DISPENSING

**PRE-SURGICAL**

# Antiseptic Skin Cleanser Kit

**Chlorhexidine Gluconate 4% / Antiseptic Liquid**

- Patient pre-operative skin preparation
- Wound & general skin cleanser



DAYTIME

Compare to the active ingredient in Hibiclens®

**BEFORE USING THIS PRODUCT, CAREFULLY READ ALL WARNINGS AND FOLLOW THE DIRECTIONS IN THE DIRECTIONS AND PACKAGE INSERT**

Hibiclens® (antiseptic) Survey Walla, November 2014. This product is not manufactured or distributed by M3 Global Inc. (a subsidiary of the registered trademark holder).

**Questions or comments? 800-888-0000**

©2014 Walgreen Company. All rights reserved. 100% Satisfaction Guaranteed or your money back.

100% Satisfaction Guaranteed

www.walgreens.com

PEEL TO OPEN		PEEL TO OPEN		PEEL TO OPEN		PEEL TO OPEN	
<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>	<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>	<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>	<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>	<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>	<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>	<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>	<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>
<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>	<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>	<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>	<p><b>Well at Walgreens</b></p> <p>ALLEGED PHARMACY RECOMMENDATION</p> <p><b>PRE-SURGICAL Antiseptic Skin Cleanser Kit</b></p> <p>Chlorhexidine Gluconate 4% / Antiseptic Liquid</p> <ul style="list-style-type: none"> <li>Patient pre-operative skin preparation</li> <li>Wound &amp; general skin cleanser</li> </ul> <p>Compare to the active ingredient in Hibiclens®</p> <p><small>Important Notice: This product contains Benzalkonium Chloride which may irritate eyes and cause temporary blurred vision. Avoid contact with eyes. If contact occurs, flush thoroughly with water. See package insert for complete directions.</small></p> <p><small>Questions or comments? 1-800-4-A-WALGREENS</small></p> <p><small>©2014 Walgreen Company. All rights reserved. Printed in the USA.</small></p>				

**Packet**

NDC 0363-1061-15

**Walgreens, Co.**

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleansing Convenience Kit

Distributed by:

Xttrium Laboratories, Inc.,

Mount Prospect, IL 60056

4WAL15PACKET

0.5 FL OZ (15 mL)

\*\*\*\*\* TEAR AT NOTCH \*\*\*\*\*



NDC 0283-1081-05

PRE-SURGICAL

# Antiseptic Skin Cleanser

Chlorhexidine  
Gluconate 4% /  
Antiseptic Liquid

- Patient pre-operative  
skin preparation
- Wound & general  
skin cleanser

BEFORE USING THIS PRODUCT, CAREFULLY READ  
ALL WARNINGS AND FOLLOW THE DIRECTIONS  
IN THE DRUG FACTS AND PACKAGE INSERT

0.5 FL OZ (15 mL)

Compare to the active ingredient in Hibiclens®

4WA15PACKET 0R001174-FH



† Walgreens Pharmacist Recommended.  
Walgreens Pharmacist Survey Study,  
November 2014.  
‡ This product is not manufactured or  
distributed by McNeil-Norden. McNeil-Norden  
is the registered trademark of McNeil-Norden.







## ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 4 % liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1061
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8 E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4 mg in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
LAURAMINE O XIDE (UNII: 4F6FC4MI8 W)	
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	

WATER (UNII: 059QF0KO0R)				
TRIDECYL ALCOHOL (UNII: 8I9428H868)				
GLUCONOLACTONE (UNII: WQ29KQ9POT)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1061-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2011	
2	NDC:0363-1061-16	473 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/01/2011	
3	NDC:0363-1061-15	15 mL in 1 KIT; Type 1: Convenience Kit of Co-Package	01/01/2017	
4	NDC:0363-1061-18	532 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/11/2021	
<b>Marketing Information</b>				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA		NDA019125	05/01/2011	

**Labeler** - Walgreen Co. (008965063)

**Registrant** - Xttrium Laboratories, Inc. (007470579)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	manufacture(0363-1061)

Revised: 1/2021

Walgreen Co.