

NEUTROGENA HYDROBOOST WATER GEL SUNSCREEN BROAD SPECTRUM SPF 30- avobenzone, homosalate, octisalate, and octocrylene lotion
Johnson & Johnson Consumer Inc.

Neutrogena[®] Hydro Boost water gel lotion sunscreen BROAD SPECTRUM SPF 30

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Avobenzone 1.5%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 4%	Sunscreen
Octocrylene 6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum value of SPF 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water, Glycerin, Diisopropyl Adipate, Caprylyl Methicone, Alcohol Denat., Dimethicone, Silica, Dicaprylyl Carbonate, Sodium Acryloyldimethyltaurate/VP Crosspolymer, Polyurethane-62, Hydroxyacetophenone, Pentyleneglycol, Acrylates/Dimethicone Copolymer, Fragrance, Phenoxyethanol, Glyceryl Stearate, Chlorphenesin, Dimethicone Crosspolymer, Tocopheryl Acetate, Disodium EDTA, Trideceth-6, Hydrolyzed Hyaluronic Acid, Sodium Hydroxide, Blue 1

Questions?

Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 147 mL Tube Label

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Hydro

Boost

water gel lotion

sunscreen

BROAD SPECTRUM SPF 30

30

helioplex®

broad spectrum uva.uvb

invisibly finish

non-greasy

water resistant (80 minutes)

5.0 FL. OZ. (147 mL)

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Hydro Boost

water gel lotion

sunscreen

BROAD SPECTRUM SPF 30

30

helioplex®

broad spectrum uva+uvb

invisible finish

non-greasy

water resistant (80 minutes)

5.0 FL OZ (147 mL)

30050913

Neutrogena® Hydro Boost with Helioplex® Technology delivers powerful broad spectrum UVA/UVB protection with a water-light feel. It quenches skin with vital hydration and leaves it looking healthy.

Drug Facts

Active ingredients

Avobenzone (1.5%), Homosalate (5%), Octisalate (4%), Octocrylene (6%)

Purpose

Sunscreen

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

■ For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of SPF 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age. Ask a doctor

Other information

■ protect this product from excessive heat and direct sun ■ may stain some fabrics

Inactive ingredients

Water, Glycerin, Diisopropyl Adipate, Caprylyl Methicone, Alcohol Denat., Dimethicone, Silica, Dicaprylyl Carbonate, Sodium Acryloyldimethyltaurate/VP Crosspolymer, Polyurethane-62, Hydroxyacetophenone, Penthylene Glycol, Acrylates/Dimethicone Copolymer, Fragrance, Phenoxyethanol, Glyceryl Stearate, Chlorphenesin, Dimethicone Crosspolymer, Tocopheryl Acetate, Disodium EDTA, Trideceth-6, Hydrolyzed Hyaluronic Acid, Sodium Hydroxide, Blue 1

Questions?

Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com

9

86800 11238

0

lacquer free area

non-printable area

Distributed by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&J, CI 2022 Made in Canada Pat. www.jjcpetals.com

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0316
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	15 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	40 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0316-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/01/2017	08/16/2024
2	NDC:69968-0316-5	147 mL in 1 TUBE; Type 0: Not a Combination Product	12/01/2018	10/22/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2017	10/22/2024

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 11/2023

Johnson & Johnson Consumer Inc.