COLD AND HOT- menthol spray MAGVERZ INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cold and Hot Spray

Acitves

Menthol 16 %

Inactives

Glycerin. Propylene Glycol SD Alchohol 40-2(55%) Water (283-016)

Uses

Temporarily relieves minor pain associated with: arthritissimple backachemuscle strainss prains bruise scramps

Indication

Temporarily relieves minor pain

Directions

Spray affected are with desired amount of product Product will dry quickly on its own and doest not to be rubbed in Repeat as necessary but not more than 3-4 times dilay

Warnings

For External use only When using this product Use only as directed Do not bandage tightly or with heating pad

Avoid contact with eyes and mucous membranes Do not apply to wounds or damagged, broken or irritated skin Do not spray on face Avoid inhaling spray mist and fumes Stop use and ask docotor if; **Condition Worsesns** Redness is presnt for more than 7 days Irritation developes Symptomps persist for mor than 7 dyas or clear up and occur again within a few days.

Flamalble

Do not use near heat or flame or while smoking. Avod long term storage above 104°F (40⁰C) Do not puncture of or incinerate.Congents under pressure. Do not store at temreture above $120^{\circ}F(49^{\circ}C)$

If pregnant or breast feeding

Ask health professionals before use.

If sollowed get medical help or contact poison control center right away.

Keep Out of Reach of Childrens

Keep out of reach of childrens.

Productt Label

Product Label

	PR & WINNING & CO	Company	Drug Facts		
		The Martey in Ey A Spray	Active Ingr Menthol 169		Topical analgesic
	Quick Pain R	elieving Spray	Uses Tempo simple bac	ararily relieves minor pai kache muscle strains	in associated with; arthritis sprains bruises cramps
			Warnings For External	Use Only	
			do not bar	this product use only idage tightly or use with act with eyes and muco	a heating pad
			do not app do not app	bly to wounds or damage ay onto face avoid in	ed, broken or irritated skin haling spray mist and fumes
PR & WINNING & CO		512	redness is symptoms	i ask a doctor if Con present initiation de persist for more than 7 in a few days	dition worsens velops days or clear up and occur
Quick Part Relieving Spr			avoid long	 do not use near heat term storage above 10 acture or incinerate. Cor re at temperatures abov 	tents under pressure.
- Start) ring	help or conta	ct a poison control cente	Construction of the second
CE CONT			spray affe	hildren over 12 years acted area with desired	amount of product
presy	Outel Day May May		repeat as	necessary, but no more years or younger; ask	n, and does not need to be rubbed a than 3-4 times daily a doctor
	Quick Dry, Non Mes			redients lylene glycol, SD alcoho	I 40-2 (55%), water (283-016)
	Back Aches. Muscle Pain. B		Owner Of Th	ls Not Manufactured Or e Registered Trademart מיו	r Distributed By Chattem Inc. k Icy Hot Spray
XTREMELY LAMMABLE	Pain Relief Spray				MAGVERZ INC MAGVERZ INC SANTA MONICA, CA 90401, U ot: ixp: USA QUAL
COLD AND HOT					
nenthol spray					
1 0					
Product Information					
	HUMAN OTC DRUG	Ite m Cod e	(Source)	NDC:5	9240-002
Product Information	HUMAN OTC DRUG TOPICAL	Ite m Code	(Source)	NDC:5	9240-002
Product Information Product Type		Ite m Code	(Source)	NDC:5	9240-002
Product Information Product Type Route of Administration	TOPICAL	Ite m Code	(Source)	NDC:5	9240-002
Product Information Product Type Route of Administration Active Ingredient/Active	TOPICAL	Item Code	(Source) Basis of Stre		9240-002 Strength
Product Information Product Type Route of Administration Active Ingredient/Active I	TOPICAL Moiety gredient Name			ength	
Product Information Product Type Route of Administration Active Ingredient/Active I	TOPICAL Moiety gredient Name		Basis of Stre	ength	Strength
Product Information Product Type Route of Administration Active Ingredient/Active I In MENTHOL (UNII: L7T10EIP3A) (M	TOPICAL Moiety gredient Name		Basis of Stre	ength	Strength
Product Information Product Type Route of Administration Active Ingredient/Active I In MENTHOL (UNII: L7T10EIP3A) (M	TOPICAL Moiety gredient Name		Basis of Stre	ength	Strength
Product Information Product Type Route of Administration Active Ingredient/Active I In MENTHOL (UNII: L7T10EIP3A) (M Inactive Ingredients	TOPICAL Moiety gredient Name ÆNTHOL - UNII:L7T10EIP3A)		Basis of Stre	ength	Strength 6 g in 100 mL
Product Information Product Type Route of Administration Active Ingredient/Active I In MENTHOL (UNII: L7T10EIP3A) (N Inactive Ingredients METHYL SALICYLATE (UNII: LA	TOPICAL Moiety gredient Name ÆNTHOL - UNII:L7T10EIP3A)		Basis of Stre	ength	Strength 6 g in 100 mL
Product Information Product Type Route of Administration Active Ingredient/Active I In MENTHOL (UNII: L7T10EIP3A) (M Inactive Ingredients METHYL SALICYLATE (UNII: LA THYMOL (UNII: 3J50XA376E)	TOPICAL Moiety gredient Name ÆNTHOL - UNII:L7T10EIP3A) Ingredient Name		Basis of Stre	ength	Strength 6 g in 100 mL
Product Information Product Type Route of Administration Active Ingredient/Active I In MENTHOL (UNII: L7T10EIP3A) (M Inactive Ingredients METHYL SALICYLATE (UNII: LA THYMOL (UNII: 3J50XA376E) ZINC STEARATE (UNII: H92E6QA	TOPICAL Moiety gredient Name ÆNTHOL - UNII:L7T10EIP3A) Ingredient Name		Basis of Stre	ength	Strength 6 g in 100 mL
Product Information Product Type Route of Administration Active Ingredient/Active I In MENTHOL (UNII: L7T10EIP3A) (N Inactive Ingredients METHYL SALICYLATE (UNII: LA THYMOL (UNII: 3J50XA376E) ZINC STEARATE (UNII: H92E6QA	TOPICAL TOP		Basis of Stro MENTHOL	ength 1	Strength 6 g in 100 mL Strength
Product Information Product Type Route of Administration Active Ingredient/Active I In MENTHOL (UNII: L7T10 EIP3A) (M Inactive Ingredients METHYL SALICYLATE (UNII: LA THYMOL (UNII: 3J50 XA376E) ZINC STEARATE (UNII: H92E6QA Packaging # Item Code	TOPICAL Moiety gredient Name ÆNTHOL - UNII:L7T10EIP3A) Ingredient Name		Basis of Stro MENTHOL	ength 1	Strength 6 g in 100 mL
Product Information Product Type Route of Administration Active Ingredient/Active I In MENTHOL (UNII: L7T10EIP3A) (M Inactive Ingredients METHYL SALICYLATE (UNII: LA THYMOL (UNII: 3J50XA376E) ZINC STEARATE (UNII: H92E6QA Packaging # Item Code	TOPICAL TO		Basis of Stro MENTHOL	ength 1	Strength 6 g in 100 mL Strength

Marketing Information						
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
art348	07/18/2013					
P	Application Number or Monograph Citation	Application Number or Monograph Citation Marketing Start Date				

Labeler - MAGVERZ INC (078712269)

Registrant - MAGVERZ INC (078712269)

Revised: 7/2013

MAGVERZ INC