

CURNEX- guaifenesin 400mg tablet
Wittman Pharma, Inc.

CuraNEX

Directions

- take with full glass of water
- do not exceed 6 doses in 24 hours

- **Adults and children 12 years of age and over;** take 1 tablet every 4 hours while symptoms persist
- **Children under 12 years of age;** do not use

Warnings

Ask a doctor before use if you have * persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema * cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if * cough lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious illness.

If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Inactive Ingredients: Magnesium Stearate, Microcrystalline Cellulose, Sodium Starch Glycolate

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive to rid the bronchial passageways of bothersome mucus

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Purpose: Expectorant

Guaifenesin 400 mg

| |
|---|
| Drug Facts |
| Active ingredients (in each tablet) Purpose Guaifenesin 400 mgExpectorant |
| Use ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive to rid the bronchial passageways of bothersome mucus |
| Warnings Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough accompanied by excessive phlegm (mucus) Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious illness. If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. |

MADE IN USA NDC 83335-003-01



CuraNEX
Guaifenesin 400 mg
Immediate Release tablets
Expectorant
100 Tablets



| |
|---|
| Drug Facts (continued) |
| Directions: ■ take with full glass of water ■ do not exceed 6 doses in 24 hours |
| adults and children 12 years of age and over: 1 tablet, every 4 hours, while symptoms persist |
| children under 12 years of age: do not use |
| Other information ■ Tamper Evident: do not use if safety seal under cap is broken or missing. ■ store at 15°-30°C (59°-86°F) |
| Inactive ingredients: Magnesium Stearate, Microcrystalline Cellulose, Sodium Starch Glycolate |
| Manufactured for: Wittman Pharma, Inc. Brooksville, FL 34604 1-352-549-9917 |

3 83335 00301 5 Rev. 3/2024

CURNEX

guaifenesin 400mg tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:83335-003 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN | 400 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | white | Score | 2 pieces |
| Shape | ROUND | Size | 13mm |
| Flavor | | Imprint Code | GN |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:83335-003-01 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 03/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug | M012 | 03/01/2024 | |

Labeler - Wittman Pharma, Inc. (830980947)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------|----------------|---------------|---|
| Wittman Pharma, Inc. | | 830980947 | analysis(83335-003) , manufacture(83335-003) , label(83335-003) |

Revised: 3/2024

Wittman Pharma, Inc.