DIARRHEA RELIEF- aloe, citrullus colocynthis, croton tiglium, lycopodium clavatum, magnesium sulfate heptahydrate, phosphoric acid, thuja occidentalis tablet, orally disintegrating TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Diarrhea Relief ™

Aloe socotrina HPUS - Jellylike stools, Abdominal discomfort

Colocynthis HPUS - Cramping, Sudden evacuation

Croton tiglium HPUS - Gurgling in intestines, Loose, watery stools

Lycopodium clavatum HPUS - Gas, Bloating

Magnesia sulphurica HPUS - Cramping, Bad taste in mouth

Phosphoricum acidum HPUS - Loud rumbling, Weakness, Fatigue

Thuja occidentalis HPUS - Mucous in stools

Uses:*

According to homeopathic indications these ingredients temporarily relieve symptoms such as: • abdominal discomfort • cramping • loose, watery stools • gas • bloating • loud rumbling • sudden evacuation • mucous in stools. * These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings:

USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- A physician should always be consulted to rule out serious causes.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

• In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if:

- You experience worsening symptoms.
- If symptoms last longer than 7 days.

You get abdominal swelling or bulging.

Directions

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Children under the age of 12: consult a physician before use.

Homeopathic remedies may not be effective for everyone.

Inactive Ingredients

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

Do not use if tamper evident seal is torn, broken or missing.

www.thereliefproducts.com, 1-888-969-6855

Active Ingredients

Aloe socotrina HPUS 6x 12x 18x

Alumen HPUS 6x 12x 18x

Calcarea carbonica HPUS 6x 12x 18x

Carbo vegetabilis HPUS 6x 12x 18x

Dioscorea villosa HPUS 6x 12x 18x


Leptandra virginica HPUS 6x 12x 18x

Nux vomica HPUS 6x 12x 18x

HPUS indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

- There are no known contraindications.
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.

Diarrhea ReliefTM Fast Dissolving TabletsTM are homeopathic dilutions, for details see www.thereliefproducts.com.



Temporarily Relieves: Alivio Temporal de:

- Loose, Watery Stools Heces sueltas y acuosas
- · Gas, Bloating, Loud Rumbling Gas, hinchazón y rugido fuerte
- · Abdominal Discomfort, Cramping Malestar abdominal y calambres

MONEY BACK GUARANTEE 50 Tablets

Stay Healthy, *Naturally.*





Diarrhea Relief™ provides temporary relief for loose and watery stools, gas, bloating, cramping, abdominal discomfort, sudden evacuation and loud rumbling. There are no known contraindications with your other medications



Our natural products work WORKS with other delivery systems to achieve a unique synergy. In this case, use Diarrhea Relief™ with Irritable Bowel Syndrome

Therapy™ or Heartburn Relief Fast Dissolving Tablets™

to achieve MAXIMUM **EFFECT** to **Stay** Healthy, Naturally.



Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra

Drug Facts

Active Ingredients Purpose

Aloe socotrina HPUS 5x, 7x, 9x......Jelly like stools, Abdominal discomfor Colocynthis HPUS 6x...Cramping, Sudder Croton tiglium HPUS 6x..... .Gurgling in

intestines, Louse, water y strong Lycopodium clavatum HPUS 6x, 12x, 18x......Gas, Bloating

Magnesia sulphurica HPUS 6x,12x,18x. Cramping, Bad taste in mouth
Phosphoricum acidum HPUS 6x, 12x, 18x...Loud

rumbling, Weakness, Fatigue Thuja occidentalis HPUS 6x, 12x, 18x...Mucous in stools "HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States

According to homeopathic indications these ingredients temporarily relieve symptoms such as:

• abdominal discomfort • cramping • loose, watery stools • gas • bloating • loud rumbling • sudden evacuation • mucous in stools. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings
USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN
AND UNDER THE SUPERVISION OF A PHYSICIAN.

- AND UNDER THE SUPERVISION OF A PHYSICIAN.

 *This product is intended to complement, not replace, standard medical treatment. Initial worsening of symptoms may occur. A physician should always be consulted to rule out serious causes. If pregnant or breast-feeding, ask a health professional before use.

 *Keep out of reach of children. In case of
- overdose, get medical help or contact a Poison Contro Center right away. Stop use and ask a doctor if:
- You experience worsening symptoms.
 Symptoms last longer than 7 days.
 You get abdominal swelling or bulging.

Directions• Suitable for adults and children 12 years and

Drug Facts (continued)

above. • Dissolve entire tablet under tongue.
• Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Children under the age of 12: consult a physician before use. • Homeopathic remedies may not be effective for everyone.

Other Information

There are no known contraindications. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. • Store in a cool dark location. • Diarrhea Relief™ Fast Dissolving Tablets™ are homeopathic dilutions, for details see www.thereliefproducts.com

Inactive Ingredients

Advantol® 300, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose.



Stay Healthy, Naturally."

Drug Facts are in Spanish on the interior of this carton. Encontrará la información en español sobre este medicamento al interior de la caja.

© 2015 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane #115, Reno, IV 89502 Questions or Comments? 888-969-6855 www.thereliefproducts.com







falsificaciones o si está desgarrado o roto.

NDC # 17312-029-14

Diarrhea Relief HOMEOPATHIC

Temporarily Relieves:

• Loose, Watery Stools • Gas • Bloating • Loud Rumbling • Abdominal Discomfort • Cramping

Do not use if tamper evident seal is torn, broken or missing

50 Tablets

Stay Healthy, Naturally.

Active Ingredients
Alse socotrina HPUS 5x, 7x, 9x, Colocynthis HPUS 6x, Croton
tiglium HPUS 6x, Lycopodium clavatum HPUS 6x, 12x, 18x,
Magnesia sulphunica HPUS 6x, 12x, 18x, Phosphoricum acidum
HPUS 6x, 12x, 18x, Thuja occidentalis HPUS 6x, 12x, 18x

"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Pharmacopoead or the ormood scale.

Suitable for adults and children 12 years and above. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Children under the age of 12: consult a physician before use. • Homeopathic remedies may not be effective for everyone.

Inactive Ingredients
Advanto® 300, Lactose, Magnesium stearate,
Mannitol, Microcrystalline cellulose
Other Information

There are no known contraindications. . Active

• There are no known contraindications. • Active ingredients are mirro-diluted in accordance with the Homeopathic Pharmacopoela of the United States and are therefore non-took with no known side effects. • Store in a cool dark location, • Diarnhea Relief Fast Dissolving Tablets are homeopathic dilutions, for details see www.thereliefproducts.com. Drug Facts are in Spanish on the Interior of this carton.

© 2015 Al rights reserved to TPP Company, Inc. 1575 Deluchti Lane 1151, Reno, W. 88952 Questions or Comments? 888-989-6855 www.thereliefproducts.com

LYCOPODIUM CLAVATUM

SPORE

6 [hp_X]

DIARRHEA RELIEF

aloe, citrullus colocynthis, croton tiglium, lycopodium clavatum, magnesium sulfate heptahydrate, phosphoric acid, thuja occidentalis tablet, orally disintegrating

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:17312-029

Route of Administration ORAL

Active Ingredient/Active Moiety

CLAVATUM SPORE - UNII: C88X29Y479)

LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM

Ingredient Name Basis of Strength Strength THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS THUIA OCCIDENTALIS 6 [hp X] LEAFY TWIG LEAFY TWG - UNII:1NT28V9397) PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID -PHOSPHORIC ACID 6 [hp X] UNII:E4GA8884NN) MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) (MAGNESIUM MAGNESIUM SULFATE 6 [hp_X] CATION - UNII:T6V3LHY838) **HEPTAHYDRATE**

| CROTON TIGLIUM SEED (UNII: 0HK2GZK66E) (CROTON TIGLIUM SEED - UNII:0HK2GZK66E) | CROTON TIGLIUM SEED | 6 [hp_X] |
|--|--|----------|
| CITRULLUS COLOCYNTHIS FRUIT PULP (UNII: 23H32AOH17) (CITRULLUS COLOCYNTHIS FRUIT PULP - UNII:23H32AOH17) | CITRULLUS COLOCYNTHIS FRUIT PULP | 6 [hp_X] |
| ALOE (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9) | ALOE | 5 [hp_X] |

| Inactive Ingredients | | |
|--|----------|--|
| Ingredient Name | Strength | |
| MANNITOL (UNII: 3OWL53L36A) | | |
| SORBITOL (UNII: 506T60A25R) | | |
| CROSPOVIDONE (UNII: 68401960MK) | | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | | |
| COPOVIDONE (UNII: D9C330MD8B) | | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | |
| LACTOSE (UNII: J2B2A4N98G) | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | |

| Product Characteristics | | | | |
|-------------------------|---------|--------------|----------|--|
| Color | white | Score | no score | |
| Shape | DIAMOND | Size | 13mm | |
| Flavor | | Imprint Code | TRP | |
| Contains | | | | |

| P | Packaging | | | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|--|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | | |
| 1 | NDC:17312-029- 14 | 1 in 1 PACKAGE | 04/15/2015 | | | | |
| 1 | | 50 in 1 BOTTLE; Type 0: Not a Combination Product | | | | | |

| Marketing Information | | | | |
|---------------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 04/15/2015 | | |
| | | | | |

Labeler - TRP Company (105185719)

Revised: 1/2023 TRP Company