SUNSCREEN- zinc oxide emulsion CA-Botana International

Sugared+Bronzed Tinted Sunscreen

Active Ingredient

Zinc Oxide 21%..... Sunscreen

Purpose

Sunscreen

Ask Doctor

Stop use and ask a doctor if rash occurs

Keep out of reach of children

Keep out of reach of children

Inactive Ingredients

Water (Aqua), Coco-Caprylate/Caprate, Ceteary Alcohol, Propanediol, Stearyl Alcohol, Polyhydroxystearic Acid, Mica, Cetearyl Olivate, Sorbitan Olivate, Caprylhydroxamic acid. GlycerylCaprylate, Glycerin, Xanthan Gum, Equisetum arvense (Horsetail) extract, Rosmarinus officinalis (Rosemary) extract, Centella asiatica(Gotu-kola) extract, Aesculus hippocastanum (Horse chestnut) extract, Camellia sinensis(Green tea) extract, Olea europaea (Olive) extract, Tocopheryl Acetate, Potassium Sorbate, Sodium Phytate, Carthamus tinctorius (Safflower) Seed oil, Silica, Triethoxycapryylsilane, OXY CA (Rosmarinus officnalis (Leaf)CO2 Extract& Ascorbyl Palmitate & Caprylic/Capric Triglyceride & Ascorbic Acid & Tocopherol & Citric Acid), Glyceryl Stearate, Iron Oxide.

Safety information

Protect this product from excessive heat and direct sun

Dosage & Administration

Helps prevent sunburn. If used as directed with other sun protection measured decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes before sun exposure. Usea water resistant sunscreen if swimming or sweating. Reapply : at least 2 hours. Children under 6 months: Ask a doctor. Sun protections measurements. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and othe sun protection measures including: limit time in

the sun, specially from 10 a.m.- 2 p.m Wear long-sleeveshirts, pants, hats, and sunglasses. Protect this product from excessive heat and direct sun.

Warnings

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. If product is swallowed get medical help or contact a poison Control Center right away.

Indications & Usage

Apply liberally 15 minutes before exposure, use water resistant sunscreen, if swimming or sweating. reapply at least every 2 hours. Children under 6 months: ask a doctor



SUNSCREEN					
zinc oxide emulsion					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:35192-055	
Route of Administration	TOPICAL				
Active Ingredient/Active	Mojoty				
-			Basis of Strength		
Ingredie	Strength				
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)			ZINC OXIDE	19.53 g in 19.53 g	

Inactive Ingredier	าtร				
	Ingredient Name		Strength		
ANHYDROUS CITRIC AC	NHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
	PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)				
	ILANE (UNII: LDC331P08E)				
SAFFLOWER OIL (UNII: 0					
GLYCERYL STEARATE S	,				
SORBITAN OLIVATE (UN					
EQUISETUM ARVENSE WHOLE (UNII: 73DM367W4P)					
ASCORBIC ACID (UNII: P					
STEARYL ALCOHOL (UN					
	CACID (2300 MW) (UNII: YXH47AOU0F)				
CETEARYL OLIVATE (UN					
ROSEMARY (UNII: IJ67X3					
POTASSIUM SORBATE					
TOCOPHEROL (UNII: ROZ	•				
XANTHAN GUM (UNII: TT	·				
GLYCERIN (UNII: PDC6A3					
PROPANEDIOL (UNII: 59					
WATER (UNII: 059QF0KO					
BROWN IRON OXIDE (U					
HEXASODIUM PHYTATE					
	PRATE (UNII: 8D9H4QU99H)				
CAPRYLHYDROXAMIC A					
GLYCERYL CAPRATE (UI					
CENTELLA ASIATICA (UI					
GREEN OLIVE (UNII: 6HD	·				
	ACETATE, DL- (UNII: WR1WPI7EW8)				
HYDRATED SILICA (UNII:					
ASCORBYL PALMITATE					
MICA (UNII: V8A1AW0880	· · ·				
HORSE CHESTNUT (UNI					
GREEN TEA LEAF (UNII:	•				
Product Characte	ristics				
Color	brown (light brownish)	Score			
Shape		Size			
Flavor		Imprint Code			
Contains					
Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:35192-055- 18 Prod	in 1 PACKAGE; Type 0: Not a Combination uct	03/25/2024			

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M020	03/25/2024				

Labeler - CA-Botana International (106276728)

Establishment						
Name	Address	ID/FEI	Business Operations			
CA-Botana International		106276728	manufacture(35192-055)			

Revised: 5/2024

CA-Botana International