CHILDRENS WAL-ITIN- loratadine solution Walgreen Company

Children's Wal-itin®

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney	ask a doctor

Other information

- safety sealed: do not use if imprinted safety seal is torn or missing
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

glycerin, grape flavor, maltitol solution, masking agent, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium phosphate monobasic dihydrate, sucralose powder.

Questions?

Call 1-866-923-4914

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

Well at

Walgreens

NDC 0363-2092-08

WALGREENS PHARMACIST RECOMMENDED[‡]

children's

Wal-itin®

Loratadine Oral Solution 5 mg/5 mL / Antihis tamine

Allergy

- Alcohol free
- Sugar free
- Relief of runny nose, sneezing, itchy throat or nose & itchy, watery eyes
- Non-drowsy*
- Ages 2 years & older

DYE &

SUGAR

FREE

INDOOR &

OUTDOOR

ALLERGIES

24

HOUR

RELIEF

4 FL OZ (120 mL)

GRAPE FLAVOR

Compare to Children's Claritin® active ingredient ‡‡

*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.



WALGREENS PHARMACIST RECOMMENDED

children's Wal-itin

Loratadine Oral Solution 5 mg/5 mL / Antihistamine Allergy

ORG0213-F



WALGREENS PHARMACIST RECOMMENDED*

children's

Wal-itin®

Loratadine Oral Solution 5 mg/5 mL / Antihistamine

Allergy

- · Alcohol free
- · Sugar free
- Relief of runny nose, sneezing, itchy throat or nose & itchy, watery eyes
- Non-drowsy*
- · Ages 2 years & older









4 FL 0Z (120 mL)

GRAPE FLAVOR

Compare to Children's Claritin®



Support local preventive
wellness with Walgreens. With
each purchase of Walgreens
Brand Health & Wellness
Product, 1¢ goes to the
Walgreens Way to Well Fund,
up to \$3 million annually. Visit
Walgreens.com/waytowell

active ingredient#

"WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

NO COPY ON THIS FLAP FOR LOT # AND EXPIRY DATE PRINT T181B



NO VARNISH ON THIS FLAP

DO NOT USE IF CARTON IS OPENED, OR IF IMPRINTED SAFETY SEAL IS BROKEN OR MISSING. SEE BOTTOM PANEL FOR EXPIRATION DATE.



DOSAGE CUP PROVIDED

Dosing cup should be washed and left to air dry after each use.

- *Walgreens Pharmacist Survey Study, November 2012.
- #This product is not manufactured or distributed by MSD Consumer Care Inc., a subsidiary of Merck & Co., Inc., owner of the

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

(in each 5 mL teaspoonful) Purpose
Loratadine 5 mg......Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- · itchy, watery eyes
- sneezing
- · itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

As k a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.



Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

use only with enclosed dosing cup
adults and children. 2 teamportule item) de

adults and children 6 years and over 2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours

children 2 to under 6 years of age 1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours

children under 2 years of age

consumers with liver ask a doctor or kidney disease

Other information • safety sealed: do not use if imprinted safety seal is torn or missing • store between 20° and 25°C (68° and 77°F)

Inactive ingredients glycerin, grape flavor, maltitol solution, masking agent, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metablsulfite, sodium phosphate monobasic dihydrate, sucralose powder.

Questions? Call 1-866-923-4914

NO VARNISH ON THIS FLAP PPK-7111-1 0913-1 M174

CHILDRENS WAL-ITIN

loratadine solution

Dwa	A	1101	Inf	far	m a:	tion	
Pro	ш	HCL		ЮМ	на	HOH	

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-2092

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	
PHO SPHO RIC ACID (UNII: E4GA8884NN)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
SO DIUM PHO SPHATE, MO NO BASIC, DIHYDRATE (UNII: 5QWK665956)	

Product Characteristics			
Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0363-2092-01	1 in 1 CARTON			
1		240 mL in 1 BOTTLE			
2	NDC:0363-2092-08	1 in 1 CARTON			
2		120 mL in 1 BOTTLE			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA076805	02/27/2010		

Labeler - Walgreen Company (008965063)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment				
Name	Address	ID/FEI	Business Operations	
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(0363-2092)	

Establishment					
Name	Address	ID/FEI	Business Operations		
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(0363-2092)		

Revised: 3/2014 Walgreen Company