MINERAL OIL LUBRICANT LAXATIVE- mineral oil enema McKesson

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

(in each 118 mL delivered dose)

Mineral oil 100%

Purpose

Lubricant laxative

Uses

• for relief of occasional constipation

Warnings

For rectal use only

Ask a doctor before use if you have

- abdominal pain, nausea or vomiting
- notice a sudden change in bowel habits that persists over a period of 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or failure to have a bowel movement after use of a laxative because this may indicate a serious condition
- you need to use a laxative for more than one week

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

Single daily dose

adults & children	1 bottle once daily
12 years and over	
children 2 to under	1/2 bottle once daily
12 years	_
children under	do not use
2 years	

How to use this enema:

REMOVE GREEN PROTECTIVE SHIELD BEFORE INSERTING; HOLD BOTTLE UPRIGHT, GRASPING BOTTLE CAP WITH FINGERS. GRASP PROTECTIVE SHIELD WITH OTHER HAND AND PULL GENTLY TO REMOVE.



Positioning:

Left-side position: Lie on left side with knee bent and arms at rest.



Knee-chest position:

Kneel, then lower head and chest forward until left side of face is resting on surface. Position arms comfortably.



Administering enema:

- With steady pressure, gently insert enema tip into rectum with a slight side-to-side movement, with tip pointing toward navel. Insertion may be easier if person receiving enema bears down, as if having a bowel movement. This helps relax the muscles around the anus.
- Do not force the enema tip into rectum as this can cause injury.
- Squeeze bottle until nearly all liquid is gone. It is not necessary to empty the bottle completely, as it contains more liquid than needed.
- Remove enema tip from rectum.
- Retain enema in accordance with doctor's instructions.

Other Information

- store at room temperature 20-25 deg C (68-77 deg F)
- this product generally produces bowel movement in 2-15 minutes


Inactive ingredient

none

Questions or comments?

1-800-633-5463

Side and Principal Display Panel - Box



Sunmark

NDC 49348-006-11

Ready-to-use


Enema

Mineral Oil

Sodium free lubricant laxative for relief of occasional constipation Comfortable, lubricated tip Works in minutes LATEX FREE

4.5 FL OZ (133 ml)

Side and Back Panel - Box



MINERAL OIL LUBRICANT LAXATIVE

mineral oil enema

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49348-006

Route of	Administration	RECTAI
----------	----------------	--------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

MINERAL O IL (UNII: T5L8T28FGP) (MINERAL O IL - UNII:T5L8T28FGP) MINERAL O IL 118 mL in 118 mL

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:49348-006-11	1 in 1 BOX				
1		133 mL in 1 BOTTLE				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part334	07/16/2012		

Labeler - McKesson (177667227)

Revised: 11/2012 McKesson