UMCKA FASTACTIVES BERRY- pelargonium sidoides, aconitum napellus, bryonia, eucalyptus globulus, eupatorium perfoliatum, gelsemium sempervirens, ipecacuanha, phosphorus powder Schwabe North America, Inc

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Umcka FastActives Berry Packets

Active Ingredient

PELARGONIUM SIDOIDES 1X
ACONITUM NAPELLUS 4X
EUCALYPTUS GLOBULUS 2X
BRYONIA 4X
EUPATORIUM PERFOLIATUM 6X
GELSEMIUM SEMPERVIRENS 4X
PHOSPHORUS 6X
IPECACUANHA 3X

Inactive Ingredients

CITRIC ACID

LACTOSE MONOHYDRATE
MALIC ACID
MALTODEXTRIN
NATURAL FLAVORS
SILICA
XYLITOL

Dosage & Administration

Directions

Tear packet open, pour contents into mouth and swallow. For best results, use at first sign of symptoms and continue to use for an additional 48 hours after symptoms cease.

Adults & children 13 years of age and older: take contents of 1 packet 3 times daily. Children 6-12 years of age: take contents of 1 packet 2 times daily. Children under 6 years of age: consult a physician.

Indications & Usage

Shortens duration and reduces severity of symptoms associated with the common cold and throat/nasal/bronchial irritations, and temporarily relieves flu symptoms: chills/fever, congestion/stuffy nose, cough, headache, hoarseness, minor aches/pains, sneezing/runny nose, sore throat.

Purpose

Shortens duration and reduces severity of symptoms associated with the common cold and throat/nasal/bronchial irritations, and temporarily relieves flu symptoms: chills/fever, congestion/stuffy nose, cough, headache, hoarseness, minor aches/pains, sneezing/runny nose, sore throat.

Warnings

Sore throat warning: if sore throat is severe, persists more than 2 days, is accompanied or following by a fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Ask A Doctor

Ask a doctor before use if you have a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysemsa, a cough that is accompanied by excessitve phlegm (mucus), been taking any medications, an allergy to plants of the Geraniaceae family.

Stop Use

Stop use and ask a doctor if new symptoms occur, symptoms get worse or last more than 7 days, fever worsens or lasts more than 3 days, cough lasts more than 7 days or occurs with rash or persistent headache.

These could be signs of a serious condition.

Pregnancy or breast feeding

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children

Keep out of reach of children.

Overdose

In case of overdose, seek medical help or contact a Posion Control Center immediately.



Add image transcription here...

UMCKA FASTACTIVES BERRY

pelargonium sidoides, aconitum napellus, bryonia, eucalyptus globulus, eupatorium perfoliatum, gelsemium sempervirens, ipecacuanha, phosphorus powder

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53499-9349
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
PELARGONIUM SIDOIDES ROOT (UNII: H6J53HEX8E) (PELARGONIUM SIDOIDES ROOT - UNII: H6J53HEX8E)	PELARGONIUM SIDOIDES ROOT	1 [hp_X] in 912 mg		
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII: U0NQ8555JD)	ACONITUM NAPELLUS	4 [hp_X] in 912 mg		
EUCALYPTUS GLOBULUS LEAF (UNII: \$546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:\$546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	2 [hp_X] in 912 mg		
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	4 [hp_X] in 912 mg		
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING	6 [hp_X]		

(EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII: 1980/ / 3970E)	TOP	III 912 IIIG
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	4 [hp_X] in 912 mg
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_X] in 912 mg
IPECAC (UNII: 6213C8233L) (IPECAC - UNII:6213C8233L)	IPECAC	3 [hp_X] in 912 mg

Inactive Ingredients		
Ingredient Name	Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)		
MALIC ACID (UNII: 817L1N4CKP)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
XYLITOL (UNII: VCQ006KQ1E)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BERRY (NATURAL BERRY FLAVORS)	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:53499- 9349-0	10 in 1 CARTON	04/14/2017		
1		912 mg in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/14/2017	

Labeler - Schwabe North America, Inc (831153908)

Establishment				
Name	Address	ID/FEI	Business Operations	
Schwabe North America, Inc		831153908	manufacture(53499-9349)	