

RIO RADIANCE SPF 50 BODYLOTION- zinc oxide lotion
SOL DE JANEIRO USA, INC.

Drug Facts

Active Ingredients Purpose

Zinc Oxide (20.00%).....Sunscreen

Dosage: Evenly and generously apply to skin.

Administration: Topical

Warnings:

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10am - 2pm.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Aqua (Water, Eau), Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Carthamus Tinctorius Oleosomes, Cellulose Gum, Cetearyl Alcohol, Citric Acid, Coco-Glucoside, Cocos Nucifera (Coconut) Oil, Dicaprylyl Carbonate, Diisooctyl Succinate, Dimethicone, Ethylene/Propylene/Styrene Copolymer, Ethylhexyl Methoxycrylene, Ethylhexylglycerin, Euterpe Oleracea (Açaí) Fruit Oil, Gluconolactone, Glycerin, Hectorite, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydroxyethylcellulose, Iron Oxides (CI 77491), Iron Oxides (CI 77499), Isononyl Isononanoate, Maleated Soybean Oil Glyceryl/Octyldodecanol Esters, Mica (CI 77019), Microcrystalline Cellulose, Niacinamide, Parfum (Fragrance), Phenoxyethanol, Polyhydroxystearic Acid, Polysorbate 20, Polysorbate 60, Pongamia Pinnata Seed Extract, Sodium Benzoate, Sodium Stearoyl Glutamate, Sorbitan Isostearate, Sorbitan Oleate, Tetrasodium Glutamate Diacetate, Theobroma Grandiflorum (Cupuaçu) Seed Butter, Tin Oxide (CI 77861), Titanium Dioxide (CI 77891), Tocopherol, Triethoxycaprylylsilane, Benzyl Salicylate, Citronellol, Limonene.

Uses:

- Helps prevent sunburn.

Directions:


- Apply generously and evenly 15 minutes before sun exposure.

- Children under 6 months of age: ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.

Keep out of reach of children.

Sunscreen





RIO RADIANCE SPF 50 BODYLOTION

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83982-4838
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	20 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
NIACINAMIDE (UNII: 25X51I8RD4)	
GLYCERIN (UNII: PDC6A3C0OX)	
COCO GLUCOSIDE (UNII: ICS790225B)	
PONGAMIA PINNATA SEED (UNII: C2BRV53B1V)	
HECTORITE (UNII: 08X4KI73EZ)	
SAFFLOWER OIL (UNII: 65UEH262IS)	

TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
COCONUT OIL (UNII: Q9L0O73W7L)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
THEOBROMA GRANDIFLORUM SEED BUTTER (UNII: I711F13FXM)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
ACAI OIL (UNII: Z0W6766A2W)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83982-4838-0	1 in 1 CARTON	03/27/2024	
1		240 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/27/2024	

Revised: 3/2024

SOL DE JANEIRO USA, INC.