DERMAN ANTIFUNGAL CREAM- tolnaftate cream Taisho Pharmaceutical California Inc.

Derman antifungal cream

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most athlete's foot, jock itch, and ringworm
- relieves itching, burning, cracking, scaling, redness, soreness, irritation and discomfort

Warnings

Do not use

on children under 2 years of age unless directed by a doctor.

For external use only.

Avoid contact with eyes.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks for athlete's foot and ringworm or 2 weeks for jock itch

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

Directions

- wash affected area and dry thoroughly
- apply a thin layer over affected area twice daily (morning and night) or as directed by

a doctor

- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition persists longer, consult a doctor
- this product is not effective on the scalp or nails

Other information

store at 15 to 30°C (59° to 86°F)

DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING. Tamper Evident:

Inactive ingredients

ceteth-20, cetyl alcohol, chlorocresol, mineral oil, monobasic sodium phosphate, petrolatum, propylene glycol, purified water, stearyl alcohol

Package Labeling:25g

	Drug Facts (continued)	Drug Facts (continued)			
5	wear well-fitting, ventilated shoes and change shoes and socks at least once daily for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks	Tamper Evident: DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING. Inactive ingredients active ingredients			
	 if condition persists longer, consult a doctor this product is not effective on the scalp or nails 	Inactive ingredients ceteth-20, cetyl alcohol, chlorocresol, mineral oil, monobasic sodium			
	Other information = store at 15 to 30°C (59 to 86°F)	phosphate, petrolatum, propylene glycol, purified water, stearyl alcohol			
	╙━┼━┼╍┾╍┼━┼╾┼╍┼╍┼╍┼╍┼╍┼╍┼╍┼╍┼╍┼╍┼╍┼				
-	DERMA	® NDC 81929-004-02			
ANTIFUNGAL CREAM	ANTIFUNGAL CREAM Toinaftate 1%	$\mathcal{Q}(\mathcal{V})$			
REAM	Cures And Prevents Most Athletes Foot Relieves Itching And Burning				
	NET WT. 0.88 OZ (25 g)				
5		COLOR			
	DISTRIBUTED BY	3 54312 00002 0			
	Taisho Pharmaceutical California Inc. 3528 Torrance Blvd, Suite #32	0 Iorrance, CA 90503 U.S.A.			
		المرتب المراجع والمراجع المراجع بقار وقراعت بتعريق وقارعت أعدان والمراجع المراجع فارتعا أعارها والزار			
	Drug Facts	Drug Facts (continued)			
	Drug Facts Active ingredient Tolnaftate 1% Antifungal	Drug Facts (continued) Stop use and ask a doctor if = irritation occurs = there is no improvement within 4 weeks for athlete's foot and ringworm or 2 weeks for jock itch			
	Active ingredient Purpose Toinaftate 1%Antifungal	Stop use and ask a doctor if ■irritation occurs ■ there is no improvement within 4 weeks for athlete's foot and ringworm or 2 weeks for jock ltch If pregnant or breast-feeding, ask a health professional before use.			
	Active ingredient Purpose Tolnaftate 1%Antifungal	Stop use and ask a doctor if = irritation occurs = there is no improvement within 4 weeks for athlete's foot and ringworm or 2 weeks for jock itch			
	Active ingredient Purpose Tohaftate 1% Antifungal Uses Euros most athlete's foot, jock itch, and ringworm • cures most athlete's foot, jock itch, and ringworm endess, soreness, irritation and discomfort Warnings Do not use on children under 2 years of age unless directed by a doctor.	Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks for athlete's foot and ringworm or 2 weeks for jock ltch If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222. Directions • wash affected area and dry thoroughly • apply a thin layer over affected area twice daily (morning and night) or as			
	Active ingredient Purpose Tolnaftate 1% Antifungal Uses eures most athlete's foot, jock itch, and ringworm • cures most athlete's foot, jock itch, and ringworm ingleves itching, burning, cracking, scaling, redness, soreness, irritation and discomfort Warnings Do not use on children under 2 years of age unless directed by a	Stop use and ask a doctor if • irritation occurs • there is no improvement within 4 weeks for athlete's foot and ringworm or 2 weeks for jock ltch If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222. Directions • wash affected area and dry thoroughly			

NDC 81929-004-02

ANTIFUNGAL CREAM Tolnaftate 1%

NET WT. 0.88 OZ (25 g)

ERMA

Drug Facts		Drug Facts (continued)				
Active ingredient Purpo						
Tolnaftate 1%Anti	fungal	Directions - wash affected area and dry thoroughly				
Uses = cures most athlete's foot, jock itch, ringworm = relieves itching, burning, cracking scaling, redness, soreness, irritation and disc	g,	 apply a thin layer over affected area twice daily (morning and night) or as directed by a doctor supervise children in the use of this product for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes 				
Warnings Do not use on children under 2 years of age unless directed by a doctor. For external use only.		and change shoes and socks at least once daily for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks fill condition persists longer, consult a				
		doctor . this product is not effective on the scalp or nails				
Avoid contact with eyes.		Other information = store at 15 to 30°C (59 to 86°F) • Tamper Evident: DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING.				
Stop use and ask a doctor if = irritation occurs = there is no improvement within 4 weeks for						
athlete's foot and ringworm or 2 weeks for joe		Inactive ingredients ceteth-20, cetyl alcohol,				
If pregnant or breast-feeding, ask a health professional before use.		chlorocresol, mineral oil, monobasic sodium phosphate, petrolatum, propylene glycol, purified water, stearyl alcohol				
Keep out of reach of children. If swallowed medical help or contact a Poison Control Cer		DISTRIBUTED BY Taisho Pharmaceutical California Inc. 3528 Torrance BMd, Suite #320 Torrance, CA 90503 U.S.A. PL33102T V01				

Package Labeling:50g

COLOR	ANTIFUNGAL CREAM Toinattate 1% Cures And Prevents Most Athletes Foot Relieves Itching And Burning	NDC 81929-004-01	PL3101B V01 NO COLOR
ANIFUNCAL CREAM DEBM PM PM Toinattate 1%	ANTIFUNGAL CREAM Tolnaftate 1% Cures And Prevents Most Athletes Foot Relieves Itching And Burning	NDC 81929-004-01	Lot# FPO Exp: FPO
COLOR	DISTRIBUTED BY Taisho Pharmaceutical California Inc. 3528 Torrance Blvd, Suite #320 T	orrance, CA 90503 U.S.A.	COLOR
	Drug Facts	Drug Facts (continued)	
-	Active ingredient Purpose		
GLUE FL	Tolnaftate 1%. Antifungal UseS ■ cures most athlete's foot, jock itch, and ringworm ■ relieves itching burning, cracking, scaling, redness, soreness, irritation and discomfort Warnings Do not use on children under 2 years of age unless directed by a doctor.	Directions = wash alfected area and dry thoroughly = apply a thin layer over alfected area twice daily (morning and night) or as directed by a doctor = supervise children in the use of this product = for athlete's foot; pay special latention to spaces between the toes; were well-fitting, weithlated shoes and change shoes and socks at least once daily = for athlete's foot and ringworm, use daily for 4 weeks; for jock tich, use daily for 2 weeks = if condition persists longer, consult a doctor = this product is not effective on the scaip or nails	E FLAP LOR/TEX
;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	For external use only.	Other information - store at 15 to 2010 (50 to 2015) - Temper Evidents DO NOT USE IF SEAL	385
	Avoid contact with eyes. Stop use and ask a doctor if # irritation occurs # there is no improvement within 4 weeks for athlete's foot and ringworm or 2 weeks for jock itch	Other information - store at 15 to 30°C (59 to 86°F) - Tamper Evident: DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING.	<u> </u>

ANTIFUNGAL CREAM Tolnaftate 1%

FOR THE TREATMENT OF ATHLETE'S FOOT NET WT. 1.76 OZ (50 g)

-Drug Facts —	-Drug-Facts (continued)			
Active ingredient Purpose	contact a Poison Control Center right away: 800-222-1222.			
Tolnaftate 1%Antifungal	Directions wash affected area and dry thoroughly apply a thin			
Uses • cures most athlete's foot, jock itch, and ringworm • relieves itching, burning, cracking, scaling, redness, soreness, irritation and discomfort	layer over affected area twice daily (morning and night) or as directed by a doctor supervise children in the use of this product for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks if condition persists longer, consult a doctor this product is not effective on the scalp or nails			
<i>Warnings</i> Do not use on children under 2 years of age unless directed by a doctor.				
For external use only.	Other information = store at 15 to 30°C (59 to 86°F) = Tamper Evident: DO NOT USE IF SEAL ON TUBE IS PUNCTURED OR MISSING.			
Avoid contact with eyes.				
Stop use and ask a doctor if = irritation occurs = there is no improvement within 4 weeks for athlete's foot and ringworm or 2 weeks for jock itch	Inactive ingredients ceteth-20, cetyl alcohol, chlorocresol, mineral oil, monobasic sodium phosphate, petrolatum, propylene glycol, purified water, stearyl alcohol NDC 81929-004-01			
If pregnant or breast-feeding, ask a health professional before use.				
Keep out of reach of children. If swallowed, get medical help or	DISTRIBUTED BY Taisho Pharmaceutical California Inc. 3528 Torrance Blvd, Suite #320 Torrance, CA 90503 U.S.A. PL33101T V01			

DERMAN ANTIFUNGAL CREAM

tolnaftate cream

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source) NDC:8		81929-004	
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingredient Name Basis of Strength					Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)			TOLNAFTATE		10 mg in 1 g
Inactive Ingredients					
	Ingredient Name	9			Strength
CETETH-20 (UNII: 1835H2IHHX)					
CETYL ALCOHOL (UNII: 936JST6JC	CN)				
CHLOROCRESOL (UNII: 36W5307	109)				
MINERAL OIL (UNII: T5L8T28FGP)					

sr		TE, MONOBASIC, UNSPECIFIED FORM (UNII:	205		
	TROLATUM (UNII:	, , , , , , , , , , , , , , , , , , , ,	550	50,112.5 W	
	-	L (UNII: 6DC9Q167V3)			
	ATER (UNII: 059QF				
		. (UNII: 2KR89I4H1Y)			
Pa	ackaging				
#	ltem Code	Package Description	1	Marketing Start Date	Marketing End Date
1	NDC:81929-004- 02	1 in 1 CARTON	07	/01/2022	
1		25 g in 1 TUBE; Type 0: Not a Combination Product			
2	NDC:81929-004- 01	1 in 1 CARTON	07,	/01/2022	
2		50 g in 1 TUBE; Type 0: Not a Combination Product			
M	larketing I	nformation			
	Marketing Category	Application Number or Monograph Citation	ו	Marketing Start Date	Marketing End Date
	C Monograph Drug	M005			

Labeler - Taisho Pharmaceutical California Inc. (603827635)

Revised: 11/2023

Taisho Pharmaceutical California Inc.