

BIOGTUSS NF- dextromethorphan, guaifenesin, phenylephrine liquid
Advanced Generic Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients : (in each 5 mL tsp.)	Purpose
Dextromethorphan HBr 28 mg.....	Cough Suppressant
Guaifenesin 388 mg	Expectorant
Phenylephrine HCl 10 mg.....	Nasal Decongestant

Purpose

- ☐Cough suppressant
- Expectorant
- Nasal Decongestant

☐Uses

- ☐temporary relieves cough due to minor throat and bronchial irritations as may occur with the common cold or inhaled irritants
- helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive
- temporarily relieves nasal congestion due to the common cold.

Warnings

☐**Do not use** If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson’s disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI; ask your doctor or pharmacist before taking this product.

☐**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of prostate gland
- a cough with too much phlegm (mucus)
- a persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis, or emphysema

☐**Ask a doctor before use if you are** ☐taking sedatives, tranquilizers or drugs for depression or MAOI drugs.

☐**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- cough lasts for more than 7 days, comes back or occurs with a fever, rash or headache that lasts. These could be signs of a serious condition

Keep out of reach of children. In case of accidental overdose, seek advice or a doctor or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a doctor before use.

Directions Do not exceed 6 doses in 24 hours.

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EP3A)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE (Grape Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45737-242-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/01/2010	

Labeler - Advanced Generic Corporation (831762971)

Revised: 12/2020

Advanced Generic Corporation