

**WAL-ITIN- loratadine tablet, chewable**  
**Walgreens**

-----  
**Wal-itin<sup>®</sup>**

**Drug Facts**

**Active ingredient (in each tablet)**

Loratadine USP, 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with	

liver  
or kidney  
disease

ask a doctor

### Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

### Inactive ingredients

aspartame, carmine, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

### Questions?

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

### PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

children's  
ALLERGY

Wal-itin<sup>®</sup>

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

Walgreens

Compare to Children's Claritin<sup>®</sup>  
Chewables active ingredient<sup>††</sup>

NDC 0363-0754-30

NEW

CHEWABLE  
NON-DROWSY\*  
24-HOUR RELIEF

- 24-hour relief of sneezing, runny nose, itchy throat or nose, & itchy, watery eyes
- Indoor & outdoor allergies

30  
CHEWABLE  
TABLETS

The chewable tablets are to be chewed before swallowing.

\*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

BUBBLEGUM  
FLAVOR

ACTUAL SIZE

AGES  
2  
YEARS &  
OLDER

children's  
ALLERGY

Walgreens

Wal-itin®

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

children's  
ALLERGY

Walgreens

Wal-itin®

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

Compare to Children's Claritin®  
Chewables active ingredient††

NDC 0363-0754-30

NEW

CHEWABLE NON-DROWSY\* 24-HOUR RELIEF

- 24-hour relief of sneezing, runny nose, itchy throat or nose, & itchy, watery eyes
- Indoor & outdoor allergies



BUBBLEGUM ACTUAL SIZE  
FLAVOR



AGES  
2  
YEARS &  
OLDER

30 CHEWABLE  
TABLETS

The chewable tablets are to be chewed before swallowing.

\*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

PHARMACIST  
Walgreens  
Trusted since 1901™  
RECOMMENDED

Health expertise  
you rely on.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens  
100% SATISFACTION  
GUARANTEED

walgreens.com ©2019 Walgreen Co.

ITEM 848708 W00000-0000-0



†Walgreens Pharmacist Survey  
††All trademarks are property of  
their respective owners. This  
product is not affiliated with  
the makers of Children's  
Claritin® Chewables.

ORG0318-F  
REV.0619

Drug Facts

Active ingredient (in each tablet) Purpose  
Loratadine USP, 5 mg ..... Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

■ chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

■ phenylketonurics: contains phenylalanine 1.25 mg per tablet.

■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

■ store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, carmine, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions? call toll-free Monday to Friday 8:30 am to 5:00 pm EST at 1-800-406-7984.

Keep the carton. It contains important information. See end panel for expiration date.

GLUE - NO COATING

loratadine tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0754
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	5 mg

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
aspartame (UNII: Z0H242BBR1)	
COCHINEAL (UNII: TZ8Z31B35M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
magnesium stearate (UNII: 70097M6B0)	
mannitol (UNII: 3OWL53L36A)	
microcrystalline cellulose (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
stearic acid (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	PINK (light to medium pink with a slightly speckled appearance)	<b>Score</b>	no score
<b>Shape</b>	ROUND (Flat face, beveled edge)	<b>Size</b>	10mm
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	754
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0754-30	3 in 1 CARTON	03/01/2018	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA210088	03/01/2018	

**Labeler** - Walgreens (008965063)

**Registrant** - Ohm Laboratories (184769029)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Ohm Laboratories		184769029	MANUFACTURE(0363-0754)

Revised: 7/2019

Walgreens