

SCOT-TUSSIN DM SF MAXIMUM STRENGTH COUGH COLD- dextromethorphan hydrobromide chlorpheniramine maleate liquid
SCOT-TUSSIN Pharmacal Co., Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Scot-Tussin DM SF Maximum Strength Cough Cold

Active Ingredients

(in each 5 mL. tsp. teaspoon)

*Chlorpheniramine Maleate USP 2mg

Dextromethorphan HBr. USP 15mg

Purpose

Antihistamine

Cough Suppressant

Uses

- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold. Quiets and calms a dry cough.
- Temporarily relieves runny nose and sneezing, itching of the nose and throat, and itchy watery eyes due to upper respiratory symptoms.

Warnings

DO NOT USE THIS PRODUCT TO SEDATE CHILDREN

Do not use

- more than the recommended dosage.
- if you are taking a prescription monoamine oxidase inhibitor (MAOI); (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacists before taking this product.

Ask a doctor before use if you have

- Persistent or a chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema, or if cough is accompanied by excessive phlegm (mucus).
- Difficulty in urination due to enlargement of the prostate gland.
- Glaucoma.
- Thyroid disease.

When using this product

- May cause drowsiness. Alcohol, sedatives and tranquilizers may increase the drowsiness effect. Avoid alcoholic beverages while taking this product. If you are taking sedatives or tranquilizers, consult your doctor before taking this medicine. Use caution when driving a motor vehicle or operating machinery.

Stop use and ask a doctor if

- Cough lasts more than seven days, returns or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

Do Not Use.

Keep out of reach of children.

In case of overdose get medical help or contact a Poison Control Center right away.

Directions:

- Follow Dosage Chart.
- Do not take more than 4 doses in any 24 hour period.
- This product is not intended for use in children under 12 years of age.

age	dose
Adults and children over 12 years old	2 teaspoons (2 tsp. 10 ml) every 6 hours
Children Under 12 years old	DO NOT USE

Other Information

- Store at 20° – 25° C (68° – 77° F).
- Do not refrigerate.
- Dosage cup provided.

Inactive Ingredients

Ammonium Glycrrhizate, Citric Acid, Clear Cherry-Strawberry Flavor, Glycerin, Hydroxyethylcellulose, Menthol, Methyl Paraben, Potassium Benzoate, Propyl Paraben, Propylene Glycol, Purified Water.

PRINCIPAL DISPLAY PANEL

NDC 0372-0036-04

SCOT-TUSSIN

DM

Maximum Strength

COUGH SUPPRESSANT & COLD RELIEF

4 FL OZ (118 ml)

SUGAR-FREE

SCOT-TUSSIN[®]

Drug Facts (Continued)

When using this product

- may cause drowsiness. Alcohol, sedatives and tranquilizers may increase the drowsiness effect. Avoid alcoholic beverages while taking this product. If you are taking sedatives or tranquilizers, consult your doctor before taking this medicine. Use caution when driving a motor vehicle or operating machinery.

Stop use and ask a doctor if

- cough lasts more than seven days, returns or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, Do Not Use. Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center right away.

Directions

- follow Dosage Chart.
- do not take more than 4 doses in any 24-hour period.
- this product is not intended for use in children under 12 years of age.

age	dose
Adults and children over 12 years old	2 teaspoons (2 tsp., 10mL) every 6 hours
Children under 12 years old	DO NOT USE

Other information

- store at 20°-25° C (68°-77° F).
- do not refrigerate.
- dosage cup provided.

Inactive ingredients

citric acid, clear cherry-strawberry flavor, glycerin, ammonium glycyrrhizate, hydroxyethylcellulose, menthol, methyl-paraben, potassium benzoate, propyl-paraben, propylene glycol, purified water.

SUGAR-FREE

SCOT-TUSSIN[®]

SCOT-TUSSIN QUALITY ASSURANCE

Decades of experience since 1956 in providing you with quality medicines goes into every product. Scot-Tussin has been an innovator in the formulation of sugar-free and alcohol-free medicines for the diabetic consumer and has been fortunate to have received recommendations from generations of doctors. Scot-Tussin has been and still is committed to the often over-looked special needs patient. Our medicines are safe for the typical consumer as well as those with diabetes, celiac sprue, high blood pressure, and heart disease.

All Scot-Tussin Brand Medicines are Satisfaction Guaranteed or Your Money Back

Distributed by:
Scot-Tussin Pharmaceutical Co., Inc.
Cranston, RI 02920 U.S.A.
Toll Free # 1-800-638-7268 (Scot)
1-401-942-8555
© Copyright 1983
® TM Reg. US Patent Office #657-674

SUGAR-FREE

ADULT NDC 0372-0036-04
For Diabetics since 1956

SCOT-TUSSIN[®]

DM
MAXIMUM STRENGTH

COUGH SUPPRESSANT & COLD RELIEF

DEXTROMETHORPHAN HBr (Cough Suppressant)
CHLORPHENIRAMINE MALEATE (Antihistamine)
(Cold Relief)

**FAST RELIEF OF:
COUGHING, ITCHY EYES,
RUNNY NOSE**

- FIRST SUGAR & ALCOHOL-FREE
- HIGH BLOOD PRESSURE SAFE
- LACTOSE & GLUTEN-FREE
- SODIUM-FREE
- DYE-FREE

LIQUID
4 FL OZ (118 ml)

SUGAR-FREE

SCOT-TUSSIN[®]

IF TAMPER-EVIDENT SEAL AROUND CAP IS BROKEN OR MISSING, DO NOT USE.

Drug Facts

Active ingredients	Purposes
Chlorpheniramine Maleate USP	Antihistamine
2 mg.....	Dextromethorphan HBr, USP
15mg.....	Cough Suppressant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold. Quiets and calms a dry cough.
- temporarily relieves runny nose and sneezing, itching of the nose and throat, and itchy watery eyes due to upper respiratory symptoms.

Warnings

DO NOT USE THIS PRODUCT TO SEDATE CHILDREN

Do not use

- more than the recommended dosage.
- if you are taking a prescription monoamine oxidase inhibitor (MAOI); (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema, or if cough is accompanied by excessive phlegm (mucus).
- difficulty in urination due to enlargement of the prostate gland.
- glaucoma.
- thyroid disease.

SCOT-TUSSIN DM SF MAXIMUM STRENGTH COUGH COLD

dextromethorphan hydrobromide chlorpheniramine maleate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0372-0036
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 5 mL
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYETHYL CELLULOSE (2000 MPAS AT 1%) (UNII: S38J6RZN16)	
MENTHOL (UNII: L7T10EIP3A)	
METHYL PARABEN (UNII: A2I8C7HI9T)	

POTASSIUM BENZOATE (UNII: 763YQN2K7K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	STRAWBERRY, CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0372-0036-04	118 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	09/28/1983	

Labeler - SCOT-TUSSIN Pharmacal Co., Inc. (001203918)

Revised: 1/2013

SCOT-TUSSIN Pharmacal Co., Inc.