

ASPIRIN- aspirin tablet, film coated
CVS Pharmacy

CVS 44-157

Active ingredient (in each tablet)

Aspirin 325 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves:

- pain and fever of colds
- toothache
- menstrual pain
- muscle pain
- headache
- minor pain of arthritis

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- shock
- facial swelling
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- take a blood thinning (anticoagulant) or steroid drug
- have had stomach ulcers or bleeding problems
- take more or for a longer time than directed
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- are age 60 or older

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have asthma
- you have a history of stomach problems, such as heartburn
- you are taking a diuretic
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- drink a full glass of water with each dose
- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours not to exceed 12 tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

corn starch, hypromellose, polyethylene glycol, propylene glycol

Questions or comments?

1-800-426-9391

Principal display panel**♥CVS**

Health®

Compare to the active
ingredient in Genuine
Bayer® Aspirin†

Genuine**Aspirin**

325 mg

PAIN RELIEVER,
FEVER REDUCER
(NSAID)

Safe Pain Relief

Actual Size

100 COATED TABLETS

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY
SEAL UNDER CAP IS BROKEN OR MISSING**

†This product is not manufactured or distributed by Bayer AG, owner of the registered trademark Genuine Bayer® Aspirin.

50844

REV0122A15712

Distributed by:**CVS Pharmacy, Inc.**

One CVS Drive

Woonsocket, RI 02895

© 2022 CVS/pharmacy

CVS.com®

V-11112



Compare to the active ingredient in Genuine Bayer® Aspirin†

No Print / No Varnish Area
Lot # and Exp. Info

Genuine Aspirin
325 mg
PAIN RELIEVER,
FEVER REDUCER
(NSAID)
Safe Pain Relief




Actual Size **100 COATED TABLETS**

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

| Drug Facts | Purpose |
|---|----------------|
| <p>Active ingredient (in each tablet) Aspirin 325 mg (NSAID)* Pain reliever/fever reducer *nonsteroidal anti-inflammatory drug</p> <p>Uses temporarily relieves: <ul style="list-style-type: none"> ■ headache ■ muscle pain ■ toothache ■ minor pain of arthritis ■ menstrual pain ■ pain and fever of colds </p> <p>Warnings Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness. Allergy alert: Aspirin may cause a severe allergic reaction, which may include: <ul style="list-style-type: none"> ■ facial swelling ■ hives ■ asthma (wheezing) </p> <p>Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you <ul style="list-style-type: none"> ■ are age 60 or older ■ take a blood thinning (anticoagulant) or steroid drug ■ have 3 or more alcoholic drinks every day while using this product ■ have had stomach ulcers or bleeding problems ■ take more or for a longer time than directed </p> <p>Take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)</p> | |

This product is not manufactured or distributed by Bayer AG, owner of the registered trademark Genuine Bayer® Aspirin. 50844 REV10122A15712

Distributed by:
CVS Pharmacy, Inc.
 One CVS Drive
 Woonsocket, RI 02895
 ©2022 CVS/pharmacy
 CVS.com®
 V-11112

FPO 80%
UPC# 050428320846

X XXXXXX XXXXXX X
 ▲ PEEL HERE FOR MORE DRUG FACTS #152314

STOP PEELING

| | |
|---|---|
| <p>Drug Facts (continued)</p> <p>Do not use ■ if you are allergic to aspirin or any other pain reliever/fever reducer ■ if you have ever had an allergic reaction to this product or any of its ingredients</p> <p>Ask a doctor before use if ■ you are taking a diuretic ■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as heartburn ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you have asthma</p> <p>Ask a doctor or pharmacist before use if you are taking a prescription drug for ■ gout ■ diabetes ■ arthritis</p> <p>Stop use and ask a doctor if <ul style="list-style-type: none"> ■ an allergic reaction occurs. Seek medical help right away. ■ you experience any of the following signs of stomach bleeding: ■ vomit blood ■ have bloody or black stools ■ feel faint ■ have stomach pain that does not get better ■ ringing in the ears or a loss of hearing occurs ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur </p> <p>These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions ■ do not take more than directed <ul style="list-style-type: none"> ■ drink a full glass of water with each dose ■ adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours; not to exceed 12 tablets in 24 hours unless directed by a doctor ■ children under 12 years: do not use unless directed by a doctor </p> <p>Other information <ul style="list-style-type: none"> ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ use by expiration date on package </p> <p>Inactive ingredients corn starch, hypromellose, polyethylene glycol, polyethylene glycol</p> <p>Questions or comments? 1-800-426-9391</p> | <p>Questions or comments? 1-800-426-9391</p> |
|---|---|

CVS 44-157

| | | |
|--|--------------------------|---|
| ASPIRIN | | |
| aspirin tablet, film coated | | |
| Product Information | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) NDC:59779-157 |
| Route of Administration | ORAL | |
| Active Ingredient/Active Moiety | | |
| Ingredient Name | Basis of Strength | Strength |
| ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E) | ASPIRIN | 325 mg |
| Inactive Ingredients | | |
| Ingredient Name | | Strength |
| STARCH, CORN (UNII: O8232NY3SJ) | | |

| | |
|--|--|
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | ASPIRIN;44;157 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:59779-157-90 | 100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 02/10/1996 | |
| 2 | NDC:59779-157-85 | 300 in 1 BOTTLE; Type 0: Not a Combination Product | 02/10/1996 | |
| 3 | NDC:59779-157-14 | 500 in 1 BOTTLE; Type 0: Not a Combination Product | 03/22/2021 | |
| 4 | NDC:59779-157-08 | 1 in 1 CARTON | 02/10/1996 | 09/23/2020 |
| 4 | | 24 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 5 | NDC:59779-157-12 | 1 in 1 CARTON | 02/10/1996 | 12/05/2015 |
| 5 | | 100 in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013 | 02/10/1996 | |

Labeler - CVS Pharmacy (062312574)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. | | 038154464 | pack(59779-157) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 832867837 | manufacture(59779-157) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 832867894 | manufacture(59779-157) |

| Establishment | | | |
|-------------------------|----------------|---------------|----------------------------|
| Name | Address | ID/FEI | Business Operations |
| LNK International, Inc. | | 868734088 | manufacture(59779-157) |

| Establishment | | | |
|-------------------------|----------------|---------------|----------------------------|
| Name | Address | ID/FEI | Business Operations |
| LNK International, Inc. | | 967626305 | pack(59779-157) |

Revised: 4/2024

CVS Pharmacy