

**ATHLETES FOOT- tolnaftate spray**  
**Meijer Distribution Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Meijer Distribution, Inc. Athlete's Foot Spray Drug Facts**

**Active ingredient**

Tolnaftate 1%

**Purpose**

Antifungal

**Uses**

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

**Warnings**

For external use only

Flammable: Do not use while smoking or near heat or flame

**Do not use**

on children under 2 years of age unless directed by a doctor

**When using this product**

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

**Stop use and ask a doctor if**

- irritation occurs
- there is no improvement within 4 weeks

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

### **Other information**

- store at 20-25°C (68-77°F)

### **Inactive ingredients**

alcohol denat., butylated hydroxytoluene, isobutane, polyethylene glycol 300, polysorbate 20

### **Questions or comments?**

**1-800-719-9260**

### **Principal Display Panel**

Compare to Tinactin® active ingredient

MAXIMUM STRENGTH

athlete's foot spray

Tolnaftate 1%

Antifungal

Cures and Prevents Most Athlete's Foot

LIQUID SPRAY | COOLS THE BURN

Relieves Itching and Burning

NET WT 5.3 OZ (150 g)



NDC 41250-154-73

Compare to Tinactin®  
active ingredient\*

**MAXIMUM STRENGTH**  
**athlete's**  
**foot spray**

Tolnaftate 1%  
Antifungal

Cures and Prevents Most Athlete's Foot

LIQUID SPRAY | COOLS THE BURN

Relieves Itching and Burning

NET WT 5.3 OZ (150 g)

**Drug Facts****Active ingredient**

Tolnaftate 1%.....Antifungal

**Purpose****Uses**

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

**Warnings**

For external use only

**Flammable:** Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor

**When using this product**

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

**Stop use and ask a doctor if** ■ irritation occurs ■ there is no improvement within 4 weeks**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

**Other information** ■ store at 20-25°C (68-77°F)**Inactive ingredients** alcohol denat., butylated hydroxytoluene, isobutane, polyethylene glycol 300, polysorbate 20**Questions or comments?** 1-800-719-9260

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Tinactin®.

DIST. BY MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

PID 368781



DOT 2P : 15473 LE F5

**ATHLETES FOOT**

tolnaftate spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-154
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-154-73	150 g in 1 CAN; Type 0: Not a Combination Product	10/26/2004	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	10/26/2004	

**Labeler** - Meijer Distribution Inc (006959555)

Revised: 12/2018

Meijer Distribution Inc