

CLENZIDERM THERAPEUTIC- benzoyl peroxide lotion
OMP, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

OBAGI®
CLENZIderm M.D.™
Therapeutic Lotion

DRUG FACTS

Active Ingredient

Benzoyl Peroxide 5%

Purpose

Acne treatment lotion

Uses

- for the treatment of acne
- dries up acne pimples
- helps prevent new acne pimples

Warnings

For external use only.

Stop use and ask a doctor if

- irritation becomes severe.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen.
- avoid contact with the eyes, lips and mouth.
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.
- **If pregnant or breast-feeding**, ask a health care professional before use.

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product.
- cover the entire affected area with a thin layer one to three times daily.
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other Information

- store away from heat and direct sunlight.
- store at controlled room temperature: 15°-25°C (59°-77°F).

Inactive Ingredients

Benzyl Benzoate, BHT, Dicaprylyl Ether, Dimethyl Isosorbide, Disodium EDTA, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Polysorbate 60, Propylene Glycol, Squalane, Water (Aqua).

Questions?

1-800-636-7546 Mon-Fri 9:00 am – 4:00 pm PST

Dist. by OMP, Inc., Long Beach, CA 90806

PRINCIPAL DISPLAY PANEL - 47 mL Bottle Label

OBAGI®

CLENZIderm M.D.™

**Therapeutic
Lotion**

BENZOYL PEROXIDE 5%

2

SoluZyl Technology™

delivers medication
deep within your
pores where acne
starts. Helps to
clear acne quickly
while minimizing
dryness.

1.6 FL. OZ. (47 mL)



CLENZIderm M.D.™

Therapeutic Lotion

BENZOYL PEROXIDE 5%

2

SoluZyl Technology™ delivers medication deep within your pores where acne starts. Helps to clear acne quickly while minimizing dryness.

1.6 FL. OZ. (47 mL)

DRUG FACTS

Active Ingredient	Purpose
Benzoyl Peroxide 5%	Acne treatment lotion

Uses ■ for the treatment of acne ■ dries up acne pimples
■ helps prevent new acne pimples

Warnings

For external use only.

Stop use and ask a doctor if ■ irritation becomes severe.

When using this product ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. ■ avoid unnecessary sun exposure and use a sunscreen. ■ avoid contact with the eyes, lips, and mouth. ■ avoid contact with hair and dyed fabrics, which may be bleached by this product ■ skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration. ■ **If pregnant or breast-feeding**, ask a health care professional before use.

Do not use if you ■ have very sensitive skin ■ are sensitive to benzoyl peroxide

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ clean the skin thoroughly before applying this product. ■ cover the entire affected area with a thin layer one to three times daily. ■ because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. ■ if bothersome dryness or peeling occurs, reduce application to once a day or every other day. ■ if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other Information ■ store away from heat and direct sunlight. ■ store at controlled room temperature: 15°-25°C (59°-77°F).

Inactive Ingredients Benzyl Benzoate, BHT, Dicaprylyl Ether, Dimethyl Isosorbide, Disodium EDTA, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Polysorbate 60, Propylene Glycol, Squalane, Water (Aqua).

Questions? 1-800-636-7546 Mon-Fri 9:00 am - 4:00 pm PST

CLENZIderm M.D. and SoluZyl Technology are trademarks, and Obagi and the Obagi logo are registered trademarks of OMP, Inc. Patent # 7390431-1; 7445729-1 Dist. by OMP, Inc., Long Beach, CA 90806 www.obagi.com Made in U.S.A. 7909 30790910X

CLENZIDERM THERAPEUTIC

benzoyl peroxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62032-113
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL BENZOATE (UNII: N863NB338G)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SQUALANE (UNII: GW89575KF9)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-113-65	47 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	07/01/2007	

Labeler - OMP, INC. (790553353)

Establishment

Name	Address	ID/FEI	Business Operations
Ei INC.		105803274	MANUFACTURE(62032-113) , LABEL(62032-113) , PACK(62032-113) , ANALYSIS(62032-113)

Revised: 1/2012

OMP, INC.