SOLIMO REPAIRING TREATMENT FOR ACNE PRONE SKIN- benzoyl peroxide liquid Amazon.com Services LLC

Solimo Repairing Treatment For Acne Prone Skin

Drug Facts

Active Ingredient

Benzoyl Peroxide 2.5%

Purpose

Acne treatment gel

Uses

for the management of acne

Warnings

For external use only.

When using this product:

- do not use this product more than three times per day.
- skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen.
- avoid contact with the eyes, lips, and mouth.
- avoid contact with hair and dyed fabrics, which may be bleached by this product.
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Do not use

if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

Stop use and ask a doctor if

• irritation becomes severe.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions


- Apply product sparinglyto one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. Sensitivity Test for a New User:
- cleanse the skin thoroughly before applying this product.
- cover the entire affected area with a thin layer one to three times daily.
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive Ingredients

Water, ceteareth-20, propylene glycol, cetearyl alcohol, carbomer, ethoxydiglycol, cyclotetrasiloxane, glyceryl stearate, dimethicone, xanthan gum, peg-100 stearate, allantoin, panthenol, cyclopentasiloxane, fragrance, imidazolidinyl urea, methylparaben, propylparaben, sodium hydroxide.

Package Labeling:1oz

Top/Front



Bottom/Back Adhesive Side

NO PRINT AREA

or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Do not use if you ■ have very sensitive skin ■ are sensitive to benzoyl peroxide

Stop use and ask a doctor if ■ irritation becomes severe.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Sensitivity Test for a New User: Apply product sparinglyto one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. cleanse the skin thoroughly before applying this product.
 cover the entire affected area with a thin layer one to three times daily.
- because excessive drying of the skin mayor one to three times daily.

 because excessive drying of the skin may occur, start with one application daily,
 then gradually increase to two or three times daily if needed or as directed by
 a doctor. In the thresome dryness or peeling occurs, reduce application to once
 a day or every other day. If going outside, apply sunscreen after using this
 product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive Ingredients Water, ceteareth-20, propylene glycol, cetearyl alcohol, carborner, ethoxydiglycol, cyclotetrasiloxane, glyceryl stearate, dimethicone, xanthan gum, peg-100 stearate, allantoin, panthenol, cyclopentasiloxane, fragrance, imidazolidinyl urea, methylparaben, propylparaben, sodium hydroxide.

Package Labeling:2oz



Bottom/Back Adhesive Side

NO PRINT AREA

Directions

- Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
 cleares the skin throughly before applying this product.
 cleares the skin throughly before applying this product.
 cover the entire affected area with a thin layer one to three times daily. because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
 If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply sunsoreen after using this product. If irritation or sensitivity develope, stop use of both products and ask a doctor.

Inactive Ingredients Water, ceteareth-20, propylene glycol, cetearyl alcohol, carbomer, ethoxydiglycol, cyclotetrasiloxane, glyceryl stearate, dimethicone, xanthan gum, peg-100 stearate, aflantoin, panthenol, cyclopentasiloxane, tragirance, imidazolidinyl urea, methylparaben, propylparaben, sodium hydioxide.

SOLIMO REPAIRING TREATMENT FOR ACNE PRONE SKIN

benzoyl peroxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-525
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZOYL PEROXIDE (UNII: W9WZ N9A0GM) (BENZ OYL PEROXIDE - UNII: W9WZ N9A0GM)	BENZOYL PEROXIDE	25 mg in 1 mL	

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A118X02B)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PEG-100 STEARATE (UNII: YD01N1999R)	
ALLANTOIN (UNII: 344S277G0Z)	
PANTHENOL (UNII: WV9CM0O67Z)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
IMIDUREA (UNII: M629807ATL)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging				
4	# Item Code Package Description		Marketing Start Date	Marketing End Date
1	NDC:72288-525- 01	29 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/30/2020	
2	NDC:72288-525- 02	59 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/30/2020	

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M006	07/30/2020		

Labeler - Amazon.com Services LLC (128990418)

Establishment				
Name	Address	ID/FEI	Business Operations	
Filltech USA, LLC		926433855	manufacture(72288-525)	

Revised: 11/2023 Amazon.com Services LLC