MOROCCANOIL SPF 30- avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion Moroccanoil, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Moroccanoil Sun Lotion SPF 30

PURPOSE

Sunscreen

ACTIVE INGREDIENTS

Avobenzone 3%, Homosalate 12% Octisalate 5%, Octocrylene 2.5% Oxybenzone%

Avobenzone 3%

Homosalate 12%

Octisalate 5%

Octocrylene 2.5%

Oxybenzone 6%

USES

Helps prevent sunburn.

If used as directed with other sun protection measures (see Directions), helps prevent the risk of skin cancer and early skin aging caused by the sun.

DIRECTIONS

Shake bottle before use.

Apply liberally over clean skin 15 minutes before sun exposure.

Reapply:

- -- After 80 minutes of swimming or sweating.
- -- Immediately after towel-drying.
- -- At least every 2 hours.

Protect this product from excessive heat and direct sun.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To help prevent this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- -- Limit time in the sun, especially from 10 am 2 pm.
- -- Wear long-sleeved shirts, hats and sunglasses.

Children under 6 months: Ask a doctor.

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

WARNINGS

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. In case of contact, rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right a way.

INACTIVE INGREDIENTS

AQUA (WATER), C12-15 ALKYL BENZOATE, BUTYLOCTYL SALICYLATE, GLYCERIN, CYCLOPENTASILOXANE, POLYESTER-7, HYDROGENATED DIMER DILINOLEYL/DIMETHYLCARBONATE COPOLYMER, NEOPENTYL GLYCOL DIHEPTANOATE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, PARFUM (FRAGRANCE), ARGANIA SPINOSA KERNEL OIL, BENZOTRIAZOLYL DODECYL P-CRESOL, COCOS NUCIFERA (COCONUT) OIL, TOCOPHERYL ACETATE, SOYBEAN GLYCERIDES, GARDENIA TAHITENSIS FLOWER EXTRACT, TOCOPHEROL, HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL, LAURYL GLUCOSIDE, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, C30-45 ALKYL CETEARYL DIMETHICONE CROSSPOLYMER, POLYBUTENE, XANTHAN GUM, CITRIC ACID, POTASSIUM SORBATE, METHYLISOTHIAZOLINONE.

QUESTIONS OR COMMENTS?

Call toll-free 1-888-700-1817

PACKAGING




MOROCCANOIL sun

> 30 SPF

T02

SUN LOTION hydrating sun protection

broad spectrum spf 30 sunscreen water resistant (80 minutes)





DIRECTIONS: Shake well and apply generously (and evenly) 15 minutes before sun exposure. Reapply at least every 2 hours and every 80 minutes after swimming or sweating and immediately after towel-drying. Protect this product from excessive heat and direct sun. WARNING: For external use only, not to be swallowed. When using this product keep out of eyes. Kinse with water to remove. Do not use on damaged or broken skin. Discontinue use if signs of irritation or rash appear. If irritation persists, consult a health care practitioner. Do not use on infants under 6 months. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures. Prolonged exposure to the sun should be limited, especially from 10 am - 2 pm. Wear protective clothing, hots and evewear when exposed to the sun.

ACTIVE INGREDIENTS: HOMOSALATE 12%, OXYBENZONE 6%, OCTISALATE 5%, AVOBENZONE 3%, OCTOCRYLENE 2.5%

> WWW.MOROCCANOIL.COM DIST. BY MOROCCANOIL, NG. LOS ANGELES, CA 91436 MADE IN FRANCE

MOROCOANCIL AND MOROCOANCIL SUH ARE TRADEMARKS OF MOROCOANCIL, INC. USED UNDER LICENSE. 5 FL.OZ. / 150ml

🚯 🐼 👼 назім-об





| | | \ \ |
|---|--|--|
| Drug Facts Active Ingredients Purpose Honoside 12%, Doptencine 5%, Occiente 5%, Anchercure 3%, Occupten 2.5% Uses • Halps prevent surburn. • Higes is directed with other an protection nessures (see Directions) helps prevent for int, of directions of the interment for int, of | CCANOIL sun | Smooth, lightweight formula hydrates and nourishes the skin with antioxidant-rich argan oil and Vitamin E. Broad spectrum, water-resistant (80 minutes) sun protection helps protect from UVA/UVB rays which cause sunburn and premature signs of aging. |
| dein cancer and early skin aging caused by the sun. Warmings For external are only. Do not use on demaged or broken skin. When using this product, keep out of eyes. In case of contact, rime with water to remove. Stop use and sak a doctor if cash occurs. New out of early do di kildren. If product is seef beed, get medical help or contact a Risce Center right away. <i>Directions</i> • Shake bottle before use, • Apply fiberally over clean skin 15 minutes before a un exposure. | OROCC | |
| Resply: After 80 minutes of swimming or sweeting. Imme dutely after towel-drying. At least every 2 hours. Protect this product from excessive heat and direct sun. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To help prevent this risk, regularly use a sunscreen with a broad apectrum SFF of 15 or higher and other sun protection measures inkufing: Limitime in the sun, expectably from 10am - 2 pn. Were long-sheered shirts, hots and augustose. Children under 6 mentile. Advance. | ¥ | |
| Inactive Ingredients Азианателься), систорентационе, виделя, коотати, у сертип, и сого. Пертимате, наги, высовсе, розалосять за спосимательные наги- ието и сосов посред, коота систорана, сличе, интомая систе собласт, посречени, настае, сопасти и сисенова токорении и систе, имали виделися, исторании и систера, имали виделися, сосоренов, начития имали виделися, сосоренов, начития истора, сосоренов, начития исторации и сосоренование, начития исторации и сосоренование, начития истора видели и сосоренование начития истора видели и сосоренование начития истора видели и сосоренование начития истора видели и сосорения и сосорения истора видели и сосорения истора видели и сосорения и сосорения истора видели и сосорени | 30 | |
| Protect fris product from excessive heat and direct sun. Questions or comments? Cal toll-free 1-888-700-1817. | SPF SUN LOTION hydrating sun protection | |
| WWW.MOROCCANOLL.COM DIST. BY MOROCCANCE, NR., (65 ANDELES, CA 91456 MADE IN FINANCE INFORMATION AND INFORMATION AND THE THREEMONS OF MOROCANCE, NR. (1800 DI IN FOLLINESS. COM CONTAINED, INC. (1800 DI IN FOLLINESS. | broad spectrum spf 30 sunscreen water resistant (80 minutes) 5 FL.0Z. / 150 ml | |
| | | |
| | | |





Product Box Label

| | | e, octocrylene, oxybenzon | | | | | |
|--------------------------|--------------------------|------------------------------|-------------------|----------------|---------|---------------|--|
| Product Informat | ion | | | | | | |
| Product Type | | HUMAN OTC DRUG | Item Code (Sour | rce) | NDC:699 | 59942-030 | |
| Route of Administra | tion | TOPICAL | | | | | |
| Active Ingredient | /Active Moi | etv | | | | | |
| | | redient Name | | Basis of Stre | ngth | Strength | |
| HOMOSALATE (UNII: | | (HOMOSALATE - UNII:V06SV4) | M95S) | HOMOSALATE | - | 2 g in 100 mL | |
| | | CTISALATE - UNII:4X49Y0596 | | OCTISALATE | | g in 100 mL | |
| | | OXYBENZONE - UNII:9500S7 | | OXYBENZONE | | g in 100 mL | |
| | | 1) (OCTOCRYLENE - UNII:5A68 | | OCTOCRYLENE | | .5 g in 100 m | |
| | | (AVOBENZONE - UNII:G63QQI | | AVOBENZONE | | g in 100 mL | |
| CYCLOMETHICONE 5 | | | | | | | |
| Inactive Ingredie | ints | Ingredient Name | | | | Strengt | |
| CYCLOMETHICONE 5 | G (UNII: 0 THT5PC | | | | | 3 | |
| GARDENIA TAITENSI | | | | | | | |
| GLYCERIN (UNII: PDC | 6A3C0OX) | | | | | | |
| LAURYL GLUCOSIDE | E (UNII: 76 LN7P7 | UCU) | | | | | |
| NEOPENTYL GLYCO | L DIHEPTANO A | ATE (UNII: 5LKW3C543X) | | | | | |
| POLYBUTENE (1400 | MW) (UNII: 1NA | 5AO9GH7) | | | | | |
| PO TASSIUM SO RBAT | E (UNII: 1VPU26 | JZZ4) | | | | | |
| AMMO NIUM ACRYLO | YLDIMETHYL | TAURATE/VP COPOLYMER (| JNII: W59H9296ZG) | | | | |
| CITRIC ACID MONOH | IYDRATE (UNII: | 2968PHW8QP) | | | | | |
| COCONUT OIL (UNII: | Q9L0O73W7L) | | | | | | |
| METHYLISOTHIAZO | L INO NE (UNII: 2 | 229 D0 E1QFA) | | | | | |
| POLYESTER-7 (UNII: (|)841698D2F) | | | | | | |
| POLYGLYCERYL-2 D | IPOLYHYDRO | XYSTEARATE (UNII: 9229XJ4V | /12) | | | | |
| ALPHATOCOPHER | DL ACETATE, I | D- (UNII: A7E6112E4N) | | | | | |
| WATER (UNII: 059QF0 | | | | | | | |
| XANTHAN GUM (UNII: | | | | | | | |
| HELIANTHUS ANNUU | | NII: 42DG15CHXV) | | | | | |
| SOYBEAN OIL (UNII: 2 | 241ATL177A) | | | | | | |
| | | | | | | | |
| Packaging | | | | | | | |
| Packaging # Item Code | | Package Description | Market | ing Start Date | Marke | ting End Da | |

| | 150 mL in 1 BOTTLE; Type 0: Not a Combination Product | |
|--|---|--|
|--|---|--|

| Marketing Information | | | | | |
|-------------------------|--|----------------------|--------------------|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| OTC monograph not final | part352 | 06/01/2015 | | | |
| | | | | | |

Labeler - Moroccanoil, Inc. (964352202)

Registrant - Moroccanoil, Inc. (964352202)

Revised: 12/2020

1

Moroccanoil, Inc.